

02915 (East Providence)

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE¹	BETTER / WORSE CITY RATE¹	02915 ESTIMATE	EAST PROVIDENCE ESTIMATE	STATE ESTIMATE
SERIOUS CHRONIC DISEASE					
% high cholesterol	w		81.4%	79.3%	78.0%
% with diabetes	w	w	44.3%	38.5%	35.7%
% with stroke			13.7%	12.8%	12.5%
% with chronic obstructive pulmonary disease	w		27.1%	26.2%	24.1%
% with asthma	w		16.9%	15.9%	14.0%
% with hypertension	w		84.7%	82.3%	79.0%
% ever had a heart attack			6.0%	6.2%	5.4%
% with ischemic heart disease			45.4%	46.2%	45.9%
% with congestive heart failure			26.8%	26.3%	24.8%
% with anemia	w		57.4%	55.4%	52.2%
% with chronic kidney disease	w		28.9%	27.3%	23.3%
% with 4+ chronic conditions	w		70.5%	68.3%	63.9%
% with 0 chronic conditions			7.1%	8.1%	8.4%
Emergency room visits/1000 persons 65+ years per year			656	616	628
Part D monthly prescription fills per person per year	w	w	58.4	56.3	54.2
Durable medical equipment claims per year	w		2.3	2.2	2.0
Inpatient hospital stays/1000 persons 65+ years per year			290	304	284
Skilled nursing facility stays/1000 persons 65+ years per year	w		134	128	100
MILD CHRONIC DISEASE					
% with atrial fibrillation			16.1%	15.8%	15.2%
% with osteoarthritis/rheumatoid arthritis			52.3%	52.2%	52.0%
% with osteoporosis			21.3%	21.1%	21.0%
% with glaucoma			28.6%	27.5%	26.6%
% with cataract			70.0%	68.2%	67.9%
% women with breast cancer	b		8.4%	10.4%	10.7%
% men with prostate cancer			13.3%	13.8%	13.8%
% with hypothyroidism			21.3%	21.9%	21.1%
% with benign prostatic hyperplasia			39.2%	40.4%	40.3%
Physician visits per year	b		7.4	7.8	8.0

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE¹	BETTER / WORSE CITY RATE¹	02915 ESTIMATE	EAST PROVIDENCE ESTIMATE	STATE ESTIMATE
DISABILITY and LATER LIFE CHRONIC DISEASE					
Age-sex adjusted 1-year mortality rate			5.0%	4.9%	4.8%
% ever had a hip fracture			3.8%	3.8%	3.9%
% ever diagnosed with depression	w		35.9%	33.3%	30.0%
% with Alzheimer's disease or related dementias	w		17.9%	15.7%	14.4%
% with colon cancer			3.2%	3.4%	3.2%
% with lung cancer			2.2%	2.2%	2.1%
Home health visits per year			4.3	4.3	3.7
% of 65+ getting Medicaid long term services and supports	w	w	9.0%	7.1%	6.2%
% 65+ with hearing difficulty	w	w	21.3%	12.3%	13.8%
% 65+ with vision difficulty			6.0%	3.1%	5.2%
% 65+ with ambulatory difficulty			22.1%	16.6%	19.9%
% 65+ with cognition difficulty			5.3%	5.6%	7.8%
% 65+ with self-care difficulty			4.6%	5.9%	6.6%
% 65+ with independent living difficulty			13.7%	11.1%	13.7%
DEMOGRAPHIC (AGE 65+ YEARS)					
% Medicare managed care enrollees			51.0%	48.8%	39.4%
Total population 65 years or older			3,402	8,904	155,558
% 65-74 years			42.5%	43.5%	50.4%
% 75-84 years			34.0%	34.6%	32.0%
% 85 years or older			23.5%	22.0%	17.6%
% female			63.7%	62.6%	58.4%
% White			95.6%	91.2%	93.0%
% African American			1.1%	3.7%	2.6%
% Asian			1.6%	0.9%	1.3%
% Other			1.6%	4.2%	3.2%
% Hispanic/Latino			0.6%	1.2%	3.7%
% speaking only English at home			28.6%	69.3%	81.7%
% married			37.8%	42.7%	50.1%
% divorced/separated			55.1%	11.7%	12.6%
% widowed			16.3%	38.3%	30.8%
% never married			14.6%	7.3%	6.4%
% living alone			82.7%	36.3%	30.4%
% with less than high school education			38.9%	34.9%	26.8%
% with high school or some college			40.1%	49.9%	50.7%
% with college degree			8.6%	15.2%	22.5%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	BETTER / WORSE CITY RATE ¹	02915 ESTIMATE	EAST PROVIDENCE ESTIMATE	STATE ESTIMATE
% with income below the poverty level past year			10.4%	8.9%	8.6%
% households with annual income \geq \$50,000			22.2%	23.2%	37.7%
% 60+ receiving food stamps past year			10.5%	10.5%	11.9%
% dually eligible for Medicare and Medicaid			19.9%	15.2%	14.6%

TECHNICAL NOTES

See the technical report for methodological information at <http://healthyagingdatareports.org/ri/technicalreport>.

¹ For most indicators the community and state values are both statistical estimates derived from sample data. Thus, it is possible that some of the differences between state and community estimates may be due to chance associated with population sampling. We use the terms “better” and “worse” to highlight differences between community and state estimates that we are confident are not due to chance.

Other notes:

- Population characteristic estimates are from the American Community Survey (ACS) (2009-2013) and are reported for the 20 Zip codes. Note that % may not add up to 100% due to rounding error.
- Mortality rate, specific chronic disease, access and utilization estimates are for beneficiaries 65 years or older in 2013 from the 2012 and 2013 Centers for Medicare and Medicaid Services (CMS) Master Beneficiary Summary File (MBSF).
- Our research team: Elizabeth Dugan, Frank Porell and Nina Silverstein. Graduate Student researchers included: Chae Man Lee, Hyo Jung Lee, Bon Kim, and Krystal Kittle. We thank Amanda Cox from the NYTimes.com for data visualizations; and Maureen Maigret for sharing data on municipal senior transportation and volunteer driver programs collected by Mensel & Maigret (April, 2016). Please send your questions, comments, or ideas to beth.dugan@umb.edu. Let us know how you are using the Data Report in your community!