

02916 (East Providence)

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE¹	BETTER / WORSE CITY RATE¹	02916 ESTIMATE	EAST PROVIDENCE ESTIMATE	STATE ESTIMATE
SERIOUS CHRONIC DISEASE					
% high cholesterol			77.3%	79.3%	78.0%
% with diabetes		b	34.4%	38.5%	35.7%
% with stroke			13.3%	12.8%	12.5%
% with chronic obstructive pulmonary disease	w		26.5%	26.2%	24.1%
% with asthma			15.5%	15.9%	14.0%
% with hypertension			80.0%	82.3%	79.0%
% ever had a heart attack			5.9%	6.2%	5.4%
% with ischemic heart disease			47.0%	46.2%	45.9%
% with congestive heart failure			26.6%	26.3%	24.8%
% with anemia			54.3%	55.4%	52.2%
% with chronic kidney disease	w		26.3%	27.3%	23.3%
% with 4+ chronic conditions	w		67.5%	68.3%	63.9%
% with 0 chronic conditions			9.0%	8.1%	8.4%
Emergency room visits/1000 persons 65+ years per year			586	616	628
Part D monthly prescription fills per person per year	w		55.9	56.3	54.2
Durable medical equipment claims per year			2.2	2.2	2.0
Inpatient hospital stays/1000 persons 65+ years per year			321	304	284
Skilled nursing facility stays/1000 persons 65+ years per year			122	128	100
MILD CHRONIC DISEASE					
% with atrial fibrillation			15.6%	15.8%	15.2%
% with osteoarthritis/rheumatoid arthritis			52.4%	52.2%	52.0%
% with osteoporosis			22.2%	21.1%	21.0%
% with glaucoma			26.1%	27.5%	26.6%
% with cataract			66.6%	68.2%	67.9%
% women with breast cancer			11.5%	10.4%	10.7%
% men with prostate cancer			12.9%	13.8%	13.8%
% with hypothyroidism	w		23.6%	21.9%	21.1%
% with benign prostatic hyperplasia			39.0%	40.4%	40.3%
Physician visits per year			7.9	7.8	8.0

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE¹	BETTER / WORSE CITY RATE¹	02916 ESTIMATE	EAST PROVIDENCE ESTIMATE	STATE ESTIMATE
DISABILITY and LATER LIFE CHRONIC DISEASE					
Age-sex adjusted 1-year mortality rate			4.7%	4.9%	4.8%
% ever had a hip fracture			4.0%	3.8%	3.9%
% ever diagnosed with depression	w		32.9%	33.3%	30.0%
% with Alzheimer's disease or related dementias			14.3%	15.7%	14.4%
% with colon cancer			3.5%	3.4%	3.2%
% with lung cancer			2.4%	2.2%	2.1%
Home health visits per year			4.6	4.3	3.7
% of 65+ getting Medicaid long term services and supports			6.4%	7.1%	6.2%
% 65+ with hearing difficulty			15.0%	12.3%	13.8%
% 65+ with vision difficulty			5.8%	3.1%	5.2%
% 65+ with ambulatory difficulty			16.5%	16.6%	19.9%
% 65+ with cognition difficulty			9.7%	5.6%	7.8%
% 65+ with self-care difficulty			8.0%	5.9%	6.6%
% 65+ with independent living difficulty			12.8%	11.1%	13.7%
DEMOGRAPHIC (AGE 65+ YEARS)					
% Medicare managed care enrollees			48.5%	48.8%	39.4%
Total population 65 years or older			1,643	8,904	155,558
% 65-74 years			50.9%	43.5%	50.4%
% 75-84 years			32.7%	34.6%	32.0%
% 85 years or older			16.4%	22.0%	17.6%
% female			56.7%	62.6%	58.4%
% White			93.4%	91.2%	93.0%
% African American			4.5%	3.7%	2.6%
% Asian			1.2%	0.9%	1.3%
% Other			1.0%	4.2%	3.2%
% Hispanic/Latino			2.1%	1.2%	3.7%
% speaking only English at home			21.4%	69.3%	81.7%
% married			49.8%	42.7%	50.1%
% divorced/separated			51.4%	11.7%	12.6%
% widowed			26.9%	38.3%	30.8%
% never married			11.9%	7.3%	6.4%
% living alone			5.4%	36.3%	30.4%
% with less than high school education			36.5%	34.9%	26.8%
% with high school or some college			79.8%	49.9%	50.7%
% with college degree			32.9%	15.2%	22.5%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	BETTER / WORSE CITY RATE ¹	02916 ESTIMATE	EAST PROVIDENCE ESTIMATE	STATE ESTIMATE
% with income below the poverty level past year			4.8%	8.9%	8.6%
% households with annual income \geq \$50,000			37.1%	23.2%	37.7%
% 60+ receiving food stamps past year			7.8%	10.5%	11.9%
% dually eligible for Medicare and Medicaid			12.8%	15.2%	14.6%

TECHNICAL NOTES

See the technical report for methodological information at <http://healthyagingdatareports.org/ri/technicalreport>.

¹ For most indicators the community and state values are both statistical estimates derived from sample data. Thus, it is possible that some of the differences between state and community estimates may be due to chance associated with population sampling. We use the terms “better” and “worse” to highlight differences between community and state estimates that we are confident are not due to chance.

Other notes:

- Population characteristic estimates are from the American Community Survey (ACS) (2009-2013) and are reported for the 20 Zip codes. Note that % may not add up to 100% due to rounding error.
- Mortality rate, specific chronic disease, access and utilization estimates are for beneficiaries 65 years or older in 2013 from the 2012 and 2013 Centers for Medicare and Medicaid Services (CMS) Master Beneficiary Summary File (MBSF).
- Our research team: Elizabeth Dugan, Frank Porell and Nina Silverstein. Graduate Student researchers included: Chae Man Lee, Hyo Jung Lee, Bon Kim, and Krystal Kittle. We thank Amanda Cox from the NYTimes.com for data visualizations; and Maureen Maigret for sharing data on municipal senior transportation and volunteer driver programs collected by Mensel & Maigret (April, 2016). Please send your questions, comments, or ideas to beth.dugan@umb.edu. Let us know how you are using the Data Report in your community!