

## RHODE ISLAND HEALTHY AGING COMMUNITY DATA PROFILE

## 02863 (Central Falls)

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	BETTER / WORSE CITY RATE <sup>1</sup>	02863 ESTIMATE	MARGIN OF ERROR <sup>2</sup>	CENTRAL FALLS ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>SERIOUS CHRONIC DISEASE</b>								
% high cholesterol			77.4%	( 74.8% - 80.1% )	77.4%	( 74.8% - 80.1% )	78.0%	( 77.7% - 78.2% )
% with diabetes	w		51.5%	( 48.1% - 54.9% )	51.5%	( 48.1% - 54.9% )	35.7%	( 35.4% - 36.0% )
% with stroke	w		15.7%	( 13.4% - 18.1% )	15.7%	( 13.4% - 18.1% )	12.5%	( 12.3% - 12.6% )
% with chronic obstructive pulmonary disease	w		29.0%	( 26.1% - 31.9% )	29.0%	( 26.1% - 31.9% )	24.1%	( 23.8% - 24.3% )
% with asthma	w		18.9%	( 16.4% - 21.4% )	18.9%	( 16.4% - 21.4% )	14.0%	( 13.8% - 14.2% )
% with hypertension	w		84.6%	( 82.3% - 86.9% )	84.6%	( 82.3% - 86.9% )	79.0%	( 78.8% - 79.3% )
% ever had a heart attack	w		8.0%	( 6.3% - 9.7% )	8.0%	( 6.3% - 9.7% )	5.4%	( 5.3% - 5.6% )
% with ischemic heart disease			49.0%	( 45.6% - 52.4% )	49.0%	( 45.6% - 52.4% )	45.9%	( 45.5% - 46.2% )
% with congestive heart failure	w		33.0%	( 29.9% - 36.1% )	33.0%	( 29.9% - 36.1% )	24.8%	( 24.5% - 25.1% )
% with anemia			53.5%	( 50.4% - 56.7% )	53.5%	( 50.4% - 56.7% )	52.2%	( 51.9% - 52.5% )
% with chronic kidney disease	w		27.7%	( 24.7% - 30.7% )	27.7%	( 24.7% - 30.7% )	23.3%	( 23.1% - 23.6% )
% with 4+ chronic conditions	w		70.1%	( 67.1% - 73.0% )	70.1%	( 67.1% - 73.0% )	63.9%	( 63.6% - 64.2% )
% with 0 chronic conditions			7.6%	( 6.0% - 9.3% )	7.6%	( 6.0% - 9.3% )	8.4%	( 8.2% - 8.6% )
Emergency room visits/1000 persons 65+ years per year	w		763	( 665 - 861 )	763	( 665 - 861 )	628	( 620 - 637 )
Part D monthly prescription fills per person per year	w		57.9	( 56.0 - 59.8 )	57.9	( 56.0 - 59.8 )	54.2	( 54.0 - 54.4 )
Durable medical equipment claims per year	w		2.7	( 2.3 - 3.1 )	2.7	( 2.3 - 3.1 )	2.0	( 1.9 - 2.0 )
Inpatient hospital stays/1000 persons 65+ years per year	w		361	( 299 - 423 )	361	( 299 - 423 )	284	( 280 - 289 )
Skilled nursing facility stays/1000 persons 65+ years per year			124	( 96 - 152 )	124	( 96 - 152 )	100	( 98 - 103 )
<b>MILD CHRONIC DISEASE</b>								
% with atrial fibrillation			13.0%	( 10.8% - 15.1% )	13.0%	( 10.8% - 15.1% )	15.2%	( 15.0% - 15.4% )
% with osteoarthritis/rheumatoid arthritis	b		44.8%	( 41.5% - 48.2% )	44.8%	( 41.5% - 48.2% )	52.0%	( 51.7% - 52.3% )
% with osteoporosis			21.5%	( 18.9% - 24.1% )	21.5%	( 18.9% - 24.1% )	21.0%	( 20.8% - 21.2% )
% with glaucoma	b		18.4%	( 16.0% - 20.9% )	18.4%	( 16.0% - 20.9% )	26.6%	( 26.3% - 26.8% )
% with cataract			64.8%	( 61.7% - 67.8% )	64.8%	( 61.7% - 67.8% )	67.9%	( 67.6% - 68.2% )
% women with breast cancer	b		7.2%	( 5.1% - 9.4% )	7.2%	( 5.1% - 9.4% )	10.7%	( 10.4% - 10.9% )
% men with prostate cancer			11.4%	( 8.3% - 14.5% )	11.4%	( 8.3% - 14.5% )	13.8%	( 13.5% - 14.1% )
% with hypothyroidism			19.5%	( 16.9% - 22.0% )	19.5%	( 16.9% - 22.0% )	21.1%	( 20.9% - 21.4% )
% with benign prostatic hyperplasia			37.3%	( 32.6% - 42.0% )	37.3%	( 32.6% - 42.0% )	40.3%	( 39.9% - 40.7% )
Physician visits per year	b		5.5	( 5.1 - 5.9 )	5.5	( 5.1 - 5.9 )	8.0	( 7.9 - 8.0 )

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	BETTER / WORSE CITY RATE <sup>1</sup>	02863 ESTIMATE	MARGIN OF ERROR <sup>2</sup>	CENTRAL FALLS ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>DISABILITY and LATER LIFE CHRONIC DISEASE</b>								
Age-sex adjusted 1-year mortality rate			4.9%	( 3.9% - 5.9% )	4.9%	( 3.9% - 5.9% )	4.8%	( 4.7% - 4.8% )
% ever had a hip fracture			4.0%	( 2.8% - 5.2% )	4.0%	( 2.8% - 5.2% )	3.9%	( 3.8% - 4.0% )
% ever diagnosed with depression	w		38.5%	( 35.4% - 41.7% )	38.5%	( 35.4% - 41.7% )	30.0%	( 29.8% - 30.3% )
% with Alzheimer's disease or related dementias	w		22.9%	( 20.1% - 25.6% )	22.9%	( 20.1% - 25.6% )	14.4%	( 14.2% - 14.6% )
% with colon cancer			2.8%	( 1.8% - 3.9% )	2.8%	( 1.8% - 3.9% )	3.2%	( 3.1% - 3.3% )
% with lung cancer			2.5%	( 1.5% - 3.5% )	2.5%	( 1.5% - 3.5% )	2.1%	( 2.0% - 2.2% )
Home health visits per year	w		6.2	( 4.8 - 7.7 )	6.2	( 4.8 - 7.7 )	3.7	( 3.7 - 3.8 )
% of 65+ getting Medicaid long term services and supports	w		12.8%	( 11.4% - 14.2% )	12.8%	( 11.4% - 14.2% )	6.2%	( 6.1% - 6.3% )
% 65+ with hearing difficulty			12.3%	( 8.4% - 16.3% )	12.3%	( 8.4% - 16.3% )	13.8%	( 13.2% - 14.3% )
% 65+ with vision difficulty			8.8%	( 4.3% - 13.3% )	8.8%	( 4.3% - 13.3% )	5.2%	( 4.9% - 5.5% )
% 65+ with ambulatory difficulty	w		34.0%	( 28.1% - 40.0% )	34.0%	( 28.1% - 40.0% )	19.9%	( 19.3% - 20.5% )
% 65+ with cognition difficulty	w		14.3%	( 9.6% - 18.9% )	14.3%	( 9.6% - 18.9% )	7.8%	( 7.3% - 8.2% )
% 65+ with self-care difficulty	w		11.3%	( 7.3% - 15.4% )	11.3%	( 7.3% - 15.4% )	6.6%	( 6.2% - 6.9% )
% 65+ with independent living difficulty	w		20.0%	( 15.5% - 24.5% )	20.0%	( 15.5% - 24.5% )	13.7%	( 13.2% - 14.2% )

Notes.<sup>1</sup> Zip code-city-state differences that the margins of error do not overlap each other are noted b or w.

<sup>2</sup> All zip code, city, and state margins of error are 90% confidence intervals.