

## RHODE ISLAND HEALTHY AGING COMMUNITY DATA PROFILE

## 02886 (Warwick)

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	BETTER / WORSE CITY RATE <sup>1</sup>	02886 ESTIMATE	MARGIN OF ERROR <sup>2</sup>	WARWICK ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>SERIOUS CHRONIC DISEASE</b>								
% high cholesterol	w		81.9%	( 80.7% - 83.1% )	80.0%	( 79.2% - 80.8% )	78.0%	( 77.7% - 78.2% )
% with diabetes	w		38.0%	( 36.4% - 39.5% )	37.9%	( 36.8% - 38.9% )	35.7%	( 35.4% - 36.0% )
% with stroke			13.5%	( 12.5% - 14.6% )	13.4%	( 12.8% - 14.1% )	12.5%	( 12.3% - 12.6% )
% with chronic obstructive pulmonary disease	w		27.4%	( 26.1% - 28.8% )	25.9%	( 25.0% - 26.8% )	24.1%	( 23.8% - 24.3% )
% with asthma	w		16.1%	( 15.0% - 17.2% )	15.1%	( 14.4% - 15.9% )	14.0%	( 13.8% - 14.2% )
% with hypertension	w		82.1%	( 80.9% - 83.3% )	80.6%	( 79.8% - 81.5% )	79.0%	( 78.8% - 79.3% )
% ever had a heart attack			6.2%	( 5.5% - 6.9% )	6.4%	( 5.9% - 6.9% )	5.4%	( 5.3% - 5.6% )
% with ischemic heart disease	w		51.8%	( 50.2% - 53.4% )	50.5%	( 49.4% - 51.6% )	45.9%	( 45.5% - 46.2% )
% with congestive heart failure	w		27.0%	( 25.6% - 28.4% )	26.4%	( 25.5% - 27.4% )	24.8%	( 24.5% - 25.1% )
% with anemia	w	w	59.8%	( 58.3% - 61.4% )	57.3%	( 56.2% - 58.3% )	52.2%	( 51.9% - 52.5% )
% with chronic kidney disease	w		25.5%	( 24.1% - 26.9% )	25.1%	( 24.1% - 26.0% )	23.3%	( 23.1% - 23.6% )
% with 4+ chronic conditions	w		69.5%	( 68.0% - 70.9% )	67.7%	( 66.8% - 68.7% )	63.9%	( 63.6% - 64.2% )
% with 0 chronic conditions	w		7.1%	( 6.3% - 7.9% )	7.9%	( 7.3% - 8.4% )	8.4%	( 8.2% - 8.6% )
Emergency room visits/1000 persons 65+ years per year	w		754	( 686 - 822 )	683	( 647 - 718 )	628	( 620 - 637 )
Part D monthly prescription fills per person per year	w		55.6	( 54.7 - 56.6 )	54.5	( 53.8 - 55.1 )	54.2	( 54.0 - 54.4 )
Durable medical equipment claims per year	w		2.2	( 2.1 - 2.4 )	2.1	( 2.0 - 2.2 )	2.0	( 1.9 - 2.0 )
Inpatient hospital stays/1000 persons 65+ years per year	w		316	( 291 - 340 )	306	( 290 - 322 )	284	( 280 - 289 )
Skilled nursing facility stays/1000 persons 65+ years per year			109	( 95 - 122 )	97	( 89 - 105 )	100	( 98 - 103 )
<b>MILD CHRONIC DISEASE</b>								
% with atrial fibrillation			15.1%	( 14.0% - 16.1% )	15.3%	( 14.5% - 16.0% )	15.2%	( 15.0% - 15.4% )
% with osteoarthritis/rheumatoid arthritis	w	w	58.5%	( 56.9% - 60.1% )	55.6%	( 54.5% - 56.7% )	52.0%	( 51.7% - 52.3% )
% with osteoporosis	w		24.8%	( 23.5% - 26.1% )	22.8%	( 22.0% - 23.7% )	21.0%	( 20.8% - 21.2% )
% with glaucoma			27.5%	( 26.1% - 28.8% )	25.9%	( 25.0% - 26.8% )	26.6%	( 26.3% - 26.8% )
% with cataract	w	w	70.0%	( 68.5% - 71.4% )	67.4%	( 66.4% - 68.4% )	67.9%	( 67.6% - 68.2% )
% women with breast cancer			10.9%	( 9.7% - 12.1% )	10.8%	( 10.0% - 11.6% )	10.7%	( 10.4% - 10.9% )
% men with prostate cancer			14.4%	( 12.7% - 16.1% )	13.8%	( 12.7% - 14.8% )	13.8%	( 13.5% - 14.1% )
% with hypothyroidism	w		25.4%	( 24.1% - 26.8% )	23.7%	( 22.9% - 24.6% )	21.1%	( 20.9% - 21.4% )
% with benign prostatic hyperplasia			40.4%	( 38.0% - 42.8% )	38.5%	( 37.0% - 40.0% )	40.3%	( 39.9% - 40.7% )
Physician visits per year	w	w	8.9	( 8.6 - 9.1 )	8.4	( 8.2 - 8.5 )	8.0	( 7.9 - 8.0 )

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	BETTER / WORSE CITY RATE <sup>1</sup>	02886 ESTIMATE	MARGIN OF ERROR <sup>2</sup>	WARWICK ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>DISABILITY and LATER LIFE CHRONIC DISEASE</b>								
Age-sex adjusted 1-year mortality rate			5.2%	( 4.7% - 5.7% )	5.1%	( 4.8% - 5.4% )	4.8%	( 4.7% - 4.8% )
% ever had a hip fracture			4.6%	( 4.0% - 5.2% )	4.3%	( 3.9% - 4.7% )	3.9%	( 3.8% - 4.0% )
% ever diagnosed with depression	w		32.6%	( 31.2% - 34.1% )	32.3%	( 31.3% - 33.2% )	30.0%	( 29.8% - 30.3% )
% with Alzheimer's disease or related dementias			14.1%	( 13.0% - 15.1% )	13.7%	( 13.0% - 14.5% )	14.4%	( 14.2% - 14.6% )
% with colon cancer			3.1%	( 2.6% - 3.6% )	3.5%	( 3.1% - 3.8% )	3.2%	( 3.1% - 3.3% )
% with lung cancer			2.6%	( 2.1% - 3.1% )	2.8%	( 2.4% - 3.1% )	2.1%	( 2.0% - 2.2% )
Home health visits per year			3.7	( 3.2 - 4.1 )	3.7	( 3.4 - 4.0 )	3.7	( 3.7 - 3.8 )
% of 65+ getting Medicaid long term services and supports	b		5.5%	( 5.0% - 5.9% )	5.1%	( 4.8% - 5.4% )	6.2%	( 6.1% - 6.3% )
% 65+ with hearing difficulty			12.9%	( 10.4% - 15.4% )	14.1%	( 12.3% - 16.0% )	13.8%	( 13.2% - 14.3% )
% 65+ with vision difficulty			5.9%	( 3.8% - 8.0% )	6.0%	( 4.6% - 7.3% )	5.2%	( 4.9% - 5.5% )
% 65+ with ambulatory difficulty			20.1%	( 16.9% - 23.3% )	18.9%	( 16.7% - 21.1% )	19.9%	( 19.3% - 20.5% )
% 65+ with cognition difficulty			6.4%	( 4.5% - 8.2% )	8.3%	( 6.7% - 9.8% )	7.8%	( 7.3% - 8.2% )
% 65+ with self-care difficulty			6.2%	( 4.2% - 8.3% )	6.0%	( 4.7% - 7.3% )	6.6%	( 6.2% - 6.9% )
% 65+ with independent living difficulty			11.9%	( 8.8% - 14.9% )	13.3%	( 11.3% - 15.2% )	13.7%	( 13.2% - 14.2% )

Notes.<sup>1</sup> Zip code-city-state differences that the margins of error do not overlap each other are noted b or w.

<sup>2</sup> All zip code, city, and state margins of error are 90% confidence intervals.