

## RHODE ISLAND HEALTHY AGING COMMUNITY DATA PROFILE

## 02888 (Warwick)

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	BETTER / WORSE CITY RATE <sup>1</sup>	02888 ESTIMATE	MARGIN OF ERROR <sup>2</sup>	WARWICK ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>SERIOUS CHRONIC DISEASE</b>								
% high cholesterol			78.9%	( 77.1% - 80.6% )	80.0%	( 79.2% - 80.8% )	78.0%	( 77.7% - 78.2% )
% with diabetes			37.6%	( 35.5% - 39.8% )	37.9%	( 36.8% - 38.9% )	35.7%	( 35.4% - 36.0% )
% with stroke			12.7%	( 11.3% - 14.0% )	13.4%	( 12.8% - 14.1% )	12.5%	( 12.3% - 12.6% )
% with chronic obstructive pulmonary disease			24.4%	( 22.7% - 26.2% )	25.9%	( 25.0% - 26.8% )	24.1%	( 23.8% - 24.3% )
% with asthma			13.3%	( 11.9% - 14.7% )	15.1%	( 14.4% - 15.9% )	14.0%	( 13.8% - 14.2% )
% with hypertension			79.6%	( 77.9% - 81.3% )	80.6%	( 79.8% - 81.5% )	79.0%	( 78.8% - 79.3% )
% ever had a heart attack			6.3%	( 5.3% - 7.3% )	6.4%	( 5.9% - 6.9% )	5.4%	( 5.3% - 5.6% )
% with ischemic heart disease	w		48.4%	( 46.2% - 50.6% )	50.5%	( 49.4% - 51.6% )	45.9%	( 45.5% - 46.2% )
% with congestive heart failure			25.6%	( 23.7% - 27.4% )	26.4%	( 25.5% - 27.4% )	24.8%	( 24.5% - 25.1% )
% with anemia	w		55.5%	( 53.4% - 57.5% )	57.3%	( 56.2% - 58.3% )	52.2%	( 51.9% - 52.5% )
% with chronic kidney disease	w		26.3%	( 24.4% - 28.2% )	25.1%	( 24.1% - 26.0% )	23.3%	( 23.1% - 23.6% )
% with 4+ chronic conditions	w		66.7%	( 64.8% - 68.7% )	67.7%	( 66.8% - 68.7% )	63.9%	( 63.6% - 64.2% )
% with 0 chronic conditions			7.7%	( 6.5% - 8.8% )	7.9%	( 7.3% - 8.4% )	8.4%	( 8.2% - 8.6% )
Emergency room visits/1000 persons 65+ years per year	b	b	559	( 509 - 609 )	683	( 647 - 718 )	628	( 620 - 637 )
Part D monthly prescription fills per person per year			53.1	( 51.9 - 54.3 )	54.5	( 53.8 - 55.1 )	54.2	( 54.0 - 54.4 )
Durable medical equipment claims per year			1.8	( 1.6 - 2.0 )	2.1	( 2.0 - 2.2 )	2.0	( 1.9 - 2.0 )
Inpatient hospital stays/1000 persons 65+ years per year			296	( 263 - 328 )	306	( 290 - 322 )	284	( 280 - 289 )
Skilled nursing facility stays/1000 persons 65+ years per year	b		80	( 64 - 95 )	97	( 89 - 105 )	100	( 98 - 103 )
<b>MILD CHRONIC DISEASE</b>								
% with atrial fibrillation			16.1%	( 14.6% - 17.6% )	15.3%	( 14.5% - 16.0% )	15.2%	( 15.0% - 15.4% )
% with osteoarthritis/rheumatoid arthritis		b	51.2%	( 49.0% - 53.4% )	55.6%	( 54.5% - 56.7% )	52.0%	( 51.7% - 52.3% )
% with osteoporosis			22.1%	( 20.5% - 23.8% )	22.8%	( 22.0% - 23.7% )	21.0%	( 20.8% - 21.2% )
% with glaucoma			26.0%	( 24.2% - 27.8% )	25.9%	( 25.0% - 26.8% )	26.6%	( 26.3% - 26.8% )
% with cataract			66.0%	( 64.0% - 68.0% )	67.4%	( 66.4% - 68.4% )	67.9%	( 67.6% - 68.2% )
% women with breast cancer			10.4%	( 8.8% - 12.0% )	10.8%	( 10.0% - 11.6% )	10.7%	( 10.4% - 10.9% )
% men with prostate cancer			13.4%	( 11.3% - 15.5% )	13.8%	( 12.7% - 14.8% )	13.8%	( 13.5% - 14.1% )
% with hypothyroidism			22.7%	( 21.0% - 24.4% )	23.7%	( 22.9% - 24.6% )	21.1%	( 20.9% - 21.4% )
% with benign prostatic hyperplasia			39.7%	( 36.7% - 42.8% )	38.5%	( 37.0% - 40.0% )	40.3%	( 39.9% - 40.7% )
Physician visits per year			8.0	( 7.7 - 8.2 )	8.4	( 8.2 - 8.5 )	8.0	( 7.9 - 8.0 )

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	BETTER / WORSE CITY RATE <sup>1</sup>	02888 ESTIMATE	MARGIN OF ERROR <sup>2</sup>	WARWICK ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>DISABILITY and LATER LIFE CHRONIC DISEASE</b>								
Age-sex adjusted 1-year mortality rate	b	b	3.9%	( 3.4% - 4.5% )	5.1%	( 4.8% - 5.4% )	4.8%	( 4.7% - 4.8% )
% ever had a hip fracture			4.2%	( 3.4% - 5.0% )	4.3%	( 3.9% - 4.7% )	3.9%	( 3.8% - 4.0% )
% ever diagnosed with depression			31.4%	( 29.5% - 33.3% )	32.3%	( 31.3% - 33.2% )	30.0%	( 29.8% - 30.3% )
% with Alzheimer's disease or related dementias			13.6%	( 12.2% - 15.1% )	13.7%	( 13.0% - 14.5% )	14.4%	( 14.2% - 14.6% )
% with colon cancer			4.0%	( 3.2% - 4.8% )	3.5%	( 3.1% - 3.8% )	3.2%	( 3.1% - 3.3% )
% with lung cancer			2.8%	( 2.1% - 3.4% )	2.8%	( 2.4% - 3.1% )	2.1%	( 2.0% - 2.2% )
Home health visits per year			3.6	( 3.0 - 4.1 )	3.7	( 3.4 - 4.0 )	3.7	( 3.7 - 3.8 )
% of 65+ getting Medicaid long term services and supports	b	b	4.0%	( 3.4% - 4.5% )	5.1%	( 4.8% - 5.4% )	6.2%	( 6.1% - 6.3% )
% 65+ with hearing difficulty			11.8%	( 7.9% - 15.6% )	14.1%	( 12.3% - 16.0% )	13.8%	( 13.2% - 14.3% )
% 65+ with vision difficulty			6.7%	( 3.7% - 9.7% )	6.0%	( 4.6% - 7.3% )	5.2%	( 4.9% - 5.5% )
% 65+ with ambulatory difficulty			18.7%	( 13.7% - 23.7% )	18.9%	( 16.7% - 21.1% )	19.9%	( 19.3% - 20.5% )
% 65+ with cognition difficulty			9.3%	( 5.5% - 13.2% )	8.3%	( 6.7% - 9.8% )	7.8%	( 7.3% - 8.2% )
% 65+ with self-care difficulty			6.7%	( 3.7% - 9.7% )	6.0%	( 4.7% - 7.3% )	6.6%	( 6.2% - 6.9% )
% 65+ with independent living difficulty			15.2%	( 11.0% - 19.3% )	13.3%	( 11.3% - 15.2% )	13.7%	( 13.2% - 14.2% )

Notes.<sup>1</sup> Zip code-city-state differences that the margins of error do not overlap each other are noted b or w.

<sup>2</sup> All zip code, city, and state margins of error are 90% confidence intervals.