

Newport (Newport)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		56.5%	[51.53% - 61.49%]	55.6%	[54.85% - 56.28%]
% 75-84 years		29.8%	[25.19% - 34.38%]	28.9%	[28.18% - 29.72%]
% 85 years or older		13.7%	[10.53% - 16.89%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female		54.2%	[49.65% - 58.83%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female		76.8%	[67.00% - 86.67%]	69.7%	[68.05% - 71.40%]
Race and ethnicity of the population 65+					
% White		90.9%	[87.61% - 94.27%]	92.0%	[90.81% - 93.12%]
% African American	*	6.7%	[4.13% - 9.32%]	3.2%	[2.96% - 3.38%]
% Asian		0.4%	[-1.06% - 1.95%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino		2.8%	[0.68% - 4.93%]	4.9%	[4.72% - 5.07%]
Marital status of the population 65+					
% married		47.8%	[43.30% - 52.38%]	51.3%	[50.78% - 51.78%]
% divorced/separated		19.3%	[15.09% - 23.50%]	15.7%	[15.00% - 16.37%]
% widowed		22.4%	[18.42% - 26.43%]	25.0%	[24.26% - 25.77%]
% never married		10.4%	[6.74% - 14.14%]	8.0%	[7.50% - 8.54%]
Education of the population 65+					
% with less than high school education	*	12.0%	[8.11% - 15.90%]	19.1%	[18.37% - 19.74%]
% with high school or some college	*	40.9%	[36.32% - 45.44%]	52.9%	[52.00% - 53.74%]
% with college degree	*	20.5%	[17.05% - 23.97%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree	*	26.6%	[22.23% - 30.98%]	13.9%	[13.32% - 14.43%]
% of 65+ population who speak only English at home	*	91.1%	[86.44% - 95.76%]	82.9%	[81.76% - 83.94%]
% of 65+ population who are veterans of military service		20.2%	[16.15% - 24.26%]	19.0%	[18.51% - 19.54%]
% of 60+ who are LGBT		2.1%	[1.26% - 2.94%]	2.8%	[2.34% - 3.25%]
Age-sex adjusted 1-year mortality rate		4.6%	[3.91% - 5.29%]	4.4%	[4.26% - 4.46%]
WELLNESS					
% 60+ getting the recommended hours of sleep		67.2%	[63.38% - 70.95%]	63.0%	[61.81% - 64.29%]
% 60+ doing any physical activity within last month	B	78.5%	[75.11% - 81.89%]	71.0%	[69.74% - 72.20%]
% 60+ met CDC guidelines for muscle-strengthening activity		28.0%	[24.05% - 31.92%]	25.0%	[23.77% - 26.17%]
% 60+ met CDC guidelines for aerobic physical activity	B	63.5%	[59.34% - 67.70%]	54.3%	[52.92% - 55.67%]
% 60+ with fair or poor health status		15.9%	[12.91% - 18.79%]	19.5%	[18.47% - 20.56%]
% 60+ with 15+ physically unhealthy days in last month		13.3%	[10.53% - 16.11%]	14.5%	[13.57% - 15.46%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		28.7%	[24.85% - 32.48%]	26.3%	[25.14% - 27.49%]
% 60+ who were injured in a fall within last year		10.2%	[7.70% - 12.71%]	10.3%	[9.54% - 11.14%]
% 65+ had hip fracture		3.0%	[2.34% - 3.67%]	3.4%	[3.27% - 3.52%]
PREVENTION					
% 60+ with physical exam/check-up in last year	W	89.4%	[86.82% - 91.97%]	93.0%	[92.31% - 93.64%]
% 60+ flu shot in last year		60.2%	[56.14% - 64.33%]	60.6%	[59.26% - 61.94%]
% 60+ with pneumonia vaccine		66.5%	[62.42% - 70.58%]	67.7%	[66.44% - 69.06%]
% 60+ with shingles vaccine	B	42.9%	[38.63% - 47.17%]	35.3%	[34.00% - 36.58%]
% 60+ women with a mammogram within last 2 years		78.8%	[74.07% - 83.46%]	82.0%	[80.65% - 83.43%]
% 60+ with colorectal cancer screening		81.1%	[77.70% - 84.42%]	77.8%	[76.64% - 78.95%]
% 60+ with HIV test		16.2%	[13.00% - 19.39%]	15.8%	[14.75% - 16.78%]
% 60+ met CDC preventive health screening goals		42.5%	[37.41% - 47.62%]	39.2%	[37.58% - 40.81%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		21.2%	[17.46% - 24.96%]	18.1%	[17.07% - 19.17%]
% 60+ stressed about buying food in last month	B	8.0%	[5.63% - 10.43%]	13.2%	[12.09% - 14.36%]
% 60+ self-reported obese		24.1%	[20.50% - 27.73%]	26.8%	[25.56% - 27.98%]
% 65+ clinically diagnosed obesity	B	24.3%	[22.46% - 26.21%]	29.3%	[28.94% - 29.63%]
% 65+ with high cholesterol	B	70.6%	[68.68% - 72.52%]	79.1%	[78.78% - 79.38%]
% 60+ with cholesterol screening		97.6%	[96.15% - 98.97%]	96.9%	[96.44% - 97.40%]
ORAL HEALTH					
% 60+ with dental insurance		55.8%	[51.64% - 60.00%]	56.3%	[54.99% - 57.64%]
% 60+ with annual dental exam	B	84.4%	[81.37% - 87.37%]	75.9%	[74.78% - 77.08%]
% 60+ with loss of 6 or more teeth	B	21.8%	[18.27% - 25.40%]	29.6%	[28.37% - 30.83%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias	B	10.3%	[9.10% - 11.55%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia	B	40.4%	[38.37% - 42.38%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma		14.8%	[13.32% - 16.21%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		14.8%	[13.34% - 16.19%]	15.0%	[14.72% - 15.22%]
% 65+ with autism spectrum disorder		N/A		0.04%	[0.03% - 0.06%]
% 65+ with benign prostatic hyperplasia (men)		43.0%	[39.89% - 46.09%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)		11.2%	[9.51% - 12.91%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract	W	71.7%	[69.77% - 73.61%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease	B	23.2%	[21.41% - 24.98%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		22.2%	[20.52% - 23.89%]	22.9%	[22.64% - 23.23%]
% 65+ with colon cancer		2.6%	[1.96% - 3.21%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure	B	16.3%	[14.75% - 17.83%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes	B	24.4%	[22.52% - 26.18%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)		2.0%	[1.34% - 2.67%]	1.9%	[1.81% - 2.07%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy		3.1% [2.32% - 3.87%]		2.9% [2.82% - 3.08%]	
% 65+ with fibromyalgia, chronic pain and fatigue	B	23.1% [21.33% - 24.95%]		25.4% [25.09% - 25.74%]	
% 65+ with glaucoma		25.2% [23.45% - 26.96%]		27.0% [26.70% - 27.32%]	
% 65+ ever had a heart attack	B	4.1% [3.35% - 4.93%]		5.8% [5.63% - 5.95%]	
% 65+ with HIV/AIDS		0.1% [0.05% - 0.16%]		0.12% [0.10% - 0.15%]	
% 65+ with hypertension	B	69.9% [67.95% - 71.82%]		78.0% [77.73% - 78.33%]	
% 65+ with hypothyroidism	B	19.9% [18.28% - 21.52%]		22.4% [22.09% - 22.68%]	
% 65+ with ischemic heart disease	B	34.7% [32.71% - 36.77%]		41.8% [41.39% - 42.13%]	
% 65+ with leukemias and lymphomas	B	1.7% [1.13% - 2.19%]		2.7% [2.59% - 2.83%]	
% 65+ with liver disease	B	8.3% [7.12% - 9.46%]		9.9% [9.71% - 10.16%]	
% 65+ with lung cancer		1.8% [1.25% - 2.30%]		2.1% [1.97% - 2.17%]	
% 65+ with migraine and other chronic headache		6.4% [5.37% - 7.49%]		6.1% [5.94% - 6.31%]	
% 65+ with osteoarthritis or rheumatoid arthritis	B	52.6% [50.40% - 54.78%]		56.2% [55.78% - 56.54%]	
% 65+ with osteoporosis		18.0% [16.43% - 19.51%]		19.6% [19.29% - 19.85%]	
% 65+ with peripheral vascular disease	B	22.1% [20.34% - 23.78%]		25.6% [25.29% - 25.92%]	
% 65+ with pressure ulcer or chronic ulcer		8.4% [7.23% - 9.50%]		8.1% [7.94% - 8.33%]	
% 65+ with prostate cancer (men)		14.0% [11.87% - 16.11%]		13.4% [13.09% - 13.81%]	
% 65+ with stroke		11.9% [10.66% - 13.22%]		11.9% [11.65% - 12.09%]	
% 65+ with traumatic brain injury		1.1% [0.72% - 1.46%]		1.0% [0.96% - 1.11%]	
% 65+ with 4+ (out of 15) chronic conditions	B	54.4% [52.30% - 56.44%]		63.8% [63.47% - 64.16%]	
% 65+ with 0 chronic conditions		8.1% [6.94% - 9.33%]		7.0% [6.77% - 7.15%]	
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder		2.0% [1.49% - 2.56%]		1.9% [1.75% - 1.96%]	
% 65+ with substance use disorder	W	8.9% [7.66% - 10.14%]		7.0% [6.76% - 7.15%]	
% 60+ who used marijuana in last month		N/A		3.4% [2.52% - 4.26%]	
% 60+ excessive drinking	W	13.3% [10.49% - 16.12%]		9.3% [8.54% - 10.16%]	
% 65+ with tobacco use disorder		10.5% [9.13% - 11.83%]		10.8% [10.58% - 11.06%]	
% 60+ current smokers		7.6% [5.56% - 9.65%]		8.7% [7.98% - 9.51%]	
% 60+ ever used E-Cigarettes in last month		3.9% [2.37% - 5.52%]		5.8% [5.14% - 6.42%]	
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support		82.3% [79.17% - 85.38%]		79.7% [78.56% - 80.78%]	
% 60+ who reported being satisfied with life		96.8% [95.43% - 98.18%]		95.3% [94.67% - 95.87%]	
% 60+ with 15+ days poor mental health in last month		6.1% [4.18% - 7.96%]		7.4% [6.70% - 8.03%]	
% 65+ with depression		31.5% [29.57% - 33.38%]		32.9% [32.60% - 33.26%]	
% 65+ with anxiety disorder	B	26.9% [25.00% - 28.86%]		29.8% [29.48% - 30.17%]	
% 65+ with bipolar disorder	W	5.3% [4.34% - 6.31%]		4.1% [3.93% - 4.23%]	
% 65+ with post-traumatic stress disorder		1.8% [1.26% - 2.32%]		1.7% [1.60% - 1.81%]	
% 65+ with schizophrenia & other psychotic disorder		3.4% [2.64% - 4.18%]		3.8% [3.61% - 3.89%]	
% 65+ with personality disorder		3.1% [2.36% - 3.88%]		2.8% [2.66% - 2.91%]	

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		10.3%	[6.85% - 13.73%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment	B	13.3%	[11.91% - 14.71%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty		3.5%	[1.52% - 5.52%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		1.0%	[0.64% - 1.32%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		6.2%	[3.52% - 8.93%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty	B	12.8%	[9.29% - 16.31%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment		3.9%	[3.07% - 4.67%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty	B	4.2%	[2.00% - 6.42%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty		10.4%	[7.13% - 13.64%]	14.3%	[13.63% - 15.03%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		27.3%	[22.65% - 31.95%]	22.5%	[20.54% - 24.54%]
% of grandparents raising grandchildren		0.7%	[0.11% - 1.29%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren		1.9%	[0.78% - 2.99%]	3.2%	[2.94% - 3.38%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	11.8%	[10.85% - 12.81%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees	*	31.7%	[30.34% - 33.16%]	43.8%	[43.55% - 44.00%]
% 60+ with a regular doctor		96.3%	[94.71% - 97.90%]	96.7%	[96.19% - 97.16%]
% 60+ who did not see a doctor when needed due to cost		4.9%	[3.00% - 6.83%]	5.4%	[4.75% - 5.98%]
SERVICE UTILIZATION					
# physician visits per year		8.1	[7.81 - 8.40]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually	*	715.3	[634.50 - 796.16]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually	*	46.2	[44.79 - 47.69]	52.2	[51.99 - 52.42]
# home health visits annually		2.9	[2.36 - 3.50]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually	*	1.2	[1.02 - 1.37]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually		258.0	[230.07 - 286.00]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)		16.8%	[13.34% - 20.21%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually	*	78.1	[63.15 - 92.96]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports	*	3.5%	[2.93% - 4.05%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users		3.2%	[2.64% - 3.77%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents		52.5%	[45.32% - 59.69%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)		12.0	[9.0 - 17.0]	11.0	[11.0 - 12.0]
Median hospice payment (Medicare + other) per hospice user		\$3,277	[\$2,825 - \$4,493]	\$3,871	[\$3,743 - \$4,011]
COMMUNITY					
% 60+ who used Internet in last month	*	79.1%	[75.84% - 82.42%]	71.6%	[70.41% - 72.82%]
% 60+ who believe local service orgs understand needs	*	53.7%	[49.07% - 58.27%]	44.1%	[42.62% - 45.57%]
% 60+ who believe he/she can make a difference	*	61.7%	[57.38% - 66.06%]	52.2%	[50.76% - 53.55%]
% 60+ who believe working together can make a difference		84.1%	[80.72% - 87.40%]	81.0%	[79.85% - 82.05%]
% 60+ who volunteer at least once per month	*	28.4%	[24.46% - 32.37%]	22.9%	[21.76% - 24.05%]
% 60+ who attend community events (church, club) monthly	*	54.4%	[49.95% - 58.90%]	44.4%	[42.96% - 45.75%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
TRANSPORTATION					
% 65+ who own a motor vehicle		85.4%	[82.56% - 88.29%]	85.0%	[84.54% - 85.42%]
% 60+ who always drive or ride wearing a seatbelt		92.5%	[90.21% - 94.79%]	91.9%	[91.08% - 92.66%]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[1.44% - 2.48%]
HOUSING					
% 65+ population who live alone		34.9%	[30.74% - 39.04%]	31.4%	[30.79% - 32.10%]
% 60+ own home	*	65.9%	[61.97% - 69.74%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage		50.4%	[43.99% - 56.87%]	48.7%	[47.71% - 49.72%]
% 60+ stressed about paying rent/mortgage in last month		17.5%	[13.56% - 21.44%]	22.1%	[20.02% - 24.09%]
% 65+ households (renter) spend >35% of income on housing		35.1%	[22.73% - 47.39%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing	*	31.4%	[4.37% - 10.91%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year		6.4%	[3.70% - 9.05%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year		0.7%	[-0.41% - 1.77%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year		2.1%	[0.20% - 3.96%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community	*	19.4%	[16.62% - 22.20%]	12.1%	[11.62% - 12.58%]
ECONOMIC					
% 60+ receiving food benefits in last year		13.2%	[0.17% - 26.13%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year	*	28.3%	[24.62% - 31.91%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year		7.6%	[4.37% - 10.91%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000		20.2%	[14.21% - 26.09%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999	*	21.6%	[16.14% - 27.10%]	32.2%	[31.06% - 33.39%]
% 65+ households with annual income \$50,000-\$99,999		27.8%	[22.21% - 33.30%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+	*	30.5%	[25.03% - 35.92%]	18.7%	[17.91% - 19.47%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu