

North Kingstown (Washington)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years	*	61.0%	[57.15% - 64.88%]	55.6%	[54.85% - 56.28%]
% 75-84 years		25.6%	[21.75% - 29.50%]	28.9%	[28.18% - 29.72%]
% 85 years or older		13.4%	[9.93% - 16.79%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female		58.7%	[54.21% - 63.16%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female		73.8%	[60.63% - 87.00%]	69.7%	[68.05% - 71.40%]
Race and ethnicity of the population 65+					
% White	*	96.9%	[93.99% - 99.85%]	92.0%	[90.81% - 93.12%]
% African American	*	0.0%	[-1.38% - 1.38%]	3.2%	[2.96% - 3.38%]
% Asian		1.1%	[-0.78% - 2.92%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino	*	0.7%	[-0.77% - 2.23%]	4.9%	[4.72% - 5.07%]
Marital status of the population 65+					
% married	*	57.9%	[54.61% - 61.10%]	51.3%	[50.78% - 51.78%]
% divorced/separated		14.0%	[9.84% - 18.14%]	15.7%	[15.00% - 16.37%]
% widowed		24.2%	[19.52% - 28.97%]	25.0%	[24.26% - 25.77%]
% never married	*	3.9%	[2.09% - 5.74%]	8.0%	[7.50% - 8.54%]
Education of the population 65+					
% with less than high school education	*	8.9%	[5.28% - 12.43%]	19.1%	[18.37% - 19.74%]
% with high school or some college		50.9%	[45.49% - 56.27%]	52.9%	[52.00% - 53.74%]
% with college degree	*	20.0%	[16.60% - 23.35%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree	*	20.3%	[16.89% - 23.69%]	13.9%	[13.32% - 14.43%]
% of 65+ population who speak only English at home	*	92.1%	[87.59% - 96.68%]	82.9%	[81.76% - 83.94%]
% of 65+ population who are veterans of military service		22.8%	[19.10% - 26.51%]	19.0%	[18.51% - 19.54%]
% of 60+ who are LGBT		1.8%	[0.85% - 2.82%]	2.8%	[2.34% - 3.25%]
Age-sex adjusted 1-year mortality rate		4.6%	[4.02% - 5.23%]	4.4%	[4.26% - 4.46%]
WELLNESS					
% 60+ getting the recommended hours of sleep	B	73.6%	[68.31% - 78.93%]	63.0%	[61.81% - 64.29%]
% 60+ doing any physical activity within last month	B	78.6%	[73.49% - 83.70%]	71.0%	[69.74% - 72.20%]
% 60+ met CDC guidelines for muscle-strengthening activity	B	32.1%	[26.63% - 37.61%]	25.0%	[23.77% - 26.17%]
% 60+ met CDC guidelines for aerobic physical activity	B	65.2%	[59.57% - 70.77%]	54.3%	[52.92% - 55.67%]
% 60+ with fair or poor health status	B	12.7%	[9.00% - 16.34%]	19.5%	[18.47% - 20.56%]
% 60+ with 15+ physically unhealthy days in last month	B	8.9%	[5.57% - 12.20%]	14.5%	[13.57% - 15.46%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		21.5%	[16.23% - 26.78%]	26.3%	[25.14% - 27.49%]
% 60+ who were injured in a fall within last year		8.2%	[4.80% - 11.61%]	10.3%	[9.54% - 11.14%]
% 65+ had hip fracture	B	2.7%	[2.12% - 3.22%]	3.4%	[3.27% - 3.52%]
PREVENTION					
% 60+ with physical exam/check-up in last year		91.9%	[89.05% - 94.79%]	93.0%	[92.31% - 93.64%]
% 60+ flu shot in last year		64.2%	[58.56% - 69.77%]	60.6%	[59.26% - 61.94%]
% 60+ with pneumonia vaccine		69.5%	[64.04% - 75.02%]	67.7%	[66.44% - 69.06%]
% 60+ with shingles vaccine	B	47.4%	[41.30% - 53.47%]	35.3%	[34.00% - 36.58%]
% 60+ women with a mammogram within last 2 years		87.5%	[82.06% - 92.92%]	82.0%	[80.65% - 83.43%]
% 60+ with colorectal cancer screening	B	85.0%	[80.60% - 89.33%]	77.8%	[76.64% - 78.95%]
% 60+ with HIV test		17.2%	[12.80% - 21.69%]	15.8%	[14.75% - 16.78%]
% 60+ met CDC preventive health screening goals		45.4%	[38.01% - 52.72%]	39.2%	[37.58% - 40.81%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		21.3%	[16.62% - 26.05%]	18.1%	[17.07% - 19.17%]
% 60+ stressed about buying food in last month	B	7.0%	[4.07% - 9.96%]	13.2%	[12.09% - 14.36%]
% 60+ self-reported obese	B	20.9%	[16.31% - 25.52%]	26.8%	[25.56% - 27.98%]
% 65+ clinically diagnosed obesity	B	25.1%	[23.42% - 26.88%]	29.3%	[28.94% - 29.63%]
% 65+ with high cholesterol	B	74.6%	[72.98% - 76.27%]	79.1%	[78.78% - 79.38%]
% 60+ with cholesterol screening	B	99.2%	[98.45% - 99.85%]	96.9%	[96.44% - 97.40%]
ORAL HEALTH					
% 60+ with dental insurance	B	64.8%	[58.76% - 70.89%]	56.3%	[54.99% - 57.64%]
% 60+ with annual dental exam	B	85.5%	[80.94% - 90.07%]	75.9%	[74.78% - 77.08%]
% 60+ with loss of 6 or more teeth	B	21.4%	[16.06% - 26.67%]	29.6%	[28.37% - 30.83%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias	B	10.1%	[9.00% - 11.14%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia	B	47.0%	[45.19% - 48.86%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma		13.7%	[12.44% - 14.92%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		14.4%	[13.20% - 15.69%]	15.0%	[14.72% - 15.22%]
% 65+ with autism spectrum disorder		N/A		0.04%	[0.03% - 0.06%]
% 65+ with benign prostatic hyperplasia (men)		40.5%	[37.82% - 43.26%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)		12.2%	[10.63% - 13.81%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract		69.2%	[67.46% - 70.98%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease	B	24.3%	[22.63% - 25.95%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease	B	18.8%	[17.41% - 20.21%]	22.9%	[22.64% - 23.23%]
% 65+ with colon cancer		2.7%	[2.10% - 3.24%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure	B	15.9%	[14.51% - 17.20%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes	B	28.3%	[26.57% - 30.12%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)		2.0%	[1.34% - 2.67%]	1.9%	[1.81% - 2.07%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy		2.8%	[2.12% - 3.44%]	2.9%	[2.82% - 3.08%]
% 65+ with fibromyalgia, chronic pain and fatigue		26.8%	[25.08% - 28.53%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma	W	31.1%	[29.38% - 32.74%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack	B	4.3%	[3.59% - 5.00%]	5.8%	[5.63% - 5.95%]
% 65+ with HIV/AIDS		0.1%	[0.03% - 0.10%]	0.12%	[0.10% - 0.15%]
% 65+ with hypertension	B	71.5%	[69.84% - 73.25%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism		21.8%	[20.27% - 23.24%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease	B	35.3%	[33.40% - 37.11%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas		2.7%	[2.02% - 3.29%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease		9.1%	[8.01% - 10.28%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer		1.6%	[1.12% - 2.00%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache		5.1%	[4.20% - 5.95%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis		56.6%	[54.62% - 58.62%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis	B	15.5%	[14.20% - 16.77%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease	B	19.5%	[17.98% - 20.93%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer		7.1%	[6.15% - 8.02%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)		13.6%	[11.79% - 15.49%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke		11.1%	[9.99% - 12.19%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury		0.9%	[0.54% - 1.19%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions	B	56.3%	[54.47% - 58.16%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions		7.7%	[6.71% - 8.79%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder		2.1%	[1.48% - 2.63%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder		7.2%	[6.20% - 8.22%]	7.0%	[6.76% - 7.15%]
% 60+ who used marijuana in last month		N/A		3.4%	[2.52% - 4.26%]
% 60+ excessive drinking		7.4%	[4.50% - 10.26%]	9.3%	[8.54% - 10.16%]
% 65+ with tobacco use disorder	B	9.2%	[8.05% - 10.38%]	10.8%	[10.58% - 11.06%]
% 60+ current smokers		6.4%	[3.56% - 9.29%]	8.7%	[7.98% - 9.51%]
% 60+ ever used E-Cigarettes in last month		5.2%	[2.22% - 8.12%]	5.8%	[5.14% - 6.42%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support	B	85.6%	[81.68% - 89.44%]	79.7%	[78.56% - 80.78%]
% 60+ who reported being satisfied with life		95.9%	[92.98% - 98.85%]	95.3%	[94.67% - 95.87%]
% 60+ with 15+ days poor mental health in last month		4.7%	[2.59% - 6.80%]	7.4%	[6.70% - 8.03%]
% 65+ with depression	B	29.9%	[28.27% - 31.61%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder	B	24.3%	[22.63% - 26.00%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder		3.3%	[2.58% - 3.99%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder		1.4%	[0.92% - 1.91%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder	B	2.6%	[2.02% - 3.18%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder		2.8%	[2.11% - 3.41%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		16.4%	[12.39% - 20.49%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment	B	14.8%	[13.51% - 16.17%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty		5.2%	[3.01% - 7.47%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		0.7%	[0.38% - 0.99%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		7.0%	[4.20% - 9.75%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty		18.2%	[14.03% - 22.39%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment	B	2.6%	[2.04% - 3.24%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty		5.9%	[3.01% - 8.83%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty		11.3%	[7.71% - 14.81%]	14.3%	[13.63% - 15.03%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		20.5%	[15.51% - 25.53%]	22.5%	[20.54% - 24.54%]
% of grandparents raising grandchildren		0.5%	[0.07% - 1.01%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren	*	1.7%	[1.01% - 2.49%]	3.2%	[2.94% - 3.38%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	6.4%	[5.76% - 7.01%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees	*	35.6%	[34.42% - 36.86%]	43.8%	[43.55% - 44.00%]
% 60+ with a regular doctor		98.2%	[97.00% - 99.36%]	96.7%	[96.19% - 97.16%]
% 60+ who did not see a doctor when needed due to cost		3.7%	[1.83% - 5.57%]	5.4%	[4.75% - 5.98%]
SERVICE UTILIZATION					
# physician visits per year		8.5	[8.20 - 8.74]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually	*	531.3	[489.57 - 572.96]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually	*	46.8	[45.64 - 47.96]	52.2	[51.99 - 52.42]
# home health visits annually		3.0	[2.50 - 3.48]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually		1.6	[1.41 - 1.77]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually	*	240.5	[216.60 - 264.48]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)		13.9%	[10.92% - 16.86%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually	*	73.3	[61.23 - 85.30]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports	*	2.8%	[2.39% - 3.23%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users		3.2%	[2.73% - 3.69%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents		53.8%	[46.07% - 61.47%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)		11.0	[9.0 - 15.0]	11.0	[11.0 - 12.0]
Median hospice payment (Medicare + other) per hospice user		\$3,672	[\$3,059 - \$4,292]	\$3,871	[\$3,743 - \$4,011]
COMMUNITY					
% 60+ who used Internet in last month	*	81.9%	[77.62% - 86.26%]	71.6%	[70.41% - 72.82%]
% 60+ who believe local service orgs understand needs		51.3%	[44.36% - 58.24%]	44.1%	[42.62% - 45.57%]
% 60+ who believe he/she can make a difference	*	60.4%	[54.20% - 66.67%]	52.2%	[50.76% - 53.55%]
% 60+ who believe working together can make a difference		82.4%	[77.64% - 87.24%]	81.0%	[79.85% - 82.05%]
% 60+ who volunteer at least once per month	*	30.2%	[24.41% - 36.01%]	22.9%	[21.76% - 24.05%]
% 60+ who attend community events (church, club) monthly		49.5%	[42.98% - 55.94%]	44.4%	[42.96% - 45.75%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
TRANSPORTATION					
% 65+ who own a motor vehicle	*	93.1%	[91.28% - 94.84%]	85.0%	[84.54% - 85.42%]
% 60+ who always drive or ride wearing a seatbelt		94.1%	[91.31% - 96.79%]	91.9%	[91.08% - 92.66%]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[1.44% - 2.48%]
HOUSING					
% 65+ population who live alone	*	24.0%	[20.37% - 27.62%]	31.4%	[30.79% - 32.10%]
% 60+ own home	*	84.3%	[82.50% - 86.09%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage		53.3%	[49.13% - 57.54%]	48.7%	[47.71% - 49.72%]
% 60+ stressed about paying rent/mortgage in last month		18.3%	[13.66% - 22.88%]	22.1%	[20.02% - 24.09%]
% 65+ households (renter) spend >35% of income on housing		45.7%	[27.44% - 63.94%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing	*	21.1%	[3.91% - 8.81%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year		2.9%	[1.36% - 4.41%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year	*	3.0%	[1.38% - 4.55%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year		1.1%	[-0.18% - 2.43%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community		9.6%	[7.40% - 11.73%]	12.1%	[11.62% - 12.58%]
ECONOMIC					
% 60+ receiving food benefits in last year		9.8%	[-0.11% - 19.63%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year		22.6%	[18.96% - 26.29%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year	*	6.4%	[3.91% - 8.81%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000	*	17.5%	[12.49% - 22.49%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999		25.5%	[19.83% - 31.25%]	32.2%	[31.06% - 33.39%]
% 65+ households with annual income \$50,000-\$99,999		29.7%	[24.76% - 34.61%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+	*	27.3%	[22.34% - 32.22%]	18.7%	[17.91% - 19.47%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu