

## North Providence (Providence)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>POPULATION CHARACTERISTICS</b>					
Population 65 years or older					
% 65-74 years	*	49.9%	[ 44.99% - 54.74% ]	55.6%	[ 54.85% - 56.28% ]
% 75-84 years		34.1%	[ 29.06% - 39.07% ]	28.9%	[ 28.18% - 29.72% ]
% 85 years or older		16.1%	[ 12.70% - 19.44% ]	15.5%	[ 14.95% - 16.02% ]
% 65+ population who are female		60.9%	[ 56.26% - 65.45% ]	57.2%	[ 56.30% - 58.00% ]
% 85+ population who are female		79.8%	[ 70.18% - 89.42% ]	69.7%	[ 68.05% - 71.40% ]
Race and ethnicity of the population 65+					
% White	*	96.8%	[ 94.90% - 98.74% ]	92.0%	[ 90.81% - 93.12% ]
% African American		2.0%	[ 0.28% - 3.74% ]	3.2%	[ 2.96% - 3.38% ]
% Asian		0.8%	[ -0.42% - 2.00% ]	1.6%	[ 1.42% - 1.77% ]
% Hispanic/Latino	*	2.3%	[ 0.28% - 4.25% ]	4.9%	[ 4.72% - 5.07% ]
Marital status of the population 65+					
% married	*	42.0%	[ 37.58% - 46.43% ]	51.3%	[ 50.78% - 51.78% ]
% divorced/separated		16.9%	[ 12.85% - 20.96% ]	15.7%	[ 15.00% - 16.37% ]
% widowed		28.2%	[ 23.73% - 32.64% ]	25.0%	[ 24.26% - 25.77% ]
% never married		12.9%	[ 8.23% - 17.58% ]	8.0%	[ 7.50% - 8.54% ]
Education of the population 65+					
% with less than high school education		20.3%	[ 15.76% - 24.77% ]	19.1%	[ 18.37% - 19.74% ]
% with high school or some college	*	61.6%	[ 56.58% - 66.61% ]	52.9%	[ 52.00% - 53.74% ]
% with college degree	*	9.7%	[ 6.76% - 12.71% ]	14.2%	[ 13.63% - 14.77% ]
% with graduate or professional degree	*	8.4%	[ 6.06% - 10.75% ]	13.9%	[ 13.32% - 14.43% ]
% of 65+ population who speak only English at home		85.9%	[ 80.51% - 91.37% ]	82.9%	[ 81.76% - 83.94% ]
% of 65+ population who are veterans of military service		18.5%	[ 15.15% - 21.94% ]	19.0%	[ 18.51% - 19.54% ]
% of 60+ who are LGBT		3.5%	[ 2.65% - 4.44% ]	2.8%	[ 2.34% - 3.25% ]
Age-sex adjusted 1-year mortality rate		4.2%	[ 3.68% - 4.65% ]	4.4%	[ 4.26% - 4.46% ]
<b>WELLNESS</b>					
% 60+ getting the recommended hours of sleep		59.3%	[ 54.29% - 64.33% ]	63.0%	[ 61.81% - 64.29% ]
% 60+ doing any physical activity within last month		66.5%	[ 61.58% - 71.44% ]	71.0%	[ 69.74% - 72.20% ]
% 60+ met CDC guidelines for muscle-strengthening activity		19.8%	[ 15.76% - 23.79% ]	25.0%	[ 23.77% - 26.17% ]
% 60+ met CDC guidelines for aerobic physical activity		47.7%	[ 42.33% - 53.13% ]	54.3%	[ 52.92% - 55.67% ]
% 60+ with fair or poor health status		21.5%	[ 17.45% - 25.59% ]	19.5%	[ 18.47% - 20.56% ]
% 60+ with 15+ physically unhealthy days in last month		13.6%	[ 10.34% - 16.95% ]	14.5%	[ 13.57% - 15.46% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>FALLS</b>					
% 60+ who fell within last year		23.5%	[ 18.98% - 27.94% ]	26.3%	[ 25.14% - 27.49% ]
% 60+ who were injured in a fall within last year		11.0%	[ 7.90% - 14.20% ]	10.3%	[ 9.54% - 11.14% ]
% 65+ had hip fracture		3.8%	[ 3.05% - 4.49% ]	3.4%	[ 3.27% - 3.52% ]
<b>PREVENTION</b>					
% 60+ with physical exam/check-up in last year		94.3%	[ 92.07% - 96.58% ]	93.0%	[ 92.31% - 93.64% ]
% 60+ flu shot in last year		61.5%	[ 56.31% - 66.69% ]	60.6%	[ 59.26% - 61.94% ]
% 60+ with pneumonia vaccine		65.3%	[ 60.09% - 70.41% ]	67.7%	[ 66.44% - 69.06% ]
% 60+ with shingles vaccine		29.6%	[ 24.45% - 34.69% ]	35.3%	[ 34.00% - 36.58% ]
% 60+ women with a mammogram within last 2 years		86.0%	[ 81.42% - 90.59% ]	82.0%	[ 80.65% - 83.43% ]
% 60+ with colorectal cancer screening		75.8%	[ 70.82% - 80.88% ]	77.8%	[ 76.64% - 78.95% ]
% 60+ with HIV test		13.6%	[ 9.86% - 17.25% ]	15.8%	[ 14.75% - 16.78% ]
% 60+ met CDC preventive health screening goals		40.6%	[ 33.93% - 47.28% ]	39.2%	[ 37.58% - 40.81% ]
<b>NUTRITION &amp; DIET</b>					
% 60+ with 5 or more servings of fruit or vegetables per day		17.9%	[ 14.01% - 21.81% ]	18.1%	[ 17.07% - 19.17% ]
% 60+ stressed about buying food in last month		17.3%	[ 12.41% - 22.27% ]	13.2%	[ 12.09% - 14.36% ]
% 60+ self-reported obese		25.1%	[ 20.59% - 29.63% ]	26.8%	[ 25.56% - 27.98% ]
% 65+ clinically diagnosed obesity	W	33.2%	[ 31.25% - 35.07% ]	29.3%	[ 28.94% - 29.63% ]
% 65+ with high cholesterol	W	81.7%	[ 80.12% - 83.21% ]	79.1%	[ 78.78% - 79.38% ]
% 60+ with cholesterol screening		97.4%	[ 95.98% - 98.89% ]	96.9%	[ 96.44% - 97.40% ]
<b>ORAL HEALTH</b>					
% 60+ with dental insurance		56.0%	[ 50.65% - 61.42% ]	56.3%	[ 54.99% - 57.64% ]
% 60+ with annual dental exam		69.9%	[ 64.89% - 74.97% ]	75.9%	[ 74.78% - 77.08% ]
% 60+ with loss of 6 or more teeth		32.4%	[ 27.31% - 37.41% ]	29.6%	[ 28.37% - 30.83% ]
<b>CHRONIC DISEASE</b>					
% 65+ with Alzheimer's disease or related dementias		11.7%	[ 10.44% - 12.95% ]	13.1%	[ 12.86% - 13.34% ]
% 65+ with anemia	W	55.9%	[ 53.92% - 57.79% ]	50.0%	[ 49.62% - 50.33% ]
% 65+ with asthma		15.8%	[ 14.35% - 17.16% ]	14.9%	[ 14.68% - 15.18% ]
% 65+ with atrial fibrillation		13.8%	[ 12.48% - 15.12% ]	15.0%	[ 14.72% - 15.22% ]
% 65+ with autism spectrum disorder		N/A		0.04%	[ 0.03% - 0.06% ]
% 65+ with benign prostatic hyperplasia (men)		45.2%	[ 42.17% - 48.25% ]	42.2%	[ 41.66% - 42.72% ]
% 65+ with breast cancer (women)		12.8%	[ 11.16% - 14.47% ]	11.1%	[ 10.80% - 11.39% ]
% 65+ with cataract		68.4%	[ 66.57% - 70.23% ]	67.5%	[ 67.15% - 67.83% ]
% 65+ with chronic kidney disease	W	33.1%	[ 31.17% - 34.96% ]	30.7%	[ 30.38% - 31.07% ]
% 65+ with chronic obstructive pulmonary disease	W	26.0%	[ 24.28% - 27.64% ]	22.9%	[ 22.64% - 23.23% ]
% 65+ with colon cancer		2.8%	[ 2.21% - 3.47% ]	2.7%	[ 2.58% - 2.80% ]
% 65+ with congestive heart failure		22.9%	[ 21.23% - 24.55% ]	21.6%	[ 21.33% - 21.93% ]
% 65+ with diabetes	W	41.8%	[ 39.82% - 43.81% ]	34.7%	[ 34.30% - 35.01% ]
% 65+ with endometrial cancer (women)		1.6%	[ 0.98% - 2.24% ]	1.9%	[ 1.81% - 2.07% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
% 65+ with epilepsy		3.0%	[ 2.29% - 3.65% ]	2.9%	[ 2.82% - 3.08% ]
% 65+ with fibromyalgia, chronic pain and fatigue		24.7%	[ 22.93% - 26.40% ]	25.4%	[ 25.09% - 25.74% ]
% 65+ with glaucoma		27.4%	[ 25.72% - 29.15% ]	27.0%	[ 26.70% - 27.32% ]
% 65+ ever had a heart attack	W	7.0%	[ 6.07% - 8.01% ]	5.8%	[ 5.63% - 5.95% ]
% 65+ with HIV/AIDS		0.1%	[ 0.05% - 0.14% ]	0.12%	[ 0.10% - 0.15% ]
% 65+ with hypertension	W	81.0%	[ 79.43% - 82.55% ]	78.0%	[ 77.73% - 78.33% ]
% 65+ with hypothyroidism	W	24.8%	[ 23.15% - 26.48% ]	22.4%	[ 22.09% - 22.68% ]
% 65+ with ischemic heart disease		42.7%	[ 40.71% - 44.70% ]	41.8%	[ 41.39% - 42.13% ]
% 65+ with leukemias and lymphomas		2.9%	[ 2.26% - 3.57% ]	2.7%	[ 2.59% - 2.83% ]
% 65+ with liver disease		11.1%	[ 9.87% - 12.38% ]	9.9%	[ 9.71% - 10.16% ]
% 65+ with lung cancer	W	2.9%	[ 2.22% - 3.49% ]	2.1%	[ 1.97% - 2.17% ]
% 65+ with migraine and other chronic headache		5.6%	[ 4.65% - 6.48% ]	6.1%	[ 5.94% - 6.31% ]
% 65+ with osteoarthritis or rheumatoid arthritis	W	59.4%	[ 57.43% - 61.47% ]	56.2%	[ 55.78% - 56.54% ]
% 65+ with osteoporosis	W	21.8%	[ 20.20% - 23.37% ]	19.6%	[ 19.29% - 19.85% ]
% 65+ with peripheral vascular disease	W	28.8%	[ 26.99% - 30.57% ]	25.6%	[ 25.29% - 25.92% ]
% 65+ with pressure ulcer or chronic ulcer		8.1%	[ 7.07% - 9.20% ]	8.1%	[ 7.94% - 8.33% ]
% 65+ with prostate cancer (men)		14.5%	[ 12.41% - 16.67% ]	13.4%	[ 13.09% - 13.81% ]
% 65+ with stroke		11.2%	[ 10.02% - 12.43% ]	11.9%	[ 11.65% - 12.09% ]
% 65+ with traumatic brain injury		1.2%	[ 0.78% - 1.63% ]	1.0%	[ 0.96% - 1.11% ]
% 65+ with 4+ (out of 15) chronic conditions	W	69.3%	[ 67.49% - 71.12% ]	63.8%	[ 63.47% - 64.16% ]
% 65+ with 0 chronic conditions	W	5.6%	[ 4.68% - 6.54% ]	7.0%	[ 6.77% - 7.15% ]
<b>BEHAVIORAL HEALTH</b>					
% 65+ with opioid use disorder		1.5%	[ 1.00% - 2.00% ]	1.9%	[ 1.75% - 1.96% ]
% 65+ with substance use disorder	B	5.4%	[ 4.43% - 6.27% ]	7.0%	[ 6.76% - 7.15% ]
% 60+ who used marijuana in last month		N/A		3.4%	[ 2.52% - 4.26% ]
% 60+ excessive drinking	B	5.2%	[ 2.75% - 7.67% ]	9.3%	[ 8.54% - 10.16% ]
% 65+ with tobacco use disorder		11.7%	[ 10.37% - 12.98% ]	10.8%	[ 10.58% - 11.06% ]
% 60+ current smokers		9.0%	[ 6.18% - 11.72% ]	8.7%	[ 7.98% - 9.51% ]
% 60+ ever used E-Cigarettes in last month		5.1%	[ 2.98% - 7.13% ]	5.8%	[ 5.14% - 6.42% ]
<b>MENTAL HEALTH</b>					
% 60+ who reported receiving adequate emotional support		78.1%	[ 73.72% - 82.53% ]	79.7%	[ 78.56% - 80.78% ]
% 60+ who reported being satisfied with life		93.3%	[ 90.89% - 95.77% ]	95.3%	[ 94.67% - 95.87% ]
% 60+ with 15+ days poor mental health in last month		8.5%	[ 5.89% - 11.09% ]	7.4%	[ 6.70% - 8.03% ]
% 65+ with depression	W	35.2%	[ 33.30% - 37.00% ]	32.9%	[ 32.60% - 33.26% ]
% 65+ with anxiety disorder	W	34.6%	[ 32.64% - 36.50% ]	29.8%	[ 29.48% - 30.17% ]
% 65+ with bipolar disorder		4.1%	[ 3.25% - 4.91% ]	4.1%	[ 3.93% - 4.23% ]
% 65+ with post-traumatic stress disorder		1.4%	[ 0.87% - 1.83% ]	1.7%	[ 1.60% - 1.81% ]
% 65+ with schizophrenia & other psychotic disorder		3.6%	[ 2.84% - 4.37% ]	3.8%	[ 3.61% - 3.89% ]
% 65+ with personality disorder		3.1%	[ 2.37% - 3.78% ]	2.8%	[ 2.66% - 2.91% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>LIVING WITH DISABILITY</b>					
% 65+ with self-reported hearing difficulty		13.2%	[ 9.13% - 17.25% ]	13.9%	[ 13.26% - 14.57% ]
% 65+ with clinical diagnosis of deafness or hearing impairment	W	18.7%	[ 17.18% - 20.27% ]	16.4%	[ 16.17% - 16.70% ]
% 65+ with self-reported vision difficulty		4.3%	[ 2.14% - 6.47% ]	5.5%	[ 5.03% - 5.95% ]
% 65+ with clinical diagnosis of blindness or visual impairment	B	0.5%	[ 0.25% - 0.79% ]	1.1%	[ 0.98% - 1.13% ]
% 65+ with self-reported cognition difficulty		8.7%	[ 5.49% - 11.99% ]	8.2%	[ 7.63% - 8.74% ]
% 65+ with self-reported ambulatory difficulty		25.1%	[ 19.57% - 30.65% ]	21.0%	[ 20.21% - 21.76% ]
% 65+ with clinical diagnosis of mobility impairment		4.2%	[ 3.37% - 4.97% ]	3.8%	[ 3.64% - 3.92% ]
% 65+ with self-reported self-care difficulty		10.9%	[ 6.97% - 14.78% ]	8.0%	[ 7.40% - 8.50% ]
% 65+ with self-reported independent living difficulty		16.8%	[ 12.32% - 21.26% ]	14.3%	[ 13.63% - 15.03% ]
<b>CAREGIVING</b>					
% of 60+ who provide care to a family/friend in last month		20.2%	[ 16.99% - 23.35% ]	22.5%	[ 20.54% - 24.54% ]
% of grandparents raising grandchildren		2.1%	[ 0.84% - 3.30% ]	1.0%	[ 0.84% - 1.08% ]
% of grandparents who live with grandchildren		4.0%	[ 2.46% - 5.47% ]	3.2%	[ 2.94% - 3.38% ]
<b>ACCESS TO CARE</b>					
% 65+ dually eligible for Medicare and Medicaid		14.2%	[ 13.35% - 15.03% ]	13.8%	[ 13.62% - 13.94% ]
% 65+ Medicare managed care enrollees	*	47.6%	[ 46.37% - 48.78% ]	43.8%	[ 43.55% - 44.00% ]
% 60+ with a regular doctor		98.0%	[ 96.84% - 99.18% ]	96.7%	[ 96.19% - 97.16% ]
% 60+ who did not see a doctor when needed due to cost		5.8%	[ 3.45% - 8.09% ]	5.4%	[ 4.75% - 5.98% ]
<b>SERVICE UTILIZATION</b>					
# physician visits per year	*	8.9	[ 8.62 - 9.24 ]	8.4	[ 8.31 - 8.41 ]
# emergency room visits/1000 persons 65+ years annually	*	697.0	[ 640.62 - 753.44 ]	620.6	[ 609.83 - 631.28 ]
# Part D monthly prescription fills per person annually		53.3	[ 52.17 - 54.41 ]	52.2	[ 51.99 - 52.42 ]
# home health visits annually		4.0	[ 3.35 - 4.62 ]	3.5	[ 3.40 - 3.61 ]
# durable medical equipment claims annually		1.8	[ 1.60 - 2.00 ]	1.7	[ 1.69 - 1.76 ]
# inpatient hospital stays/1000 persons 65+ years annually		302.3	[ 271.18 - 333.50 ]	286.5	[ 281.04 - 291.96 ]
% Medicare inpatient hospital readmissions (as % of admissions)		17.8%	[ 14.56% - 21.02% ]	17.4%	[ 16.81% - 17.98% ]
# skilled nursing facility stays/1000 persons 65+ years annually	*	127.0	[ 107.68 - 146.37 ]	98.8	[ 95.83 - 101.70 ]
% 65+ getting Medicaid long term services and supports	*	4.9%	[ 4.37% - 5.41% ]	4.2%	[ 4.12% - 4.31% ]
% 65+ hospice users		3.2%	[ 2.79% - 3.69% ]	3.5%	[ 3.45% - 3.63% ]
% 65+ hospice users as % of decedents		51.8%	[ 45.92% - 57.66% ]	53.0%	[ 51.86% - 54.20% ]
Median hospice days per hospice user (65+, deceased)		9.0	[ 7.3 - 11.0 ]	11.0	[ 11.0 - 12.0 ]
Median hospice payment (Medicare + other) per hospice user		\$3,303	[ \$2,560 - \$3,995 ]	\$3,871	[ \$3,743 - \$4,011 ]
<b>COMMUNITY</b>					
% 60+ who used Internet in last month	*	63.7%	[ 58.76% - 68.67% ]	71.6%	[ 70.41% - 72.82% ]
% 60+ who believe local service orgs understand needs	*	32.6%	[ 27.08% - 38.13% ]	44.1%	[ 42.62% - 45.57% ]
% 60+ who believe he/she can make a difference	*	43.0%	[ 37.35% - 48.57% ]	52.2%	[ 50.76% - 53.55% ]
% 60+ who believe working together can make a difference		80.7%	[ 76.53% - 84.87% ]	81.0%	[ 79.85% - 82.05% ]
% 60+ who volunteer at least once per month	*	17.7%	[ 13.61% - 21.75% ]	22.9%	[ 21.76% - 24.05% ]
% 60+ who attend community events (church, club) monthly	*	36.7%	[ 31.20% - 42.12% ]	44.4%	[ 42.96% - 45.75% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>TRANSPORTATION</b>					
% 65+ who own a motor vehicle		84.3%	[ 81.85% - 86.72% ]	85.0%	[ 84.54% - 85.42% ]
% 60+ who always drive or ride wearing a seatbelt		93.6%	[ 91.27% - 95.97% ]	91.9%	[ 91.08% - 92.66% ]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[ 1.44% - 2.48% ]
<b>HOUSING</b>					
% 65+ population who live alone		31.7%	[ 27.55% - 35.76% ]	31.4%	[ 30.79% - 32.10% ]
% 60+ own home	*	64.3%	[ 59.30% - 69.36% ]	70.3%	[ 69.85% - 70.73% ]
% 60+ homeowners who have mortgage		41.9%	[ 34.09% - 49.72% ]	48.7%	[ 47.71% - 49.72% ]
% 60+ stressed about paying rent/mortgage in last month		24.5%	[ 21.01% - 28.01% ]	22.1%	[ 20.02% - 24.09% ]
% 65+ households (renter) spend >35% of income on housing		48.0%	[ 38.73% - 57.20% ]	39.2%	[ 36.98% - 41.48% ]
% 65+ households (owner) spend >35% of income on housing	*	28.8%	[ 7.85% - 14.39% ]	27.6%	[ 26.49% - 28.80% ]
% 65+ moved within same county in last year		4.5%	[ 2.24% - 6.72% ]	3.6%	[ 3.20% - 3.93% ]
% 65+ moved from different county in last year		0.2%	[ -0.63% - 0.95% ]	1.0%	[ 0.79% - 1.17% ]
% 65+ moved from different state in last year		0.6%	[ -0.40% - 1.56% ]	1.1%	[ 0.88% - 1.33% ]
% of vacant homes in community	*	8.5%	[ 6.23% - 10.72% ]	12.1%	[ 11.62% - 12.58% ]
<b>ECONOMIC</b>					
% 60+ receiving food benefits in last year		14.5%	[ 0.17% - 28.76% ]	15.0%	[ -0.18% - 30.16% ]
% 65+ employed in last year	*	16.8%	[ 12.66% - 20.92% ]	21.9%	[ 21.25% - 22.51% ]
% 65+ with income below the poverty line in last year		11.1%	[ 7.85% - 14.39% ]	9.5%	[ 8.98% - 10.07% ]
% 65+ households with annual income < \$20,000		27.5%	[ 21.67% - 33.40% ]	24.3%	[ 23.28% - 25.36% ]
% 65+ households with annual income \$20,000-\$49,999		35.5%	[ 29.25% - 41.79% ]	32.2%	[ 31.06% - 33.39% ]
% 65+ households with annual income \$50,000-\$99,999		24.6%	[ 17.62% - 31.67% ]	24.8%	[ 23.82% - 25.70% ]
% 65+ households with annual income \$100,000+	*	12.3%	[ 7.83% - 16.76% ]	18.7%	[ 17.91% - 19.47% ]

Notes. <sup>1</sup> Community-state differences where the margin of error do not overlap each other are noted B, W, or \*.

<sup>2</sup> All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu