

Pawtucket (Providence)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		56.9%	[53.78% - 60.01%]	55.6%	[54.85% - 56.28%]
% 75-84 years		30.1%	[26.61% - 33.54%]	28.9%	[28.18% - 29.72%]
% 85 years or older		13.0%	[11.00% - 15.05%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female		55.4%	[52.09% - 58.68%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female		72.0%	[64.15% - 79.82%]	69.7%	[68.05% - 71.40%]
Race and ethnicity of the population 65+					
% White	*	81.9%	[80.76% - 83.05%]	92.0%	[90.81% - 93.12%]
% African American	*	6.3%	[4.49% - 8.20%]	3.2%	[2.96% - 3.38%]
% Asian		2.5%	[1.19% - 3.89%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino	*	10.9%	[8.20% - 13.59%]	4.9%	[4.72% - 5.07%]
Marital status of the population 65+					
% married	*	45.1%	[42.22% - 48.05%]	51.3%	[50.78% - 51.78%]
% divorced/separated		18.7%	[15.41% - 21.92%]	15.7%	[15.00% - 16.37%]
% widowed		24.0%	[20.79% - 27.16%]	25.0%	[24.26% - 25.77%]
% never married	*	12.2%	[9.75% - 14.69%]	8.0%	[7.50% - 8.54%]
Education of the population 65+					
% with less than high school education	*	32.0%	[28.38% - 35.57%]	19.1%	[18.37% - 19.74%]
% with high school or some college		51.1%	[48.04% - 54.19%]	52.9%	[52.00% - 53.74%]
% with college degree	*	9.5%	[7.69% - 11.22%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree	*	7.5%	[6.02% - 8.89%]	13.9%	[13.32% - 14.43%]
% of 65+ population who speak only English at home	*	63.3%	[61.26% - 65.29%]	82.9%	[81.76% - 83.94%]
% of 65+ population who are veterans of military service		16.4%	[14.06% - 18.83%]	19.0%	[18.51% - 19.54%]
% of 60+ who are LGBT		3.5%	[2.65% - 4.44%]	2.8%	[2.34% - 3.25%]
Age-sex adjusted 1-year mortality rate		4.7%	[4.31% - 5.18%]	4.4%	[4.26% - 4.46%]
WELLNESS					
% 60+ getting the recommended hours of sleep		58.2%	[53.92% - 62.40%]	63.0%	[61.81% - 64.29%]
% 60+ doing any physical activity within last month	W	60.4%	[55.69% - 65.08%]	71.0%	[69.74% - 72.20%]
% 60+ met CDC guidelines for muscle-strengthening activity	W	18.8%	[15.14% - 22.51%]	25.0%	[23.77% - 26.17%]
% 60+ met CDC guidelines for aerobic physical activity	W	43.0%	[38.26% - 47.68%]	54.3%	[52.92% - 55.67%]
% 60+ with fair or poor health status	W	27.5%	[23.35% - 31.65%]	19.5%	[18.47% - 20.56%]
% 60+ with 15+ physically unhealthy days in last month	W	19.5%	[15.69% - 23.33%]	14.5%	[13.57% - 15.46%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		23.9%	[20.01% - 27.88%]	26.3%	[25.14% - 27.49%]
% 60+ who were injured in a fall within last year		11.2%	[8.27% - 14.06%]	10.3%	[9.54% - 11.14%]
% 65+ had hip fracture		3.7%	[3.10% - 4.35%]	3.4%	[3.27% - 3.52%]
PREVENTION					
% 60+ with physical exam/check-up in last year		93.4%	[91.39% - 95.50%]	93.0%	[92.31% - 93.64%]
% 60+ flu shot in last year		62.4%	[57.76% - 67.00%]	60.6%	[59.26% - 61.94%]
% 60+ with pneumonia vaccine		68.5%	[63.83% - 73.11%]	67.7%	[66.44% - 69.06%]
% 60+ with shingles vaccine	W	28.4%	[24.18% - 32.56%]	35.3%	[34.00% - 36.58%]
% 60+ women with a mammogram within last 2 years		80.8%	[75.73% - 85.78%]	82.0%	[80.65% - 83.43%]
% 60+ with colorectal cancer screening	W	70.1%	[65.87% - 74.41%]	77.8%	[76.64% - 78.95%]
% 60+ with HIV test	*	21.4%	[17.25% - 25.51%]	15.8%	[14.75% - 16.78%]
% 60+ met CDC preventive health screening goals		37.3%	[31.90% - 42.67%]	39.2%	[37.58% - 40.81%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		16.4%	[12.87% - 20.02%]	18.1%	[17.07% - 19.17%]
% 60+ stressed about buying food in last month	W	23.0%	[17.51% - 28.56%]	13.2%	[12.09% - 14.36%]
% 60+ self-reported obese		32.1%	[27.48% - 36.66%]	26.8%	[25.56% - 27.98%]
% 65+ clinically diagnosed obesity	W	32.4%	[30.66% - 34.21%]	29.3%	[28.94% - 29.63%]
% 65+ with high cholesterol		78.4%	[76.93% - 79.87%]	79.1%	[78.78% - 79.38%]
% 60+ with cholesterol screening		95.2%	[93.04% - 97.45%]	96.9%	[96.44% - 97.40%]
ORAL HEALTH					
% 60+ with dental insurance	W	50.3%	[45.77% - 54.75%]	56.3%	[54.99% - 57.64%]
% 60+ with annual dental exam	W	63.6%	[59.24% - 67.91%]	75.9%	[74.78% - 77.08%]
% 60+ with loss of 6 or more teeth	W	40.6%	[36.13% - 45.16%]	29.6%	[28.37% - 30.83%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias	W	14.9%	[13.61% - 16.11%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia		50.3%	[48.57% - 52.07%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma	W	17.3%	[15.94% - 18.57%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		15.2%	[13.99% - 16.44%]	15.0%	[14.72% - 15.22%]
% 65+ with autism spectrum disorder		N/A		0.04%	[0.03% - 0.06%]
% 65+ with benign prostatic hyperplasia (men)		40.9%	[38.24% - 43.49%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)		10.4%	[9.04% - 11.80%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract	B	61.1%	[59.39% - 62.85%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease	W	33.6%	[31.87% - 35.35%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		23.6%	[22.14% - 25.08%]	22.9%	[22.64% - 23.23%]
% 65+ with colon cancer		2.9%	[2.40% - 3.48%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure		23.5%	[21.93% - 24.98%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes	W	39.2%	[37.35% - 40.99%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)		1.7%	[1.15% - 2.27%]	1.9%	[1.81% - 2.07%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE¹	COMMUNITY ESTIMATE	MARGIN OF ERROR²	STATE ESTIMATE	MARGIN OF ERROR²
% 65+ with epilepsy	W	3.9%	[3.14% - 4.60%]	2.9%	[2.82% - 3.08%]
% 65+ with fibromyalgia, chronic pain and fatigue	B	23.2%	[21.67% - 24.80%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma	B	23.3%	[21.90% - 24.79%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack	W	7.2%	[6.34% - 8.11%]	5.8%	[5.63% - 5.95%]
% 65+ with HIV/AIDS		0.1%	[0.05% - 0.14%]	0.12%	[0.10% - 0.15%]
% 65+ with hypertension	W	81.0%	[79.62% - 82.44%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism		22.0%	[20.53% - 23.39%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease		42.1%	[40.25% - 43.91%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas	B	2.1%	[1.60% - 2.57%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease		9.4%	[8.29% - 10.48%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer		2.1%	[1.60% - 2.51%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache		5.5%	[4.65% - 6.37%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis	B	53.8%	[51.89% - 55.64%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis		18.5%	[17.22% - 19.85%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease		26.6%	[24.98% - 28.17%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer		8.1%	[7.08% - 9.04%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)		11.8%	[10.14% - 13.55%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke		12.7%	[11.61% - 13.88%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury		1.2%	[0.80% - 1.53%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions	W	67.3%	[65.66% - 68.99%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions		8.0%	[7.06% - 9.04%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder		2.4%	[1.79% - 2.97%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder		8.2%	[7.11% - 9.20%]	7.0%	[6.76% - 7.15%]
% 60+ who used marijuana in last month		N/A		3.4%	[2.52% - 4.26%]
% 60+ excessive drinking		9.6%	[6.65% - 12.56%]	9.3%	[8.54% - 10.16%]
% 65+ with tobacco use disorder	W	12.6%	[11.29% - 13.85%]	10.8%	[10.58% - 11.06%]
% 60+ current smokers	W	16.1%	[12.56% - 19.67%]	8.7%	[7.98% - 9.51%]
% 60+ ever used E-Cigarettes in last month		7.6%	[5.16% - 10.02%]	5.8%	[5.14% - 6.42%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support	W	69.0%	[64.23% - 73.76%]	79.7%	[78.56% - 80.78%]
% 60+ who reported being satisfied with life		91.8%	[88.92% - 94.68%]	95.3%	[94.67% - 95.87%]
% 60+ with 15+ days poor mental health in last month		11.0%	[8.02% - 14.02%]	7.4%	[6.70% - 8.03%]
% 65+ with depression	W	35.7%	[34.03% - 37.36%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder		30.5%	[28.80% - 32.25%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder		5.0%	[4.16% - 5.88%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder		2.1%	[1.56% - 2.62%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder	W	5.5%	[4.63% - 6.31%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder		2.8%	[2.16% - 3.35%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		15.7%	[13.07% - 18.41%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment	B	13.5%	[12.27% - 14.70%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty	W	8.4%	[6.16% - 10.56%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		1.4%	[1.02% - 1.79%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		8.1%	[6.14% - 9.98%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty		23.8%	[20.47% - 27.09%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment		4.0%	[3.29% - 4.66%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty		7.7%	[5.53% - 9.87%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty		16.3%	[13.48% - 19.17%]	14.3%	[13.63% - 15.03%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		20.2%	[16.99% - 23.35%]	22.5%	[20.54% - 24.54%]
% of grandparents raising grandchildren		1.4%	[0.89% - 1.99%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren		4.0%	[2.98% - 5.00%]	3.2%	[2.94% - 3.38%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	24.6%	[23.78% - 25.49%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees	*	51.4%	[50.44% - 52.41%]	43.8%	[43.55% - 44.00%]
% 60+ with a regular doctor		95.1%	[92.88% - 97.28%]	96.7%	[96.19% - 97.16%]
% 60+ who did not see a doctor when needed due to cost		6.0%	[3.72% - 8.28%]	5.4%	[4.75% - 5.98%]
SERVICE UTILIZATION					
# physician visits per year	*	7.4	[7.18 - 7.68]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually		683.1	[630.01 - 736.28]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually	*	56.4	[55.45 - 57.38]	52.2	[51.99 - 52.42]
# home health visits annually		3.8	[3.32 - 4.27]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually		1.9	[1.69 - 2.09]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually		307.3	[278.31 - 336.24]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)		16.5%	[13.69% - 19.30%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually		101.2	[86.30 - 116.09]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports	*	5.5%	[5.09% - 6.00%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users		3.9%	[3.50% - 4.33%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents		56.7%	[51.92% - 61.46%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)		13.0	[11.0 - 15.6]	11.0	[11.0 - 12.0]
Median hospice payment (Medicare + other) per hospice user		\$4,461	[\$3,847 - \$5,075]	\$3,871	[\$3,743 - \$4,011]
COMMUNITY					
% 60+ who used Internet in last month	*	55.6%	[51.01% - 60.29%]	71.6%	[70.41% - 72.82%]
% 60+ who believe local service orgs understand needs	*	36.7%	[31.75% - 41.75%]	44.1%	[42.62% - 45.57%]
% 60+ who believe he/she can make a difference		47.7%	[42.98% - 52.47%]	52.2%	[50.76% - 53.55%]
% 60+ who believe working together can make a difference		81.5%	[78.04% - 85.00%]	81.0%	[79.85% - 82.05%]
% 60+ who volunteer at least once per month		23.1%	[19.09% - 27.13%]	22.9%	[21.76% - 24.05%]
% 60+ who attend community events (church, club) monthly		40.9%	[36.09% - 45.74%]	44.4%	[42.96% - 45.75%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
TRANSPORTATION					
% 65+ who own a motor vehicle	*	79.0%	[76.31% - 81.65%]	85.0%	[84.54% - 85.42%]
% 60+ who always drive or ride wearing a seatbelt		90.6%	[87.73% - 93.55%]	91.9%	[91.08% - 92.66%]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[1.44% - 2.48%]
HOUSING					
% 65+ population who live alone	*	35.9%	[32.96% - 38.88%]	31.4%	[30.79% - 32.10%]
% 60+ own home	*	59.0%	[57.02% - 61.07%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage		50.7%	[46.68% - 54.78%]	48.7%	[47.71% - 49.72%]
% 60+ stressed about paying rent/mortgage in last month		24.5%	[21.01% - 28.01%]	22.1%	[20.02% - 24.09%]
% 65+ households (renter) spend >35% of income on housing		39.8%	[33.07% - 46.58%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing	*	30.4%	[12.28% - 18.19%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year		3.9%	[2.55% - 5.30%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year		0.5%	[0.09% - 0.92%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year		1.3%	[0.40% - 2.28%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community		10.4%	[8.96% - 11.81%]	12.1%	[11.62% - 12.58%]
ECONOMIC					
% 60+ receiving food benefits in last year		23.0%	[2.12% - 43.88%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year		20.2%	[17.71% - 22.72%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year	*	15.2%	[12.28% - 18.19%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000	*	30.4%	[26.60% - 34.16%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999	*	37.4%	[33.58% - 41.20%]	32.2%	[31.06% - 33.39%]
% 65+ households with annual income \$50,000-\$99,999		23.1%	[19.79% - 26.47%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+	*	9.1%	[6.82% - 11.39%]	18.7%	[17.91% - 19.47%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu