

Smithfield (Providence)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		54.8%	[49.19% - 60.37%]	55.6%	[54.85% - 56.28%]
% 75-84 years		26.5%	[22.14% - 30.85%]	28.9%	[28.18% - 29.72%]
% 85 years or older		18.7%	[13.43% - 24.03%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female		62.4%	[56.70% - 68.16%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female		71.7%	[58.62% - 84.75%]	69.7%	[68.05% - 71.40%]
Race and ethnicity of the population 65+					
% White	*	98.4%	[93.87% - 102.91%]	92.0%	[90.81% - 93.12%]
% African American	*	0.3%	[-1.05% - 1.72%]	3.2%	[2.96% - 3.38%]
% Asian		0.4%	[-0.98% - 1.79%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino	*	1.3%	[-0.86% - 3.42%]	4.9%	[4.72% - 5.07%]
Marital status of the population 65+					
% married		49.1%	[44.34% - 53.84%]	51.3%	[50.78% - 51.78%]
% divorced/separated		12.8%	[8.46% - 17.13%]	15.7%	[15.00% - 16.37%]
% widowed		30.7%	[24.65% - 36.66%]	25.0%	[24.26% - 25.77%]
% never married		7.5%	[4.18% - 10.72%]	8.0%	[7.50% - 8.54%]
Education of the population 65+					
% with less than high school education	*	12.9%	[9.37% - 16.40%]	19.1%	[18.37% - 19.74%]
% with high school or some college	*	64.7%	[59.39% - 70.08%]	52.9%	[52.00% - 53.74%]
% with college degree		13.9%	[10.28% - 17.47%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree	*	8.5%	[4.85% - 12.15%]	13.9%	[13.32% - 14.43%]
% of 65+ population who speak only English at home	*	91.5%	[84.59% - 98.50%]	82.9%	[81.76% - 83.94%]
% of 65+ population who are veterans of military service		16.9%	[11.90% - 21.97%]	19.0%	[18.51% - 19.54%]
% of 60+ who are LGBT		3.5%	[2.65% - 4.44%]	2.8%	[2.34% - 3.25%]
Age-sex adjusted 1-year mortality rate		4.7%	[4.05% - 5.34%]	4.4%	[4.26% - 4.46%]
WELLNESS					
% 60+ getting the recommended hours of sleep		64.8%	[60.88% - 68.69%]	63.0%	[61.81% - 64.29%]
% 60+ doing any physical activity within last month		71.1%	[67.22% - 74.96%]	71.0%	[69.74% - 72.20%]
% 60+ met CDC guidelines for muscle-strengthening activity		23.6%	[19.85% - 27.27%]	25.0%	[23.77% - 26.17%]
% 60+ met CDC guidelines for aerobic physical activity		54.9%	[50.63% - 59.19%]	54.3%	[52.92% - 55.67%]
% 60+ with fair or poor health status		18.6%	[15.25% - 21.98%]	19.5%	[18.47% - 20.56%]
% 60+ with 15+ physically unhealthy days in last month		13.2%	[10.28% - 16.19%]	14.5%	[13.57% - 15.46%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		22.4%	[18.83% - 25.94%]	26.3%	[25.14% - 27.49%]
% 60+ who were injured in a fall within last year		8.3%	[6.02% - 10.58%]	10.3%	[9.54% - 11.14%]
% 65+ had hip fracture		3.4%	[2.55% - 4.17%]	3.4%	[3.27% - 3.52%]
PREVENTION					
% 60+ with physical exam/check-up in last year		95.4%	[93.58% - 97.21%]	93.0%	[92.31% - 93.64%]
% 60+ flu shot in last year		62.0%	[57.80% - 66.28%]	60.6%	[59.26% - 61.94%]
% 60+ with pneumonia vaccine		71.9%	[67.80% - 75.93%]	67.7%	[66.44% - 69.06%]
% 60+ with shingles vaccine		36.2%	[32.05% - 40.41%]	35.3%	[34.00% - 36.58%]
% 60+ women with a mammogram within last 2 years		81.0%	[76.59% - 85.44%]	82.0%	[80.65% - 83.43%]
% 60+ with colorectal cancer screening		76.3%	[72.50% - 80.10%]	77.8%	[76.64% - 78.95%]
% 60+ with HIV test	*	10.4%	[7.86% - 12.91%]	15.8%	[14.75% - 16.78%]
% 60+ met CDC preventive health screening goals		41.0%	[35.94% - 46.03%]	39.2%	[37.58% - 40.81%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		18.9%	[15.48% - 22.32%]	18.1%	[17.07% - 19.17%]
% 60+ stressed about buying food in last month		10.1%	[7.02% - 13.08%]	13.2%	[12.09% - 14.36%]
% 60+ self-reported obese		27.1%	[23.20% - 31.05%]	26.8%	[25.56% - 27.98%]
% 65+ clinically diagnosed obesity	W	35.2%	[32.90% - 37.59%]	29.3%	[28.94% - 29.63%]
% 65+ with high cholesterol	W	83.2%	[81.43% - 85.02%]	79.1%	[78.78% - 79.38%]
% 60+ with cholesterol screening		97.8%	[96.50% - 99.14%]	96.9%	[96.44% - 97.40%]
ORAL HEALTH					
% 60+ with dental insurance		55.7%	[51.49% - 60.01%]	56.3%	[54.99% - 57.64%]
% 60+ with annual dental exam	B	80.8%	[77.40% - 84.15%]	75.9%	[74.78% - 77.08%]
% 60+ with loss of 6 or more teeth		26.4%	[22.66% - 30.20%]	29.6%	[28.37% - 30.83%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias	W	15.6%	[13.88% - 17.24%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia	W	52.7%	[50.36% - 55.04%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma		15.5%	[13.83% - 17.18%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		16.0%	[14.33% - 17.67%]	15.0%	[14.72% - 15.22%]
% 65+ with autism spectrum disorder		N/A		0.04%	[0.03% - 0.06%]
% 65+ with benign prostatic hyperplasia (men)		44.8%	[41.20% - 48.35%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)		12.4%	[10.39% - 14.38%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract		69.9%	[67.73% - 72.11%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease		29.5%	[27.28% - 31.64%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		22.4%	[20.49% - 24.33%]	22.9%	[22.64% - 23.23%]
% 65+ with colon cancer		2.3%	[1.60% - 2.93%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure		22.8%	[20.79% - 24.74%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes		35.4%	[33.11% - 37.76%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)		2.2%	[1.28% - 3.03%]	1.9%	[1.81% - 2.07%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy		2.6%	[1.81% - 3.30%]	2.9%	[2.82% - 3.08%]
% 65+ with fibromyalgia, chronic pain and fatigue		26.2%	[24.11% - 28.35%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma	W	29.6%	[27.53% - 31.75%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack		6.7%	[5.55% - 7.79%]	5.8%	[5.63% - 5.95%]
% 65+ with HIV/AIDS		0.1%	[0.05% - 0.14%]	0.12%	[0.10% - 0.15%]
% 65+ with hypertension		79.7%	[77.75% - 81.63%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism		23.5%	[21.50% - 25.41%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease		42.4%	[39.98% - 44.77%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas		2.6%	[1.91% - 3.39%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease		8.5%	[7.13% - 9.78%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer		2.4%	[1.69% - 3.08%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache		6.4%	[5.17% - 7.56%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis	W	60.9%	[58.51% - 63.36%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis		20.2%	[18.36% - 22.03%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease	W	28.2%	[26.04% - 30.31%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer		8.8%	[7.50% - 10.12%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)		13.2%	[10.76% - 15.54%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke		12.3%	[10.80% - 13.77%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury		1.0%	[0.51% - 1.46%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions		64.5%	[62.27% - 66.81%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions	W	5.5%	[4.42% - 6.66%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder	B	1.1%	[0.61% - 1.66%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder	B	5.4%	[4.29% - 6.52%]	7.0%	[6.76% - 7.15%]
% 60+ who used marijuana in last month		N/A		3.4%	[2.52% - 4.26%]
% 60+ excessive drinking		9.7%	[6.95% - 12.46%]	9.3%	[8.54% - 10.16%]
% 65+ with tobacco use disorder	B	8.1%	[6.79% - 9.49%]	10.8%	[10.58% - 11.06%]
% 60+ current smokers		6.1%	[4.01% - 8.23%]	8.7%	[7.98% - 9.51%]
% 60+ ever used E-Cigarettes in last month		4.9%	[2.83% - 6.97%]	5.8%	[5.14% - 6.42%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support		82.7%	[79.24% - 86.06%]	79.7%	[78.56% - 80.78%]
% 60+ who reported being satisfied with life		96.4%	[94.78% - 98.05%]	95.3%	[94.67% - 95.87%]
% 60+ with 15+ days poor mental health in last month	B	4.6%	[2.99% - 6.12%]	7.4%	[6.70% - 8.03%]
% 65+ with depression		34.4%	[32.16% - 36.57%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder	W	32.5%	[30.26% - 34.81%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder		4.5%	[3.50% - 5.51%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder		1.2%	[0.73% - 1.60%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder		4.4%	[3.47% - 5.42%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder		3.6%	[2.70% - 4.56%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		14.1%	[9.39% - 18.86%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment		17.2%	[15.42% - 18.98%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty		8.1%	[3.71% - 12.42%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		1.1%	[0.71% - 1.48%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		10.5%	[5.57% - 15.41%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty		21.2%	[15.16% - 27.30%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment		3.4%	[2.60% - 4.28%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty		10.2%	[4.96% - 15.52%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty		15.4%	[9.76% - 21.06%]	14.3%	[13.63% - 15.03%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		20.2%	[16.99% - 23.35%]	22.5%	[20.54% - 24.54%]
% of grandparents raising grandchildren	*	0.3%	[-0.11% - 0.78%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren		3.1%	[1.56% - 4.66%]	3.2%	[2.94% - 3.38%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	9.2%	[8.36% - 10.07%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees	*	47.1%	[45.59% - 48.53%]	43.8%	[43.55% - 44.00%]
% 60+ with a regular doctor		97.8%	[96.46% - 99.11%]	96.7%	[96.19% - 97.16%]
% 60+ who did not see a doctor when needed due to cost		4.7%	[2.82% - 6.52%]	5.4%	[4.75% - 5.98%]
SERVICE UTILIZATION					
# physician visits per year	*	9.3	[8.90 - 9.65]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually		641.2	[559.46 - 723.02]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually		51.2	[49.90 - 52.54]	52.2	[51.99 - 52.42]
# home health visits annually		4.2	[3.50 - 4.85]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually		1.7	[1.45 - 1.94]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually		312.8	[275.92 - 349.70]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)		17.4%	[13.94% - 20.93%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually		113.9	[93.95 - 133.87]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports	*	5.1%	[4.46% - 5.76%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users	*	4.4%	[3.80% - 5.08%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents		51.8%	[41.29% - 62.38%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)		12.0	[10.0 - 16.8]	11.0	[11.0 - 12.0]
Median hospice payment (Medicare + other) per hospice user		\$4,155	[\$3,336 - \$4,977]	\$3,871	[\$3,743 - \$4,011]
COMMUNITY					
% 60+ who used Internet in last month		68.9%	[64.98% - 72.86%]	71.6%	[70.41% - 72.82%]
% 60+ who believe local service orgs understand needs		39.5%	[34.91% - 44.18%]	44.1%	[42.62% - 45.57%]
% 60+ who believe he/she can make a difference		50.0%	[45.61% - 54.37%]	52.2%	[50.76% - 53.55%]
% 60+ who believe working together can make a difference		82.2%	[78.91% - 85.41%]	81.0%	[79.85% - 82.05%]
% 60+ who volunteer at least once per month		20.6%	[17.28% - 24.01%]	22.9%	[21.76% - 24.05%]
% 60+ who attend community events (church, club) monthly		40.0%	[35.77% - 44.23%]	44.4%	[42.96% - 45.75%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
TRANSPORTATION					
% 65+ who own a motor vehicle	*	84.1%	[83.68% - 84.51%]	85.0%	[84.54% - 85.42%]
% 60+ who always drive or ride wearing a seatbelt		94.1%	[91.85% - 96.43%]	91.9%	[91.08% - 92.66%]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[1.44% - 2.48%]
HOUSING					
% 65+ population who live alone	*	37.2%	[33.14% - 41.27%]	31.4%	[30.79% - 32.10%]
% 60+ own home		72.8%	[70.57% - 75.04%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage		50.3%	[43.76% - 56.92%]	48.7%	[47.71% - 49.72%]
% 60+ stressed about paying rent/mortgage in last month		24.5%	[21.01% - 28.01%]	22.1%	[20.02% - 24.09%]
% 65+ households (renter) spend >35% of income on housing		47.8%	[36.13% - 59.55%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing	*	24.8%	[4.70% - 12.76%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year		3.3%	[1.46% - 5.08%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year		0.1%	[-0.84% - 1.06%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year		0.9%	[-0.06% - 1.94%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community	*	4.3%	[1.68% - 6.86%]	12.1%	[11.62% - 12.58%]
ECONOMIC					
% 60+ receiving food benefits in last year		9.9%	[0.23% - 19.63%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year	*	16.9%	[12.53% - 21.21%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year		8.7%	[4.70% - 12.76%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000		23.7%	[14.90% - 32.43%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999		30.4%	[22.64% - 38.08%]	32.2%	[31.06% - 33.39%]
% 65+ households with annual income \$50,000-\$99,999		29.6%	[21.44% - 37.75%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+		16.4%	[10.64% - 22.12%]	18.7%	[17.91% - 19.47%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu