

## Warwick (Kent)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>POPULATION CHARACTERISTICS</b>					
Population 65 years or older					
% 65-74 years		56.8%	[ 53.93% - 59.64% ]	55.6%	[ 54.85% - 56.28% ]
% 75-84 years	*	25.9%	[ 23.83% - 28.06% ]	28.9%	[ 28.18% - 29.72% ]
% 85 years or older		17.3%	[ 15.25% - 19.28% ]	15.5%	[ 14.95% - 16.02% ]
% 65+ population who are female		58.5%	[ 55.70% - 61.25% ]	57.2%	[ 56.30% - 58.00% ]
% 85+ population who are female		65.3%	[ 59.01% - 71.56% ]	69.7%	[ 68.05% - 71.40% ]
Race and ethnicity of the population 65+					
% White		95.2%	[ 92.21% - 98.13% ]	92.0%	[ 90.81% - 93.12% ]
% African American	*	1.5%	[ 0.74% - 2.29% ]	3.2%	[ 2.96% - 3.38% ]
% Asian		1.5%	[ 0.88% - 2.14% ]	1.6%	[ 1.42% - 1.77% ]
% Hispanic/Latino	*	1.8%	[ 1.02% - 2.56% ]	4.9%	[ 4.72% - 5.07% ]
Marital status of the population 65+					
% married		49.7%	[ 48.03% - 51.44% ]	51.3%	[ 50.78% - 51.78% ]
% divorced/separated		18.4%	[ 15.84% - 20.92% ]	15.7%	[ 15.00% - 16.37% ]
% widowed		25.6%	[ 23.31% - 27.94% ]	25.0%	[ 24.26% - 25.77% ]
% never married		6.3%	[ 4.96% - 7.56% ]	8.0%	[ 7.50% - 8.54% ]
Education of the population 65+					
% with less than high school education	*	13.5%	[ 11.49% - 15.58% ]	19.1%	[ 18.37% - 19.74% ]
% with high school or some college	*	58.3%	[ 55.91% - 60.74% ]	52.9%	[ 52.00% - 53.74% ]
% with college degree	*	17.6%	[ 15.22% - 19.96% ]	14.2%	[ 13.63% - 14.77% ]
% with graduate or professional degree	*	10.5%	[ 9.02% - 12.07% ]	13.9%	[ 13.32% - 14.43% ]
% of 65+ population who speak only English at home	*	90.0%	[ 87.01% - 93.06% ]	82.9%	[ 81.76% - 83.94% ]
% of 65+ population who are veterans of military service		21.3%	[ 19.34% - 23.31% ]	19.0%	[ 18.51% - 19.54% ]
% of 60+ who are LGBT		2.5%	[ 1.54% - 3.54% ]	2.8%	[ 2.34% - 3.25% ]
Age-sex adjusted 1-year mortality rate		4.5%	[ 4.12% - 4.79% ]	4.4%	[ 4.26% - 4.46% ]
<b>WELLNESS</b>					
% 60+ getting the recommended hours of sleep		61.9%	[ 58.29% - 65.56% ]	63.0%	[ 61.81% - 64.29% ]
% 60+ doing any physical activity within last month		71.4%	[ 67.78% - 74.98% ]	71.0%	[ 69.74% - 72.20% ]
% 60+ met CDC guidelines for muscle-strengthening activity		22.0%	[ 18.64% - 25.42% ]	25.0%	[ 23.77% - 26.17% ]
% 60+ met CDC guidelines for aerobic physical activity		53.2%	[ 48.98% - 57.36% ]	54.3%	[ 52.92% - 55.67% ]
% 60+ with fair or poor health status		19.0%	[ 16.01% - 21.98% ]	19.5%	[ 18.47% - 20.56% ]
% 60+ with 15+ physically unhealthy days in last month		14.0%	[ 11.33% - 16.64% ]	14.5%	[ 13.57% - 15.46% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>FALLS</b>					
% 60+ who fell within last year		26.4%	[ 22.89% - 29.84% ]	26.3%	[ 25.14% - 27.49% ]
% 60+ who were injured in a fall within last year		9.9%	[ 7.53% - 12.26% ]	10.3%	[ 9.54% - 11.14% ]
% 65+ had hip fracture		3.5%	[ 3.08% - 3.97% ]	3.4%	[ 3.27% - 3.52% ]
<b>PREVENTION</b>					
% 60+ with physical exam/check-up in last year		93.8%	[ 92.00% - 95.70% ]	93.0%	[ 92.31% - 93.64% ]
% 60+ flu shot in last year		59.9%	[ 55.96% - 63.88% ]	60.6%	[ 59.26% - 61.94% ]
% 60+ with pneumonia vaccine		71.2%	[ 67.54% - 74.93% ]	67.7%	[ 66.44% - 69.06% ]
% 60+ with shingles vaccine		34.2%	[ 30.39% - 38.02% ]	35.3%	[ 34.00% - 36.58% ]
% 60+ women with a mammogram within last 2 years		82.1%	[ 78.27% - 86.00% ]	82.0%	[ 80.65% - 83.43% ]
% 60+ with colorectal cancer screening		77.1%	[ 73.73% - 80.55% ]	77.8%	[ 76.64% - 78.95% ]
% 60+ with HIV test		14.2%	[ 11.30% - 17.07% ]	15.8%	[ 14.75% - 16.78% ]
% 60+ met CDC preventive health screening goals		35.5%	[ 30.86% - 40.14% ]	39.2%	[ 37.58% - 40.81% ]
<b>NUTRITION &amp; DIET</b>					
% 60+ with 5 or more servings of fruit or vegetables per day		14.6%	[ 11.67% - 17.45% ]	18.1%	[ 17.07% - 19.17% ]
% 60+ stressed about buying food in last month		12.8%	[ 9.45% - 16.22% ]	13.2%	[ 12.09% - 14.36% ]
% 60+ self-reported obese		30.1%	[ 26.35% - 33.88% ]	26.8%	[ 25.56% - 27.98% ]
% 65+ clinically diagnosed obesity	W	31.1%	[ 29.88% - 32.37% ]	29.3%	[ 28.94% - 29.63% ]
% 65+ with high cholesterol	W	81.5%	[ 80.46% - 82.47% ]	79.1%	[ 78.78% - 79.38% ]
% 60+ with cholesterol screening		95.7%	[ 93.95% - 97.36% ]	96.9%	[ 96.44% - 97.40% ]
<b>ORAL HEALTH</b>					
% 60+ with dental insurance		55.0%	[ 51.08% - 58.93% ]	56.3%	[ 54.99% - 57.64% ]
% 60+ with annual dental exam	W	69.3%	[ 65.60% - 73.03% ]	75.9%	[ 74.78% - 77.08% ]
% 60+ with loss of 6 or more teeth		32.9%	[ 29.16% - 36.61% ]	29.6%	[ 28.37% - 30.83% ]
<b>CHRONIC DISEASE</b>					
% 65+ with Alzheimer's disease or related dementias		13.5%	[ 12.62% - 14.33% ]	13.1%	[ 12.86% - 13.34% ]
% 65+ with anemia	W	54.6%	[ 53.33% - 55.84% ]	50.0%	[ 49.62% - 50.33% ]
% 65+ with asthma		16.0%	[ 15.05% - 16.87% ]	14.9%	[ 14.68% - 15.18% ]
% 65+ with atrial fibrillation		14.7%	[ 13.84% - 15.57% ]	15.0%	[ 14.72% - 15.22% ]
% 65+ with autism spectrum disorder		N/A		0.04%	[ 0.03% - 0.06% ]
% 65+ with benign prostatic hyperplasia (men)		40.8%	[ 38.94% - 42.71% ]	42.2%	[ 41.66% - 42.72% ]
% 65+ with breast cancer (women)		11.3%	[ 10.24% - 12.29% ]	11.1%	[ 10.80% - 11.39% ]
% 65+ with cataract		67.4%	[ 66.23% - 68.63% ]	67.5%	[ 67.15% - 67.83% ]
% 65+ with chronic kidney disease	W	33.8%	[ 32.58% - 35.07% ]	30.7%	[ 30.38% - 31.07% ]
% 65+ with chronic obstructive pulmonary disease		24.2%	[ 23.12% - 25.24% ]	22.9%	[ 22.64% - 23.23% ]
% 65+ with colon cancer		2.8%	[ 2.41% - 3.21% ]	2.7%	[ 2.58% - 2.80% ]
% 65+ with congestive heart failure	W	23.7%	[ 22.63% - 24.81% ]	21.6%	[ 21.33% - 21.93% ]
% 65+ with diabetes	W	37.7%	[ 36.39% - 38.96% ]	34.7%	[ 34.30% - 35.01% ]
% 65+ with endometrial cancer (women)		1.6%	[ 1.23% - 2.04% ]	1.9%	[ 1.81% - 2.07% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
% 65+ with epilepsy		2.7%	[ 2.29% - 3.15% ]	2.9%	[ 2.82% - 3.08% ]
% 65+ with fibromyalgia, chronic pain and fatigue		25.5%	[ 24.32% - 26.61% ]	25.4%	[ 25.09% - 25.74% ]
% 65+ with glaucoma		26.8%	[ 25.66% - 27.85% ]	27.0%	[ 26.70% - 27.32% ]
% 65+ ever had a heart attack		6.5%	[ 5.87% - 7.06% ]	5.8%	[ 5.63% - 5.95% ]
% 65+ with HIV/AIDS		0.1%	[ 0.03% - 0.10% ]	0.12%	[ 0.10% - 0.15% ]
% 65+ with hypertension	W	80.8%	[ 79.76% - 81.81% ]	78.0%	[ 77.73% - 78.33% ]
% 65+ with hypothyroidism	W	25.1%	[ 23.99% - 26.15% ]	22.4%	[ 22.09% - 22.68% ]
% 65+ with ischemic heart disease	W	46.5%	[ 45.19% - 47.83% ]	41.8%	[ 41.39% - 42.13% ]
% 65+ with leukemias and lymphomas		2.7%	[ 2.30% - 3.14% ]	2.7%	[ 2.59% - 2.83% ]
% 65+ with liver disease		10.4%	[ 9.63% - 11.23% ]	9.9%	[ 9.71% - 10.16% ]
% 65+ with lung cancer	W	2.6%	[ 2.21% - 2.99% ]	2.1%	[ 1.97% - 2.17% ]
% 65+ with migraine and other chronic headache		6.5%	[ 5.84% - 7.14% ]	6.1%	[ 5.94% - 6.31% ]
% 65+ with osteoarthritis or rheumatoid arthritis	W	59.2%	[ 57.86% - 60.52% ]	56.2%	[ 55.78% - 56.54% ]
% 65+ with osteoporosis		20.6%	[ 19.59% - 21.57% ]	19.6%	[ 19.29% - 19.85% ]
% 65+ with peripheral vascular disease		26.8%	[ 25.61% - 27.89% ]	25.6%	[ 25.29% - 25.92% ]
% 65+ with pressure ulcer or chronic ulcer		8.1%	[ 7.37% - 8.75% ]	8.1%	[ 7.94% - 8.33% ]
% 65+ with prostate cancer (men)		13.7%	[ 12.45% - 15.05% ]	13.4%	[ 13.09% - 13.81% ]
% 65+ with stroke		12.7%	[ 11.89% - 13.52% ]	11.9%	[ 11.65% - 12.09% ]
% 65+ with traumatic brain injury		1.1%	[ 0.84% - 1.39% ]	1.0%	[ 0.96% - 1.11% ]
% 65+ with 4+ (out of 15) chronic conditions	W	67.7%	[ 66.46% - 68.86% ]	63.8%	[ 63.47% - 64.16% ]
% 65+ with 0 chronic conditions		6.1%	[ 5.50% - 6.78% ]	7.0%	[ 6.77% - 7.15% ]
<b>BEHAVIORAL HEALTH</b>					
% 65+ with opioid use disorder		1.9%	[ 1.53% - 2.28% ]	1.9%	[ 1.75% - 1.96% ]
% 65+ with substance use disorder		7.4%	[ 6.64% - 8.06% ]	7.0%	[ 6.76% - 7.15% ]
% 60+ who used marijuana in last month		N/A		3.4%	[ 2.52% - 4.26% ]
% 60+ excessive drinking		9.8%	[ 7.44% - 12.23% ]	9.3%	[ 8.54% - 10.16% ]
% 65+ with tobacco use disorder	W	13.0%	[ 12.07% - 13.92% ]	10.8%	[ 10.58% - 11.06% ]
% 60+ current smokers		9.4%	[ 7.15% - 11.65% ]	8.7%	[ 7.98% - 9.51% ]
% 60+ ever used E-Cigarettes in last month		7.5%	[ 5.44% - 9.55% ]	5.8%	[ 5.14% - 6.42% ]
<b>MENTAL HEALTH</b>					
% 60+ who reported receiving adequate emotional support		79.9%	[ 76.75% - 83.03% ]	79.7%	[ 78.56% - 80.78% ]
% 60+ who reported being satisfied with life		94.9%	[ 92.92% - 96.88% ]	95.3%	[ 94.67% - 95.87% ]
% 60+ with 15+ days poor mental health in last month		8.4%	[ 6.35% - 10.45% ]	7.4%	[ 6.70% - 8.03% ]
% 65+ with depression	W	36.2%	[ 34.97% - 37.38% ]	32.9%	[ 32.60% - 33.26% ]
% 65+ with anxiety disorder	W	34.5%	[ 33.26% - 35.79% ]	29.8%	[ 29.48% - 30.17% ]
% 65+ with bipolar disorder		4.6%	[ 3.98% - 5.13% ]	4.1%	[ 3.93% - 4.23% ]
% 65+ with post-traumatic stress disorder		2.0%	[ 1.64% - 2.44% ]	1.7%	[ 1.60% - 1.81% ]
% 65+ with schizophrenia & other psychotic disorder		4.0%	[ 3.47% - 4.47% ]	3.8%	[ 3.61% - 3.89% ]
% 65+ with personality disorder	W	3.6%	[ 3.06% - 4.05% ]	2.8%	[ 2.66% - 2.91% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>LIVING WITH DISABILITY</b>					
% 65+ with self-reported hearing difficulty		15.8%	[ 13.40% - 18.28% ]	13.9%	[ 13.26% - 14.57% ]
% 65+ with clinical diagnosis of deafness or hearing impairment		17.1%	[ 16.13% - 18.04% ]	16.4%	[ 16.17% - 16.70% ]
% 65+ with self-reported vision difficulty		5.2%	[ 3.89% - 6.55% ]	5.5%	[ 5.03% - 5.95% ]
% 65+ with clinical diagnosis of blindness or visual impairment		1.2%	[ 0.96% - 1.51% ]	1.1%	[ 0.98% - 1.13% ]
% 65+ with self-reported cognition difficulty		6.4%	[ 4.97% - 7.90% ]	8.2%	[ 7.63% - 8.74% ]
% 65+ with self-reported ambulatory difficulty		18.2%	[ 15.90% - 20.56% ]	21.0%	[ 20.21% - 21.76% ]
% 65+ with clinical diagnosis of mobility impairment		3.8%	[ 3.30% - 4.26% ]	3.8%	[ 3.64% - 3.92% ]
% 65+ with self-reported self-care difficulty		6.1%	[ 4.49% - 7.70% ]	8.0%	[ 7.40% - 8.50% ]
% 65+ with self-reported independent living difficulty		13.0%	[ 10.90% - 15.18% ]	14.3%	[ 13.63% - 15.03% ]
<b>CAREGIVING</b>					
% of 60+ who provide care to a family/friend in last month		27.2%	[ 21.80% - 32.60% ]	22.5%	[ 20.54% - 24.54% ]
% of grandparents raising grandchildren		1.0%	[ 0.64% - 1.43% ]	1.0%	[ 0.84% - 1.08% ]
% of grandparents who live with grandchildren		3.1%	[ 2.37% - 3.86% ]	3.2%	[ 2.94% - 3.38% ]
<b>ACCESS TO CARE</b>					
% 65+ dually eligible for Medicare and Medicaid	*	11.2%	[ 10.71% - 11.71% ]	13.8%	[ 13.62% - 13.94% ]
% 65+ Medicare managed care enrollees	*	46.4%	[ 45.58% - 47.15% ]	43.8%	[ 43.55% - 44.00% ]
% 60+ with a regular doctor		96.7%	[ 95.21% - 98.13% ]	96.7%	[ 96.19% - 97.16% ]
% 60+ who did not see a doctor when needed due to cost		5.1%	[ 3.46% - 6.72% ]	5.4%	[ 4.75% - 5.98% ]
<b>SERVICE UTILIZATION</b>					
# physician visits per year	*	8.7	[ 8.47 - 8.86 ]	8.4	[ 8.31 - 8.41 ]
# emergency room visits/1000 persons 65+ years annually	*	706.2	[ 666.47 - 745.91 ]	620.6	[ 609.83 - 631.28 ]
# Part D monthly prescription fills per person annually	*	53.7	[ 52.92 - 54.40 ]	52.2	[ 51.99 - 52.42 ]
# home health visits annually		3.7	[ 3.36 - 4.11 ]	3.5	[ 3.40 - 3.61 ]
# durable medical equipment claims annually		1.9	[ 1.74 - 2.02 ]	1.7	[ 1.69 - 1.76 ]
# inpatient hospital stays/1000 persons 65+ years annually	*	314.7	[ 294.58 - 334.77 ]	286.5	[ 281.04 - 291.96 ]
% Medicare inpatient hospital readmissions (as % of admissions)		18.2%	[ 16.33% - 20.09% ]	17.4%	[ 16.81% - 17.98% ]
# skilled nursing facility stays/1000 persons 65+ years annually		109.1	[ 98.20 - 120.02 ]	98.8	[ 95.83 - 101.70 ]
% 65+ getting Medicaid long term services and supports		3.9%	[ 3.56% - 4.17% ]	4.2%	[ 4.12% - 4.31% ]
% 65+ hospice users		3.8%	[ 3.51% - 4.14% ]	3.5%	[ 3.45% - 3.63% ]
% 65+ hospice users as % of decedents		55.7%	[ 51.97% - 59.48% ]	53.0%	[ 51.86% - 54.20% ]
Median hospice days per hospice user (65+, deceased)		10.0	[ 9.0 - 12.0 ]	11.0	[ 11.0 - 12.0 ]
Median hospice payment (Medicare + other) per hospice user		\$3,633	[ \$3,237 - \$4,023 ]	\$3,871	[ \$3,743 - \$4,011 ]
<b>COMMUNITY</b>					
% 60+ who used Internet in last month		72.8%	[ 69.23% - 76.31% ]	71.6%	[ 70.41% - 72.82% ]
% 60+ who believe local service orgs understand needs		41.1%	[ 36.55% - 45.58% ]	44.1%	[ 42.62% - 45.57% ]
% 60+ who believe he/she can make a difference		50.8%	[ 46.56% - 55.04% ]	52.2%	[ 50.76% - 53.55% ]
% 60+ who believe working together can make a difference		76.8%	[ 73.16% - 80.53% ]	81.0%	[ 79.85% - 82.05% ]
% 60+ who volunteer at least once per month		18.8%	[ 15.51% - 22.14% ]	22.9%	[ 21.76% - 24.05% ]
% 60+ who attend community events (church, club) monthly		40.9%	[ 36.68% - 45.08% ]	44.4%	[ 42.96% - 45.75% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>TRANSPORTATION</b>					
% 65+ who own a motor vehicle	*	89.0%	[ 88.33% - 89.74% ]	85.0%	[ 84.54% - 85.42% ]
% 60+ who always drive or ride wearing a seatbelt		91.1%	[ 88.69% - 93.49% ]	91.9%	[ 91.08% - 92.66% ]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[ 1.44% - 2.48% ]
<b>HOUSING</b>					
% 65+ population who live alone	*	35.2%	[ 32.52% - 37.95% ]	31.4%	[ 30.79% - 32.10% ]
% 60+ own home	*	74.1%	[ 72.60% - 75.69% ]	70.3%	[ 69.85% - 70.73% ]
% 60+ homeowners who have mortgage		51.8%	[ 48.39% - 55.22% ]	48.7%	[ 47.71% - 49.72% ]
% 60+ stressed about paying rent/mortgage in last month		18.4%	[ 14.15% - 22.74% ]	22.1%	[ 20.02% - 24.09% ]
% 65+ households (renter) spend >35% of income on housing		39.7%	[ 31.09% - 48.30% ]	39.2%	[ 36.98% - 41.48% ]
% 65+ households (owner) spend >35% of income on housing	*	29.4%	[ 5.78% - 9.42% ]	27.6%	[ 26.49% - 28.80% ]
% 65+ moved within same county in last year		3.5%	[ 2.42% - 4.65% ]	3.6%	[ 3.20% - 3.93% ]
% 65+ moved from different county in last year		2.0%	[ 1.14% - 2.78% ]	1.0%	[ 0.79% - 1.17% ]
% 65+ moved from different state in last year		1.1%	[ 0.33% - 1.79% ]	1.1%	[ 0.88% - 1.33% ]
% of vacant homes in community	*	7.3%	[ 6.19% - 8.49% ]	12.1%	[ 11.62% - 12.58% ]
<b>ECONOMIC</b>					
% 60+ receiving food benefits in last year		11.9%	[ -0.41% - 24.11% ]	15.0%	[ -0.18% - 30.16% ]
% 65+ employed in last year		22.5%	[ 20.88% - 24.21% ]	21.9%	[ 21.25% - 22.51% ]
% 65+ with income below the poverty line in last year		7.6%	[ 5.78% - 9.42% ]	9.5%	[ 8.98% - 10.07% ]
% 65+ households with annual income < \$20,000		22.6%	[ 18.98% - 26.19% ]	24.3%	[ 23.28% - 25.36% ]
% 65+ households with annual income \$20,000-\$49,999		36.3%	[ 32.08% - 40.46% ]	32.2%	[ 31.06% - 33.39% ]
% 65+ households with annual income \$50,000-\$99,999		22.7%	[ 19.92% - 25.57% ]	24.8%	[ 23.82% - 25.70% ]
% 65+ households with annual income \$100,000+		18.4%	[ 15.49% - 21.31% ]	18.7%	[ 17.91% - 19.47% ]

Notes. <sup>1</sup> Community-state differences where the margin of error do not overlap each other are noted B, W, or \*.

<sup>2</sup> All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu