

## West Greenwich (Kent)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>POPULATION CHARACTERISTICS</b>					
Population 65 years or older					
% 65-74 years	*	76.5%	[ 67.37% - 85.61% ]	55.6%	[ 54.85% - 56.28% ]
% 75-84 years		18.3%	[ 7.40% - 29.16% ]	28.9%	[ 28.18% - 29.72% ]
% 85 years or older	*	5.2%	[ -1.97% - 12.42% ]	15.5%	[ 14.95% - 16.02% ]
% 65+ population who are female		48.3%	[ 34.77% - 61.75% ]	57.2%	[ 56.30% - 58.00% ]
% 85+ population who are female		100.0%	[ 48.94% - 151.06% ]	69.7%	[ 68.05% - 71.40% ]
Race and ethnicity of the population 65+					
% White		100.0%	[ 85.12% - 114.88% ]	92.0%	[ 90.81% - 93.12% ]
% African American		0.0%	[ -6.53% - 6.53% ]	3.2%	[ 2.96% - 3.38% ]
% Asian		0.0%	[ -6.53% - 6.53% ]	1.6%	[ 1.42% - 1.77% ]
% Hispanic/Latino		0.0%	[ -6.53% - 6.53% ]	4.9%	[ 4.72% - 5.07% ]
Marital status of the population 65+					
% married	*	80.6%	[ 73.86% - 87.34% ]	51.3%	[ 50.78% - 51.78% ]
% divorced/separated		6.5%	[ -4.18% - 17.12% ]	15.7%	[ 15.00% - 16.37% ]
% widowed	*	10.4%	[ 0.23% - 20.66% ]	25.0%	[ 24.26% - 25.77% ]
% never married		2.5%	[ -4.67% - 9.64% ]	8.0%	[ 7.50% - 8.54% ]
Education of the population 65+					
% with less than high school education		9.5%	[ 0.51% - 18.39% ]	19.1%	[ 18.37% - 19.74% ]
% with high school or some college	*	64.4%	[ 54.89% - 73.96% ]	52.9%	[ 52.00% - 53.74% ]
% with college degree		14.3%	[ 4.48% - 24.13% ]	14.2%	[ 13.63% - 14.77% ]
% with graduate or professional degree		11.8%	[ 2.63% - 21.00% ]	13.9%	[ 13.32% - 14.43% ]
% of 65+ population who speak only English at home		95.3%	[ 76.67% - 113.88% ]	82.9%	[ 81.76% - 83.94% ]
% of 65+ population who are veterans of military service		23.8%	[ 12.78% - 34.73% ]	19.0%	[ 18.51% - 19.54% ]
% of 60+ who are LGBT		2.5%	[ 1.54% - 3.54% ]	2.8%	[ 2.34% - 3.25% ]
Age-sex adjusted 1-year mortality rate		4.5%	[ 2.85% - 6.09% ]	4.4%	[ 4.26% - 4.46% ]
<b>WELLNESS</b>					
% 60+ getting the recommended hours of sleep		63.5%	[ 58.28% - 68.64% ]	63.0%	[ 61.81% - 64.29% ]
% 60+ doing any physical activity within last month		73.6%	[ 68.63% - 78.55% ]	71.0%	[ 69.74% - 72.20% ]
% 60+ met CDC guidelines for muscle-strengthening activity		29.4%	[ 24.06% - 34.73% ]	25.0%	[ 23.77% - 26.17% ]
% 60+ met CDC guidelines for aerobic physical activity		58.7%	[ 52.90% - 64.49% ]	54.3%	[ 52.92% - 55.67% ]
% 60+ with fair or poor health status		16.3%	[ 12.27% - 20.31% ]	19.5%	[ 18.47% - 20.56% ]
% 60+ with 15+ physically unhealthy days in last month		14.2%	[ 9.88% - 18.51% ]	14.5%	[ 13.57% - 15.46% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>FALLS</b>					
% 60+ who fell within last year		28.9%	[ 23.96% - 33.91% ]	26.3%	[ 25.14% - 27.49% ]
% 60+ who were injured in a fall within last year		9.1%	[ 6.17% - 12.08% ]	10.3%	[ 9.54% - 11.14% ]
% 65+ had hip fracture	B	2.3%	[ 1.35% - 3.22% ]	3.4%	[ 3.27% - 3.52% ]
<b>PREVENTION</b>					
% 60+ with physical exam/check-up in last year		90.6%	[ 87.64% - 93.57% ]	93.0%	[ 92.31% - 93.64% ]
% 60+ flu shot in last year		58.3%	[ 52.70% - 63.90% ]	60.6%	[ 59.26% - 61.94% ]
% 60+ with pneumonia vaccine	W	57.5%	[ 51.67% - 63.29% ]	67.7%	[ 66.44% - 69.06% ]
% 60+ with shingles vaccine		33.2%	[ 27.80% - 38.64% ]	35.3%	[ 34.00% - 36.58% ]
% 60+ women with a mammogram within last 2 years		82.1%	[ 76.15% - 88.04% ]	82.0%	[ 80.65% - 83.43% ]
% 60+ with colorectal cancer screening		77.9%	[ 73.29% - 82.47% ]	77.8%	[ 76.64% - 78.95% ]
% 60+ with HIV test		13.3%	[ 9.30% - 17.22% ]	15.8%	[ 14.75% - 16.78% ]
% 60+ met CDC preventive health screening goals		40.7%	[ 33.90% - 47.47% ]	39.2%	[ 37.58% - 40.81% ]
<b>NUTRITION &amp; DIET</b>					
% 60+ with 5 or more servings of fruit or vegetables per day		19.8%	[ 15.13% - 24.55% ]	18.1%	[ 17.07% - 19.17% ]
% 60+ stressed about buying food in last month		8.9%	[ 4.87% - 12.90% ]	13.2%	[ 12.09% - 14.36% ]
% 60+ self-reported obese		28.3%	[ 23.10% - 33.49% ]	26.8%	[ 25.56% - 27.98% ]
% 65+ clinically diagnosed obesity		28.1%	[ 23.42% - 32.71% ]	29.3%	[ 28.94% - 29.63% ]
% 65+ with high cholesterol		75.7%	[ 71.52% - 79.91% ]	79.1%	[ 78.78% - 79.38% ]
% 60+ with cholesterol screening		97.9%	[ 96.42% - 99.48% ]	96.9%	[ 96.44% - 97.40% ]
<b>ORAL HEALTH</b>					
% 60+ with dental insurance		56.4%	[ 51.07% - 61.76% ]	56.3%	[ 54.99% - 57.64% ]
% 60+ with annual dental exam		80.0%	[ 75.58% - 84.39% ]	75.9%	[ 74.78% - 77.08% ]
% 60+ with loss of 6 or more teeth		27.7%	[ 22.85% - 32.46% ]	29.6%	[ 28.37% - 30.83% ]
<b>CHRONIC DISEASE</b>					
% 65+ with Alzheimer's disease or related dementias		10.9%	[ 7.84% - 14.05% ]	13.1%	[ 12.86% - 13.34% ]
% 65+ with anemia	B	44.4%	[ 39.71% - 49.09% ]	50.0%	[ 49.62% - 50.33% ]
% 65+ with asthma		13.6%	[ 10.40% - 16.89% ]	14.9%	[ 14.68% - 15.18% ]
% 65+ with atrial fibrillation		13.5%	[ 10.30% - 16.61% ]	15.0%	[ 14.72% - 15.22% ]
% 65+ with autism spectrum disorder		N/A		0.04%	[ 0.03% - 0.06% ]
% 65+ with benign prostatic hyperplasia (men)	B	34.5%	[ 28.02% - 40.99% ]	42.2%	[ 41.66% - 42.72% ]
% 65+ with breast cancer (women)		13.2%	[ 8.84% - 17.55% ]	11.1%	[ 10.80% - 11.39% ]
% 65+ with cataract	B	57.1%	[ 52.31% - 61.80% ]	67.5%	[ 67.15% - 67.83% ]
% 65+ with chronic kidney disease		26.3%	[ 21.94% - 30.58% ]	30.7%	[ 30.38% - 31.07% ]
% 65+ with chronic obstructive pulmonary disease		20.7%	[ 16.91% - 24.53% ]	22.9%	[ 22.64% - 23.23% ]
% 65+ with colon cancer		2.0%	[ 1.08% - 2.88% ]	2.7%	[ 2.58% - 2.80% ]
% 65+ with congestive heart failure		19.4%	[ 15.51% - 23.27% ]	21.6%	[ 21.33% - 21.93% ]
% 65+ with diabetes		30.4%	[ 25.72% - 35.07% ]	34.7%	[ 34.30% - 35.01% ]
% 65+ with endometrial cancer (women)		1.3%	[ 0.63% - 2.03% ]	1.9%	[ 1.81% - 2.07% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
% 65+ with epilepsy		2.5% [ 1.39% - 3.52% ]		2.9% [ 2.82% - 3.08% ]	
% 65+ with fibromyalgia, chronic pain and fatigue		22.6% [ 18.39% - 26.87% ]		25.4% [ 25.09% - 25.74% ]	
% 65+ with glaucoma		25.6% [ 21.53% - 29.58% ]		27.0% [ 26.70% - 27.32% ]	
% 65+ ever had a heart attack		5.1% [ 3.02% - 7.12% ]		5.8% [ 5.63% - 5.95% ]	
% 65+ with HIV/AIDS		0.1% [ 0.03% - 0.10% ]		0.12% [ 0.10% - 0.15% ]	
% 65+ with hypertension		78.6% [ 74.62% - 82.58% ]		78.0% [ 77.73% - 78.33% ]	
% 65+ with hypothyroidism		21.5% [ 17.64% - 25.39% ]		22.4% [ 22.09% - 22.68% ]	
% 65+ with ischemic heart disease		41.0% [ 35.99% - 45.95% ]		41.8% [ 41.39% - 42.13% ]	
% 65+ with leukemias and lymphomas		2.5% [ 1.47% - 3.63% ]		2.7% [ 2.59% - 2.83% ]	
% 65+ with liver disease		10.3% [ 7.23% - 13.46% ]		9.9% [ 9.71% - 10.16% ]	
% 65+ with lung cancer		1.6% [ 0.82% - 2.42% ]		2.1% [ 1.97% - 2.17% ]	
% 65+ with migraine and other chronic headache		5.5% [ 3.14% - 7.87% ]		6.1% [ 5.94% - 6.31% ]	
% 65+ with osteoarthritis or rheumatoid arthritis		51.7% [ 46.61% - 56.88% ]		56.2% [ 55.78% - 56.54% ]	
% 65+ with osteoporosis		16.2% [ 12.76% - 19.65% ]		19.6% [ 19.29% - 19.85% ]	
% 65+ with peripheral vascular disease	B	17.1% [ 13.55% - 20.70% ]		25.6% [ 25.29% - 25.92% ]	
% 65+ with pressure ulcer or chronic ulcer		6.4% [ 4.00% - 8.74% ]		8.1% [ 7.94% - 8.33% ]	
% 65+ with prostate cancer (men)		14.9% [ 10.15% - 19.61% ]		13.4% [ 13.09% - 13.81% ]	
% 65+ with stroke		9.6% [ 6.87% - 12.28% ]		11.9% [ 11.65% - 12.09% ]	
% 65+ with traumatic brain injury		0.6% [ 0.25% - 0.97% ]		1.0% [ 0.96% - 1.11% ]	
% 65+ with 4+ (out of 15) chronic conditions		61.5% [ 56.80% - 66.16% ]		63.8% [ 63.47% - 64.16% ]	
% 65+ with 0 chronic conditions		8.2% [ 5.43% - 10.95% ]		7.0% [ 6.77% - 7.15% ]	
<b>BEHAVIORAL HEALTH</b>					
% 65+ with opioid use disorder		1.6% [ 0.70% - 2.54% ]		1.9% [ 1.75% - 1.96% ]	
% 65+ with substance use disorder		8.0% [ 5.23% - 10.86% ]		7.0% [ 6.76% - 7.15% ]	
% 60+ who used marijuana in last month		N/A		3.4% [ 2.52% - 4.26% ]	
% 60+ excessive drinking		7.9% [ 4.90% - 10.84% ]		9.3% [ 8.54% - 10.16% ]	
% 65+ with tobacco use disorder		10.9% [ 7.70% - 14.14% ]		10.8% [ 10.58% - 11.06% ]	
% 60+ current smokers		8.5% [ 5.51% - 11.45% ]		8.7% [ 7.98% - 9.51% ]	
% 60+ ever used E-Cigarettes in last month		5.6% [ 2.95% - 8.31% ]		5.8% [ 5.14% - 6.42% ]	
<b>MENTAL HEALTH</b>					
% 60+ who reported receiving adequate emotional support		77.7% [ 72.70% - 82.60% ]		79.7% [ 78.56% - 80.78% ]	
% 60+ who reported being satisfied with life		96.9% [ 95.49% - 98.31% ]		95.3% [ 94.67% - 95.87% ]	
% 60+ with 15+ days poor mental health in last month		6.2% [ 3.97% - 8.37% ]		7.4% [ 6.70% - 8.03% ]	
% 65+ with depression		33.1% [ 28.67% - 37.54% ]		32.9% [ 32.60% - 33.26% ]	
% 65+ with anxiety disorder		30.5% [ 25.84% - 35.18% ]		29.8% [ 29.48% - 30.17% ]	
% 65+ with bipolar disorder		3.7% [ 1.99% - 5.49% ]		4.1% [ 3.93% - 4.23% ]	
% 65+ with post-traumatic stress disorder		1.6% [ 0.69% - 2.53% ]		1.7% [ 1.60% - 1.81% ]	
% 65+ with schizophrenia & other psychotic disorder		2.7% [ 1.62% - 3.79% ]		3.8% [ 3.61% - 3.89% ]	
% 65+ with personality disorder		4.1% [ 2.08% - 6.04% ]		2.8% [ 2.66% - 2.91% ]	

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>LIVING WITH DISABILITY</b>					
% 65+ with self-reported hearing difficulty		9.6%	[ 0.29% - 18.86% ]	13.9%	[ 13.26% - 14.57% ]
% 65+ with clinical diagnosis of deafness or hearing impairment	B	11.7%	[ 8.61% - 14.87% ]	16.4%	[ 16.17% - 16.70% ]
% 65+ with self-reported vision difficulty		4.7%	[ -2.56% - 12.01% ]	5.5%	[ 5.03% - 5.95% ]
% 65+ with clinical diagnosis of blindness or visual impairment		0.7%	[ 0.29% - 1.03% ]	1.1%	[ 0.98% - 1.13% ]
% 65+ with self-reported cognition difficulty		2.1%	[ -4.08% - 8.31% ]	8.2%	[ 7.63% - 8.74% ]
% 65+ with self-reported ambulatory difficulty		12.4%	[ 2.59% - 22.29% ]	21.0%	[ 20.21% - 21.76% ]
% 65+ with clinical diagnosis of mobility impairment		3.1%	[ 1.95% - 4.29% ]	3.8%	[ 3.64% - 3.92% ]
% 65+ with self-reported self-care difficulty		2.1%	[ -4.08% - 8.31% ]	8.0%	[ 7.40% - 8.50% ]
% 65+ with self-reported independent living difficulty	B	2.1%	[ -4.08% - 8.31% ]	14.3%	[ 13.63% - 15.03% ]
<b>CAREGIVING</b>					
% of 60+ who provide care to a family/friend in last month		27.2%	[ 21.80% - 32.60% ]	22.5%	[ 20.54% - 24.54% ]
% of grandparents raising grandchildren		1.4%	[ -0.20% - 2.94% ]	1.0%	[ 0.84% - 1.08% ]
% of grandparents who live with grandchildren		3.9%	[ 0.90% - 6.89% ]	3.2%	[ 2.94% - 3.38% ]
<b>ACCESS TO CARE</b>					
% 65+ dually eligible for Medicare and Medicaid	*	5.6%	[ 4.18% - 7.00% ]	13.8%	[ 13.62% - 13.94% ]
% 65+ Medicare managed care enrollees	*	40.2%	[ 37.19% - 43.21% ]	43.8%	[ 43.55% - 44.00% ]
% 60+ with a regular doctor		95.8%	[ 93.30% - 98.38% ]	96.7%	[ 96.19% - 97.16% ]
% 60+ who did not see a doctor when needed due to cost		7.1%	[ 3.55% - 10.74% ]	5.4%	[ 4.75% - 5.98% ]
<b>SERVICE UTILIZATION</b>					
# physician visits per year		8.2	[ 7.50 - 8.94 ]	8.4	[ 8.31 - 8.41 ]
# emergency room visits/1000 persons 65+ years annually		544.8	[ 429.70 - 659.81 ]	620.6	[ 609.83 - 631.28 ]
# Part D monthly prescription fills per person annually		53.1	[ 49.93 - 56.32 ]	52.2	[ 51.99 - 52.42 ]
# home health visits annually		2.5	[ 1.30 - 3.68 ]	3.5	[ 3.40 - 3.61 ]
# durable medical equipment claims annually		1.8	[ 1.32 - 2.25 ]	1.7	[ 1.69 - 1.76 ]
# inpatient hospital stays/1000 persons 65+ years annually		279.1	[ 207.64 - 350.62 ]	286.5	[ 281.04 - 291.96 ]
% Medicare inpatient hospital readmissions (as % of admissions)		17.1%	[ 10.11% - 24.03% ]	17.4%	[ 16.81% - 17.98% ]
# skilled nursing facility stays/1000 persons 65+ years annually		78.1	[ 36.87 - 119.26 ]	98.8	[ 95.83 - 101.70 ]
% 65+ getting Medicaid long term services and supports		3.1%	[ 2.07% - 4.21% ]	4.2%	[ 4.12% - 4.31% ]
% 65+ hospice users		2.8%	[ 1.69% - 3.85% ]	3.5%	[ 3.45% - 3.63% ]
% 65+ hospice users as % of decedents		48.0%	[ 29.71% - 66.25% ]	53.0%	[ 51.86% - 54.20% ]
Median hospice days per hospice user (65+, deceased)		14.0	[ 6.0 - 45.3 ]	11.0	[ 11.0 - 12.0 ]
Median hospice payment (Medicare + other) per hospice user		\$5,265	[ \$2,061 - \$9,423 ]	\$3,871	[ \$3,743 - \$4,011 ]
<b>COMMUNITY</b>					
% 60+ who used Internet in last month		76.6%	[ 71.61% - 81.61% ]	71.6%	[ 70.41% - 72.82% ]
% 60+ who believe local service orgs understand needs		45.9%	[ 39.74% - 52.14% ]	44.1%	[ 42.62% - 45.57% ]
% 60+ who believe he/she can make a difference		53.5%	[ 47.67% - 59.26% ]	52.2%	[ 50.76% - 53.55% ]
% 60+ who believe working together can make a difference		80.1%	[ 75.34% - 84.77% ]	81.0%	[ 79.85% - 82.05% ]
% 60+ who volunteer at least once per month		23.3%	[ 18.54% - 28.04% ]	22.9%	[ 21.76% - 24.05% ]
% 60+ who attend community events (church, club) monthly		47.6%	[ 41.87% - 53.41% ]	44.4%	[ 42.96% - 45.75% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>TRANSPORTATION</b>					
% 65+ who own a motor vehicle	*	100.0%	[ 93.43% - 106.57% ]	85.0%	[ 84.54% - 85.42% ]
% 60+ who always drive or ride wearing a seatbelt		93.2%	[ 90.51% - 95.97% ]	91.9%	[ 91.08% - 92.66% ]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[ 1.44% - 2.48% ]
<b>HOUSING</b>					
% 65+ population who live alone	*	5.8%	[ -0.59% - 12.11% ]	31.4%	[ 30.79% - 32.10% ]
% 60+ own home	*	83.1%	[ 76.15% - 90.00% ]	70.3%	[ 69.85% - 70.73% ]
% 60+ homeowners who have mortgage		36.5%	[ 22.53% - 50.53% ]	48.7%	[ 47.71% - 49.72% ]
% 60+ stressed about paying rent/mortgage in last month		18.4%	[ 14.15% - 22.74% ]	22.1%	[ 20.02% - 24.09% ]
% 65+ households (renter) spend >35% of income on housing		29.4%	[ -21.15% - 79.97% ]	39.2%	[ 36.98% - 41.48% ]
% 65+ households (owner) spend >35% of income on housing	*	7.5%	[ -2.15% - 10.61% ]	27.6%	[ 26.49% - 28.80% ]
% 65+ moved within same county in last year		1.7%	[ -3.32% - 6.81% ]	3.6%	[ 3.20% - 3.93% ]
% 65+ moved from different county in last year		4.4%	[ -2.11% - 10.82% ]	1.0%	[ 0.79% - 1.17% ]
% 65+ moved from different state in last year		0.0%	[ -4.62% - 4.62% ]	1.1%	[ 0.88% - 1.33% ]
% of vacant homes in community		9.2%	[ 2.85% - 15.52% ]	12.1%	[ 11.62% - 12.58% ]
<b>ECONOMIC</b>					
% 60+ receiving food benefits in last year		2.7%	[ -1.05% - 6.37% ]	15.0%	[ -0.18% - 30.16% ]
% 65+ employed in last year	*	46.3%	[ 39.32% - 53.22% ]	21.9%	[ 21.25% - 22.51% ]
% 65+ with income below the poverty line in last year		4.2%	[ -2.15% - 10.61% ]	9.5%	[ 8.98% - 10.07% ]
% 65+ households with annual income < \$20,000	*	6.3%	[ -4.57% - 17.12% ]	24.3%	[ 23.28% - 25.36% ]
% 65+ households with annual income \$20,000-\$49,999		31.0%	[ 10.60% - 51.31% ]	32.2%	[ 31.06% - 33.39% ]
% 65+ households with annual income \$50,000-\$99,999		20.1%	[ 2.50% - 37.76% ]	24.8%	[ 23.82% - 25.70% ]
% 65+ households with annual income \$100,000+	*	42.6%	[ 23.07% - 62.21% ]	18.7%	[ 17.91% - 19.47% ]

Notes. <sup>1</sup> Community-state differences where the margin of error do not overlap each other are noted B, W, or \*.

<sup>2</sup> All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu