

West Warwick (Kent)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		58.0%	[52.34% - 63.68%]	55.6%	[54.85% - 56.28%]
% 75-84 years		27.3%	[22.72% - 31.86%]	28.9%	[28.18% - 29.72%]
% 85 years or older		14.7%	[10.54% - 18.85%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female		54.4%	[49.41% - 59.29%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female		60.5%	[44.84% - 76.14%]	69.7%	[68.05% - 71.40%]
Race and ethnicity of the population 65+					
% White		96.8%	[92.80% - 100.82%]	92.0%	[90.81% - 93.12%]
% African American		1.8%	[-0.42% - 3.96%]	3.2%	[2.96% - 3.38%]
% Asian		0.7%	[-0.81% - 2.25%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino	*	1.4%	[-0.26% - 2.98%]	4.9%	[4.72% - 5.07%]
Marital status of the population 65+					
% married		49.2%	[45.62% - 52.83%]	51.3%	[50.78% - 51.78%]
% divorced/separated		19.8%	[14.24% - 25.37%]	15.7%	[15.00% - 16.37%]
% widowed		25.8%	[20.91% - 30.78%]	25.0%	[24.26% - 25.77%]
% never married		5.1%	[2.72% - 7.54%]	8.0%	[7.50% - 8.54%]
Education of the population 65+					
% with less than high school education		16.9%	[12.45% - 21.29%]	19.1%	[18.37% - 19.74%]
% with high school or some college	*	66.9%	[61.18% - 72.71%]	52.9%	[52.00% - 53.74%]
% with college degree	*	7.8%	[5.15% - 10.51%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree	*	8.4%	[5.79% - 10.93%]	13.9%	[13.32% - 14.43%]
% of 65+ population who speak only English at home		87.3%	[81.51% - 93.18%]	82.9%	[81.76% - 83.94%]
% of 65+ population who are veterans of military service		23.2%	[18.91% - 27.51%]	19.0%	[18.51% - 19.54%]
% of 60+ who are LGBT		2.5%	[1.54% - 3.54%]	2.8%	[2.34% - 3.25%]
Age-sex adjusted 1-year mortality rate		4.7%	[4.06% - 5.27%]	4.4%	[4.26% - 4.46%]
WELLNESS					
% 60+ getting the recommended hours of sleep		61.9%	[58.29% - 65.56%]	63.0%	[61.81% - 64.29%]
% 60+ doing any physical activity within last month		71.4%	[67.78% - 74.98%]	71.0%	[69.74% - 72.20%]
% 60+ met CDC guidelines for muscle-strengthening activity		22.0%	[18.64% - 25.42%]	25.0%	[23.77% - 26.17%]
% 60+ met CDC guidelines for aerobic physical activity		53.2%	[48.98% - 57.36%]	54.3%	[52.92% - 55.67%]
% 60+ with fair or poor health status		19.0%	[16.01% - 21.98%]	19.5%	[18.47% - 20.56%]
% 60+ with 15+ physically unhealthy days in last month		14.0%	[11.33% - 16.64%]	14.5%	[13.57% - 15.46%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		26.4%	[22.89% - 29.84%]	26.3%	[25.14% - 27.49%]
% 60+ who were injured in a fall within last year		9.9%	[7.53% - 12.26%]	10.3%	[9.54% - 11.14%]
% 65+ had hip fracture		3.6%	[2.79% - 4.37%]	3.4%	[3.27% - 3.52%]
PREVENTION					
% 60+ with physical exam/check-up in last year		93.8%	[92.00% - 95.70%]	93.0%	[92.31% - 93.64%]
% 60+ flu shot in last year		59.9%	[55.96% - 63.88%]	60.6%	[59.26% - 61.94%]
% 60+ with pneumonia vaccine		71.2%	[67.54% - 74.93%]	67.7%	[66.44% - 69.06%]
% 60+ with shingles vaccine		34.2%	[30.39% - 38.02%]	35.3%	[34.00% - 36.58%]
% 60+ women with a mammogram within last 2 years		82.1%	[78.27% - 86.00%]	82.0%	[80.65% - 83.43%]
% 60+ with colorectal cancer screening		77.1%	[73.73% - 80.55%]	77.8%	[76.64% - 78.95%]
% 60+ with HIV test		14.2%	[11.30% - 17.07%]	15.8%	[14.75% - 16.78%]
% 60+ met CDC preventive health screening goals		35.5%	[30.86% - 40.14%]	39.2%	[37.58% - 40.81%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		14.6%	[11.67% - 17.45%]	18.1%	[17.07% - 19.17%]
% 60+ stressed about buying food in last month		12.8%	[9.45% - 16.22%]	13.2%	[12.09% - 14.36%]
% 60+ self-reported obese		30.1%	[26.35% - 33.88%]	26.8%	[25.56% - 27.98%]
% 65+ clinically diagnosed obesity		31.0%	[28.87% - 33.17%]	29.3%	[28.94% - 29.63%]
% 65+ with high cholesterol	W	81.5%	[79.74% - 83.20%]	79.1%	[78.78% - 79.38%]
% 60+ with cholesterol screening		95.7%	[93.95% - 97.36%]	96.9%	[96.44% - 97.40%]
ORAL HEALTH					
% 60+ with dental insurance		55.0%	[51.08% - 58.93%]	56.3%	[54.99% - 57.64%]
% 60+ with annual dental exam	W	69.3%	[65.60% - 73.03%]	75.9%	[74.78% - 77.08%]
% 60+ with loss of 6 or more teeth		32.9%	[29.16% - 36.61%]	29.6%	[28.37% - 30.83%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias		12.3%	[10.82% - 13.70%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia	W	53.7%	[51.47% - 55.83%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma	B	12.9%	[11.46% - 14.36%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		13.4%	[11.91% - 14.83%]	15.0%	[14.72% - 15.22%]
% 65+ with autism spectrum disorder		N/A		0.04%	[0.03% - 0.06%]
% 65+ with benign prostatic hyperplasia (men)		39.8%	[36.55% - 43.12%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)		10.8%	[9.07% - 12.59%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract		66.5%	[64.39% - 68.57%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease	W	35.5%	[33.35% - 37.73%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		22.6%	[20.77% - 24.40%]	22.9%	[22.64% - 23.23%]
% 65+ with colon cancer		3.0%	[2.30% - 3.75%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure	W	24.0%	[22.05% - 25.88%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes	W	38.3%	[36.09% - 40.56%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)		2.2%	[1.35% - 2.98%]	1.9%	[1.81% - 2.07%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy		3.4%	[2.53% - 4.20%]	2.9%	[2.82% - 3.08%]
% 65+ with fibromyalgia, chronic pain and fatigue		26.4%	[24.42% - 28.46%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma		25.5%	[23.58% - 27.35%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack		5.7%	[4.74% - 6.74%]	5.8%	[5.63% - 5.95%]
% 65+ with HIV/AIDS		0.1%	[0.03% - 0.10%]	0.12%	[0.10% - 0.15%]
% 65+ with hypertension	W	80.8%	[79.06% - 82.55%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism	W	24.7%	[22.86% - 26.58%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease	W	49.6%	[47.31% - 51.93%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas		2.9%	[2.15% - 3.70%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease		10.6%	[9.20% - 12.07%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer		2.3%	[1.63% - 2.93%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache		6.9%	[5.67% - 8.04%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis		58.1%	[55.84% - 60.44%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis		20.4%	[18.68% - 22.12%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease		25.0%	[23.05% - 26.92%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer		8.6%	[7.33% - 9.85%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)		12.9%	[10.65% - 15.12%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke		12.9%	[11.50% - 14.39%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury		0.9%	[0.47% - 1.34%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions	W	68.4%	[66.32% - 70.43%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions		6.8%	[5.63% - 7.90%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder		2.4%	[1.67% - 3.04%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder		7.2%	[6.03% - 8.45%]	7.0%	[6.76% - 7.15%]
% 60+ who used marijuana in last month		N/A		3.4%	[2.52% - 4.26%]
% 60+ excessive drinking		9.8%	[7.44% - 12.23%]	9.3%	[8.54% - 10.16%]
% 65+ with tobacco use disorder	W	12.8%	[11.18% - 14.33%]	10.8%	[10.58% - 11.06%]
% 60+ current smokers		9.4%	[7.15% - 11.65%]	8.7%	[7.98% - 9.51%]
% 60+ ever used E-Cigarettes in last month		7.5%	[5.44% - 9.55%]	5.8%	[5.14% - 6.42%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support		79.9%	[76.75% - 83.03%]	79.7%	[78.56% - 80.78%]
% 60+ who reported being satisfied with life		94.9%	[92.92% - 96.88%]	95.3%	[94.67% - 95.87%]
% 60+ with 15+ days poor mental health in last month		8.4%	[6.35% - 10.45%]	7.4%	[6.70% - 8.03%]
% 65+ with depression		33.8%	[31.75% - 35.86%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder	W	33.5%	[31.29% - 35.63%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder		4.7%	[3.71% - 5.69%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder		1.8%	[1.19% - 2.46%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder		4.5%	[3.54% - 5.42%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder		3.2%	[2.36% - 3.98%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		15.3%	[11.09% - 19.47%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment		16.0%	[14.37% - 17.61%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty		5.1%	[2.20% - 7.95%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		0.9%	[0.50% - 1.33%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		8.9%	[5.10% - 12.66%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty		25.2%	[19.30% - 31.13%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment		4.1%	[3.16% - 5.00%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty		8.0%	[5.08% - 10.86%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty		15.5%	[11.24% - 19.76%]	14.3%	[13.63% - 15.03%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		27.2%	[21.80% - 32.60%]	22.5%	[20.54% - 24.54%]
% of grandparents raising grandchildren		1.6%	[0.77% - 2.52%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren		3.3%	[2.06% - 4.55%]	3.2%	[2.94% - 3.38%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	12.4%	[11.51% - 13.30%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees	*	47.9%	[46.58% - 49.30%]	43.8%	[43.55% - 44.00%]
% 60+ with a regular doctor		96.7%	[95.21% - 98.13%]	96.7%	[96.19% - 97.16%]
% 60+ who did not see a doctor when needed due to cost		5.1%	[3.46% - 6.72%]	5.4%	[4.75% - 5.98%]
SERVICE UTILIZATION					
# physician visits per year		8.4	[8.04 - 8.71]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually		650.0	[594.94 - 705.02]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually		52.7	[51.47 - 53.87]	52.2	[51.99 - 52.42]
# home health visits annually		3.3	[2.72 - 3.89]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually		1.8	[1.52 - 1.99]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually		282.7	[249.75 - 315.71]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)		20.4%	[16.51% - 24.27%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually		91.3	[74.81 - 107.88]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports	*	2.5%	[2.10% - 2.96%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users		3.1%	[2.60% - 3.59%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents		54.1%	[47.59% - 60.59%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)		13.5	[11.0 - 19.0]	11.0	[11.0 - 12.0]
Median hospice payment (Medicare + other) per hospice user		\$4,157	[\$3,408 - \$5,142]	\$3,871	[\$3,743 - \$4,011]
COMMUNITY					
% 60+ who used Internet in last month		72.8%	[69.23% - 76.31%]	71.6%	[70.41% - 72.82%]
% 60+ who believe local service orgs understand needs		41.1%	[36.55% - 45.58%]	44.1%	[42.62% - 45.57%]
% 60+ who believe he/she can make a difference		50.8%	[46.56% - 55.04%]	52.2%	[50.76% - 53.55%]
% 60+ who believe working together can make a difference		76.8%	[73.16% - 80.53%]	81.0%	[79.85% - 82.05%]
% 60+ who volunteer at least once per month		18.8%	[15.51% - 22.14%]	22.9%	[21.76% - 24.05%]
% 60+ who attend community events (church, club) monthly		40.9%	[36.68% - 45.08%]	44.4%	[42.96% - 45.75%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
TRANSPORTATION					
% 65+ who own a motor vehicle		84.2%	[81.55% - 86.89%]	85.0%	[84.54% - 85.42%]
% 60+ who always drive or ride wearing a seatbelt		91.1%	[88.69% - 93.49%]	91.9%	[91.08% - 92.66%]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[1.44% - 2.48%]
HOUSING					
% 65+ population who live alone	*	39.2%	[33.97% - 44.45%]	31.4%	[30.79% - 32.10%]
% 60+ own home		68.5%	[64.58% - 72.35%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage		53.7%	[47.19% - 60.25%]	48.7%	[47.71% - 49.72%]
% 60+ stressed about paying rent/mortgage in last month		18.4%	[14.15% - 22.74%]	22.1%	[20.02% - 24.09%]
% 65+ households (renter) spend >35% of income on housing		33.0%	[20.89% - 45.04%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing	*	32.5%	[7.69% - 15.80%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year		2.5%	[0.62% - 4.32%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year		2.0%	[-0.44% - 4.36%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year		0.0%	[-1.05% - 1.05%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community	*	7.1%	[4.65% - 9.62%]	12.1%	[11.62% - 12.58%]
ECONOMIC					
% 60+ receiving food benefits in last year		17.6%	[0.91% - 34.36%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year		21.6%	[17.23% - 25.99%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year		11.7%	[7.69% - 15.80%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000		30.6%	[24.00% - 37.28%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999		33.6%	[26.78% - 40.46%]	32.2%	[31.06% - 33.39%]
% 65+ households with annual income \$50,000-\$99,999		24.1%	[18.17% - 30.10%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+	*	11.6%	[7.21% - 16.00%]	18.7%	[17.91% - 19.47%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu