

Providence Other (Providence)

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		54.0%	[51.01% - 56.98%]	55.6%	[54.85% - 56.28%]
% 75-84 years		30.4%	[27.68% - 33.05%]	28.9%	[28.18% - 29.72%]
% 85 years or older		15.6%	[13.33% - 17.94%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female		58.9%	[56.00% - 61.83%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female		69.7%	[62.88% - 76.50%]	69.7%	[68.05% - 71.40%]
Race and ethnicity of the population 65+					
% White	*	71.2%	[69.13% - 73.30%]	92.0%	[90.81% - 93.12%]
% African American	*	13.2%	[10.99% - 15.36%]	3.2%	[2.96% - 3.38%]
% Asian		2.8%	[1.66% - 4.02%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino	*	24.9%	[22.17% - 27.62%]	4.9%	[4.72% - 5.07%]
Marital status of the population 65+					
% married		38.9%	[-184.0% - 261.91%]	51.3%	[50.78% - 51.78%]
% divorced/separated	*	19.2%	[16.76% - 21.62%]	15.7%	[15.00% - 16.37%]
% widowed		25.8%	[23.11% - 28.45%]	25.0%	[24.26% - 25.77%]
% never married	*	16.1%	[13.56% - 18.62%]	8.0%	[7.50% - 8.54%]
Education of the population 65+					
% with less than high school education	*	31.8%	[29.04% - 34.53%]	19.1%	[18.37% - 19.74%]
% with high school or some college		51.6%	[48.89% - 54.28%]	52.9%	[52.00% - 53.74%]
% with college degree	*	8.0%	[6.42% - 9.53%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree	*	8.7%	[7.20% - 10.11%]	13.9%	[13.32% - 14.43%]
% of 65+ population who speak only English at home	*	60.6%	[59.02% - 62.28%]	82.9%	[81.76% - 83.94%]
% of 65+ population who are veterans of military service	*	13.0%	[11.08% - 14.86%]	19.0%	[18.51% - 19.54%]
% of 60+ who are LGBT		3.6%	[2.12% - 5.08%]	2.8%	[2.34% - 3.25%]
Age-sex adjusted 1-year mortality rate		4.3%	[3.90% - 4.62%]	4.4%	[4.26% - 4.46%]
WELLNESS					
% 60+ getting the recommended hours of sleep	W	49.5%	[44.56% - 54.48%]	63.0%	[61.81% - 64.29%]
% 60+ doing any physical activity within last month		65.6%	[60.43% - 70.70%]	71.0%	[69.74% - 72.20%]
% 60+ met CDC guidelines for muscle-strengthening activity	W	19.1%	[14.90% - 23.30%]	25.0%	[23.77% - 26.17%]
% 60+ met CDC guidelines for aerobic physical activity	W	43.6%	[38.23% - 48.90%]	54.3%	[52.92% - 55.67%]
% 60+ with fair or poor health status	W	39.6%	[34.13% - 45.15%]	19.5%	[18.47% - 20.56%]
% 60+ with 15+ physically unhealthy days in last month	W	21.6%	[16.53% - 26.65%]	14.5%	[13.57% - 15.46%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		25.4%	[21.04% - 29.78%]	26.3%	[25.14% - 27.49%]
% 60+ who were injured in a fall within last year		11.8%	[8.57% - 15.12%]	10.3%	[9.54% - 11.14%]
% 65+ had hip fracture	B	2.8%	[2.29% - 3.23%]	3.4%	[3.27% - 3.52%]
PREVENTION					
% 60+ with physical exam/check-up in last year		91.4%	[88.42% - 94.28%]	93.0%	[92.31% - 93.64%]
% 60+ flu shot in last year		59.5%	[54.09% - 64.99%]	60.6%	[59.26% - 61.94%]
% 60+ with pneumonia vaccine		61.6%	[56.05% - 67.13%]	67.7%	[66.44% - 69.06%]
% 60+ with shingles vaccine	W	26.1%	[21.62% - 30.53%]	35.3%	[34.00% - 36.58%]
% 60+ women with a mammogram within last 2 years		76.4%	[70.88% - 81.96%]	82.0%	[80.65% - 83.43%]
% 60+ with colorectal cancer screening	W	69.0%	[63.94% - 74.07%]	77.8%	[76.64% - 78.95%]
% 60+ with HIV test	*	28.8%	[23.80% - 33.77%]	15.8%	[14.75% - 16.78%]
% 60+ met CDC preventive health screening goals	W	26.9%	[20.98% - 32.91%]	39.2%	[37.58% - 40.81%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		16.2%	[12.07% - 20.39%]	18.1%	[17.07% - 19.17%]
% 60+ stressed about buying food in last month	W	26.7%	[20.97% - 32.46%]	13.2%	[12.09% - 14.36%]
% 60+ self-reported obese		32.4%	[27.25% - 37.47%]	26.8%	[25.56% - 27.98%]
% 65+ clinically diagnosed obesity		30.6%	[29.11% - 32.06%]	29.3%	[28.94% - 29.63%]
% 65+ with high cholesterol	B	74.5%	[73.21% - 75.84%]	79.1%	[78.78% - 79.38%]
% 60+ with cholesterol screening	W	93.3%	[90.98% - 95.71%]	96.9%	[96.44% - 97.40%]
ORAL HEALTH					
% 60+ with dental insurance		53.4%	[48.21% - 58.52%]	56.3%	[54.99% - 57.64%]
% 60+ with annual dental exam	W	61.8%	[56.99% - 66.67%]	75.9%	[74.78% - 77.08%]
% 60+ with loss of 6 or more teeth	W	44.7%	[39.67% - 49.82%]	29.6%	[28.37% - 30.83%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias		14.0%	[12.90% - 15.00%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia		49.1%	[47.62% - 50.59%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma		15.1%	[13.99% - 16.13%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation	B	11.5%	[10.54% - 12.39%]	15.0%	[14.72% - 15.22%]
% 65+ with autism spectrum disorder		N/A		0.04%	[0.03% - 0.06%]
% 65+ with benign prostatic hyperplasia (men)	B	37.8%	[35.66% - 39.86%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)	B	8.8%	[7.67% - 9.96%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract	B	58.2%	[56.68% - 59.63%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease	W	36.0%	[34.47% - 37.51%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		22.5%	[21.31% - 23.78%]	22.9%	[22.64% - 23.23%]
% 65+ with colon cancer	B	2.0%	[1.61% - 2.42%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure		23.2%	[21.86% - 24.48%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes	W	42.8%	[41.21% - 44.36%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)		1.6%	[1.09% - 2.12%]	1.9%	[1.81% - 2.07%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy		3.4%	[2.80% - 3.95%]	2.9%	[2.82% - 3.08%]
% 65+ with fibromyalgia, chronic pain and fatigue		24.1%	[22.70% - 25.41%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma	B	24.3%	[22.99% - 25.52%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack		6.4%	[5.72% - 7.15%]	5.8%	[5.63% - 5.95%]
% 65+ with HIV/AIDS	*	0.6%	[0.35% - 0.79%]	0.12%	[0.10% - 0.15%]
% 65+ with hypertension		78.2%	[76.94% - 79.44%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism	B	18.6%	[17.43% - 19.74%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease		41.4%	[39.82% - 42.94%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas		2.3%	[1.81% - 2.74%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease		10.7%	[9.67% - 11.64%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer		2.4%	[1.91% - 2.81%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache	B	5.0%	[4.29% - 5.68%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis	B	49.7%	[48.14% - 51.34%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis	B	18.1%	[16.99% - 19.26%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease	W	28.0%	[26.64% - 29.44%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer		7.9%	[7.10% - 8.76%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)		11.8%	[10.43% - 13.21%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke		11.2%	[10.33% - 12.17%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury		0.8%	[0.55% - 1.11%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions		63.2%	[61.71% - 64.60%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions	B	9.9%	[8.97% - 10.77%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder	W	2.6%	[2.04% - 3.07%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder	W	8.8%	[7.89% - 9.71%]	7.0%	[6.76% - 7.15%]
% 60+ who used marijuana in last month		N/A		3.4%	[2.52% - 4.26%]
% 60+ excessive drinking		8.8%	[4.33% - 13.29%]	9.3%	[8.54% - 10.16%]
% 65+ with tobacco use disorder	W	14.2%	[13.10% - 15.35%]	10.8%	[10.58% - 11.06%]
% 60+ current smokers		10.2%	[6.96% - 13.44%]	8.7%	[7.98% - 9.51%]
% 60+ ever used E-Cigarettes in last month		5.6%	[3.11% - 8.00%]	5.8%	[5.14% - 6.42%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support	W	65.2%	[59.73% - 70.65%]	79.7%	[78.56% - 80.78%]
% 60+ who reported being satisfied with life		93.8%	[91.11% - 96.40%]	95.3%	[94.67% - 95.87%]
% 60+ with 15+ days poor mental health in last month		10.9%	[7.74% - 14.10%]	7.4%	[6.70% - 8.03%]
% 65+ with depression		34.5%	[33.09% - 35.92%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder		28.6%	[27.20% - 30.08%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder	W	5.3%	[4.52% - 5.98%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder	W	2.9%	[2.31% - 3.44%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder	W	5.8%	[5.05% - 6.55%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder		2.7%	[2.14% - 3.19%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		11.7%	[-37.78% - 61.28%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment	B	14.2%	[13.11% - 15.25%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty		7.5%	[-24.24% - 39.33%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		1.5%	[1.11% - 1.86%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		13.6%	[-43.79% - 71.02%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty		29.0%	[-93.43% - 151.50%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment	W	4.7%	[4.02% - 5.35%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty		15.1%	[-48.56% - 78.76%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty		23.2%	[-74.72% - 121.17%]	14.3%	[13.63% - 15.03%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		19.2%	[13.19% - 25.14%]	22.5%	[20.54% - 24.54%]
% of grandparents raising grandchildren		1.4%	[-76.96% - 79.68%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren		5.0%	[-282.7% - 292.74%]	3.2%	[2.94% - 3.38%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	42.4%	[41.58% - 43.22%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees	*	48.5%	[47.72% - 49.38%]	43.8%	[43.55% - 44.00%]
% 60+ with a regular doctor		94.2%	[91.70% - 96.77%]	96.7%	[96.19% - 97.16%]
% 60+ who did not see a doctor when needed due to cost	W	12.0%	[7.69% - 16.38%]	5.4%	[4.75% - 5.98%]
SERVICE UTILIZATION					
# physician visits per year	*	6.6	[6.41 - 6.84]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually	*	782.4	[716.46 - 848.31]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually	*	56.1	[55.21 - 56.90]	52.2	[51.99 - 52.42]
# home health visits annually		3.7	[3.25 - 4.12]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually		1.7	[1.57 - 1.86]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually	*	335.6	[306.82 - 364.34]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)		20.1%	[17.28% - 22.86%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually	*	116.1	[102.31 - 129.83]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports	*	8.1%	[7.69% - 8.60%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users		3.2%	[2.84% - 3.49%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents	*	46.9%	[42.68% - 51.11%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)		13.0	[10.2 - 16.0]	11.0	[11.0 - 12.0]
Median hospice payment (Medicare + other) per hospice user		\$4,244	[\$3,723 - \$4,915]	\$3,871	[\$3,743 - \$4,011]
COMMUNITY					
% 60+ who used Internet in last month	*	48.5%	[42.97% - 54.01%]	71.6%	[70.41% - 72.82%]
% 60+ who believe local service orgs understand needs	*	31.0%	[25.69% - 36.24%]	44.1%	[42.62% - 45.57%]
% 60+ who believe he/she can make a difference	*	42.4%	[37.08% - 47.76%]	52.2%	[50.76% - 53.55%]
% 60+ who believe working together can make a difference	*	74.1%	[69.30% - 78.82%]	81.0%	[79.85% - 82.05%]
% 60+ who volunteer at least once per month		19.5%	[15.07% - 23.85%]	22.9%	[21.76% - 24.05%]
% 60+ who attend community events (church, club) monthly		37.8%	[32.49% - 43.08%]	44.4%	[42.96% - 45.75%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
TRANSPORTATION					
% 65+ who own a motor vehicle	*	68.5%	[65.74% - 71.18%]	85.0%	[84.54% - 85.42%]
% 60+ who always drive or ride wearing a seatbelt		88.9%	[85.49% - 92.35%]	91.9%	[91.08% - 92.66%]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[1.44% - 2.48%]
HOUSING					
% 65+ population who live alone	*	35.4%	[33.24% - 37.57%]	31.4%	[30.79% - 32.10%]
% 60+ own home	*	47.4%	[44.62% - 50.10%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage	*	54.2%	[49.74% - 58.67%]	48.7%	[47.71% - 49.72%]
% 60+ stressed about paying rent/mortgage in last month	W	34.2%	[26.17% - 42.33%]	22.1%	[20.02% - 24.09%]
% 65+ households (renter) spend >35% of income on housing		33.0%	[27.83% - 38.22%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing		32.0%	[-159.1% - 196.96%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year		5.3%	[3.89% - 6.63%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year		0.4%	[-0.11% - 0.98%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year		1.1%	[0.29% - 1.84%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community	*	15.0%	[13.88% - 16.21%]	12.1%	[11.62% - 12.58%]
ECONOMIC					
% 60+ receiving food benefits in last year		34.5%	[22.65% - 46.42%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year	*	17.5%	[15.26% - 19.68%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year	*	18.9%	[16.48% - 21.36%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000	*	39.1%	[35.31% - 42.87%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999		31.0%	[27.31% - 34.70%]	32.2%	[31.06% - 33.39%]
% 65+ households with annual income \$50,000-\$99,999	*	19.0%	[16.04% - 22.02%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+	*	10.9%	[8.68% - 13.07%]	18.7%	[17.91% - 19.47%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu