

Coventry (Kent)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		55.3%	[50.55% - 59.95%]	55.6%	[54.85% - 56.28%]
% 75-84 years		30.3%	[26.18% - 34.51%]	28.9%	[28.18% - 29.72%]
% 85 years or older		14.4%	[10.59% - 18.21%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female		58.0%	[53.04% - 62.88%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female		64.1%	[55.72% - 72.51%]	69.7%	[68.05% - 71.40%]
Race and ethnicity of the population 65+					
% White	*	98.1%	[94.11% - 101.99%]	92.0%	[90.81% - 93.12%]
% African American	*	0.3%	[-0.61% - 1.15%]	3.2%	[2.96% - 3.38%]
% Asian		0.7%	[-0.48% - 1.94%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino	*	0.2%	[-1.13% - 1.43%]	4.9%	[4.72% - 5.07%]
Marital status of the population 65+					
% married		50.6%	[46.83% - 54.33%]	51.3%	[50.78% - 51.78%]
% divorced/separated		13.8%	[10.32% - 17.19%]	15.7%	[15.00% - 16.37%]
% widowed	*	31.4%	[27.05% - 35.85%]	25.0%	[24.26% - 25.77%]
% never married	*	4.2%	[2.02% - 6.41%]	8.0%	[7.50% - 8.54%]
Education of the population 65+					
% with less than high school education		18.5%	[14.85% - 22.12%]	19.1%	[18.37% - 19.74%]
% with high school or some college	*	62.7%	[60.00% - 65.42%]	52.9%	[52.00% - 53.74%]
% with college degree		11.2%	[8.20% - 14.23%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree	*	7.6%	[5.15% - 10.03%]	13.9%	[13.32% - 14.43%]
% of 65+ population who speak only English at home	*	92.7%	[88.49% - 96.97%]	82.9%	[81.76% - 83.94%]
% of 65+ population who are veterans of military service		19.4%	[15.86% - 22.94%]	19.0%	[18.51% - 19.54%]
% of 60+ who are LGBT		2.5%	[1.54% - 3.54%]	2.8%	[2.34% - 3.25%]
Age-sex adjusted 1-year mortality rate	W	5.1%	[4.54% - 5.68%]	4.4%	[4.26% - 4.46%]
WELLNESS					
% 60+ getting the recommended hours of sleep		61.1%	[56.31% - 65.90%]	63.0%	[61.81% - 64.29%]
% 60+ doing any physical activity within last month		66.0%	[61.40% - 70.65%]	71.0%	[69.74% - 72.20%]
% 60+ met CDC guidelines for muscle-strengthening activity		24.0%	[19.59% - 28.49%]	25.0%	[23.77% - 26.17%]
% 60+ met CDC guidelines for aerobic physical activity		50.5%	[45.56% - 55.46%]	54.3%	[52.92% - 55.67%]
% 60+ with fair or poor health status		19.0%	[15.31% - 22.64%]	19.5%	[18.47% - 20.56%]
% 60+ with 15+ physically unhealthy days in last month		13.6%	[10.36% - 16.88%]	14.5%	[13.57% - 15.46%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		30.6%	[26.05% - 35.18%]	26.3%	[25.14% - 27.49%]
% 60+ who were injured in a fall within last year		10.8%	[7.77% - 13.90%]	10.3%	[9.54% - 11.14%]
% 65+ had hip fracture		2.7%	[2.06% - 3.29%]	3.4%	[3.27% - 3.52%]
PREVENTION					
% 60+ with physical exam/check-up in last year		91.0%	[88.19% - 93.84%]	93.0%	[92.31% - 93.64%]
% 60+ flu shot in last year		57.3%	[52.42% - 62.15%]	60.6%	[59.26% - 61.94%]
% 60+ with pneumonia vaccine		66.7%	[61.94% - 71.45%]	67.7%	[66.44% - 69.06%]
% 60+ with shingles vaccine	W	27.8%	[23.57% - 32.06%]	35.3%	[34.00% - 36.58%]
% 60+ women with a mammogram within last 2 years		82.1%	[77.01% - 87.09%]	82.0%	[80.65% - 83.43%]
% 60+ with colorectal cancer screening		75.5%	[71.12% - 79.86%]	77.8%	[76.64% - 78.95%]
% 60+ with HIV test		17.5%	[13.44% - 21.50%]	15.8%	[14.75% - 16.78%]
% 60+ met CDC preventive health screening goals	W	29.4%	[23.78% - 35.11%]	39.2%	[37.58% - 40.81%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		16.9%	[12.91% - 20.82%]	18.1%	[17.07% - 19.17%]
% 60+ stressed about buying food in last month		12.3%	[8.57% - 16.08%]	13.2%	[12.09% - 14.36%]
% 60+ self-reported obese		30.0%	[25.53% - 34.52%]	26.8%	[25.56% - 27.98%]
% 65+ clinically diagnosed obesity		29.2%	[27.40% - 31.07%]	29.3%	[28.94% - 29.63%]
% 65+ with high cholesterol	W	82.0%	[80.50% - 83.53%]	79.1%	[78.78% - 79.38%]
% 60+ with cholesterol screening	B	98.6%	[97.49% - 99.69%]	96.9%	[96.44% - 97.40%]
ORAL HEALTH					
% 60+ with dental insurance		56.6%	[51.73% - 61.52%]	56.3%	[54.99% - 57.64%]
% 60+ with annual dental exam		73.2%	[68.84% - 77.64%]	75.9%	[74.78% - 77.08%]
% 60+ with loss of 6 or more teeth		31.1%	[26.48% - 35.68%]	29.6%	[28.37% - 30.83%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias		12.6%	[11.31% - 13.93%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia	W	52.7%	[50.78% - 54.63%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma		15.7%	[14.31% - 17.09%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		15.2%	[13.78% - 16.52%]	15.0%	[14.72% - 15.22%]
% 65+ with autism spectrum disorder		N/A		0.04%	[0.03% - 0.06%]
% 65+ with benign prostatic hyperplasia (men)		40.3%	[37.49% - 43.12%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)		10.4%	[8.82% - 11.95%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract	B	64.1%	[62.24% - 65.97%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease	W	34.2%	[32.28% - 36.11%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		24.4%	[22.76% - 26.05%]	22.9%	[22.64% - 23.23%]
% 65+ with colon cancer		2.9%	[2.22% - 3.50%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure	W	24.3%	[22.62% - 26.03%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes	W	39.0%	[36.99% - 40.94%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)		2.5%	[1.68% - 3.26%]	1.9%	[1.81% - 2.07%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy		3.1%	[2.42% - 3.80%]	2.9%	[2.82% - 3.08%]
% 65+ with fibromyalgia, chronic pain and fatigue		26.0%	[24.27% - 27.81%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma		26.6%	[24.88% - 28.26%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack	W	7.3%	[6.29% - 8.28%]	5.8%	[5.63% - 5.95%]
% 65+ with HIV/AIDS		0.1%	[0.05% - 0.14%]	0.12%	[0.10% - 0.15%]
% 65+ with hypertension	W	82.3%	[80.77% - 83.78%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism		23.7%	[22.10% - 25.36%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease	W	48.2%	[46.15% - 50.20%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas		3.2%	[2.45% - 3.86%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease		10.6%	[9.37% - 11.85%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer		2.0%	[1.50% - 2.58%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache		6.2%	[5.28% - 7.21%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis	W	59.0%	[57.02% - 61.05%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis		18.2%	[16.72% - 19.69%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease		26.5%	[24.71% - 28.22%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer		8.0%	[6.90% - 9.08%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)		12.0%	[10.20% - 13.88%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke		11.9%	[10.71% - 13.18%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury		1.2%	[0.74% - 1.62%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions	W	68.1%	[66.33% - 69.96%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions		6.0%	[5.08% - 6.99%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder		1.7%	[1.20% - 2.29%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder		7.3%	[6.18% - 8.32%]	7.0%	[6.76% - 7.15%]
% 60+ who used marijuana in last month		N/A		3.4%	[2.52% - 4.26%]
% 60+ excessive drinking		8.9%	[5.90% - 11.91%]	9.3%	[8.54% - 10.16%]
% 65+ with tobacco use disorder	W	12.9%	[11.53% - 14.28%]	10.8%	[10.58% - 11.06%]
% 60+ current smokers		8.8%	[6.01% - 11.61%]	8.7%	[7.98% - 9.51%]
% 60+ ever used E-Cigarettes in last month		6.4%	[4.03% - 8.68%]	5.8%	[5.14% - 6.42%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support	B	84.5%	[81.11% - 87.90%]	79.7%	[78.56% - 80.78%]
% 60+ who reported being satisfied with life		95.0%	[92.90% - 97.13%]	95.3%	[94.67% - 95.87%]
% 60+ with 15+ days poor mental health in last month		7.0%	[4.71% - 9.20%]	7.4%	[6.70% - 8.03%]
% 65+ with depression		33.7%	[31.87% - 35.51%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder	W	32.3%	[30.41% - 34.19%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder		3.3%	[2.57% - 4.01%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder		2.2%	[1.57% - 2.81%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder		3.7%	[2.97% - 4.47%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder		2.4%	[1.80% - 3.04%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty	W	19.8%	[15.33% - 24.24%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment		16.1%	[14.66% - 17.57%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty		7.8%	[4.63% - 10.90%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		0.9%	[0.55% - 1.17%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		7.5%	[4.73% - 10.33%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty		23.5%	[18.75% - 28.27%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment		4.4%	[3.53% - 5.19%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty		6.9%	[3.64% - 10.14%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty		13.5%	[9.47% - 17.62%]	14.3%	[13.63% - 15.03%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		27.2%	[21.80% - 32.60%]	22.5%	[20.54% - 24.54%]
% of grandparents raising grandchildren		0.5%	[0.03% - 0.88%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren	*	2.1%	[1.25% - 2.88%]	3.2%	[2.94% - 3.38%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	10.1%	[9.36% - 10.82%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees	*	47.5%	[46.27% - 48.69%]	43.8%	[43.55% - 44.00%]
% 60+ with a regular doctor		96.8%	[95.26% - 98.44%]	96.7%	[96.19% - 97.16%]
% 60+ who did not see a doctor when needed due to cost		4.4%	[2.53% - 6.22%]	5.4%	[4.75% - 5.98%]
SERVICE UTILIZATION					
# physician visits per year		8.3	[7.97 - 8.54]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually		610.7	[543.15 - 678.34]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually	*	54.6	[53.44 - 55.75]	52.2	[51.99 - 52.42]
# home health visits annually		3.4	[2.82 - 3.89]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually	*	2.1	[1.86 - 2.30]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually		307.9	[274.52 - 341.32]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)	*	22.1%	[18.85% - 25.42%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually		97.3	[79.71 - 114.94]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports		4.5%	[4.00% - 5.00%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users		3.9%	[3.39% - 4.38%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents		56.0%	[50.22% - 61.71%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)		10.0	[9.0 - 15.0]	11.0	[11.0 - 12.0]
Median hospice payment (Medicare + other) per hospice user		\$3,737	[\$3,005 - \$4,395]	\$3,871	[\$3,743 - \$4,011]
COMMUNITY					
% 60+ who used Internet in last month		75.9%	[71.85% - 79.89%]	71.6%	[70.41% - 72.82%]
% 60+ who believe local service orgs understand needs		44.4%	[38.90% - 49.84%]	44.1%	[42.62% - 45.57%]
% 60+ who believe he/she can make a difference	*	45.4%	[40.23% - 50.47%]	52.2%	[50.76% - 53.55%]
% 60+ who believe working together can make a difference		78.4%	[74.10% - 82.63%]	81.0%	[79.85% - 82.05%]
% 60+ who volunteer at least once per month	*	17.7%	[13.97% - 21.36%]	22.9%	[21.76% - 24.05%]
% 60+ who attend community events (church, club) monthly		38.4%	[33.45% - 43.26%]	44.4%	[42.96% - 45.75%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
TRANSPORTATION					
% 65+ who own a motor vehicle	*	90.2%	[88.88% - 91.59%]	85.0%	[84.54% - 85.42%]
% 60+ who always drive or ride wearing a seatbelt		91.1%	[88.01% - 94.23%]	91.9%	[91.08% - 92.66%]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[1.44% - 2.48%]
HOUSING					
% 65+ population who live alone		30.3%	[26.69% - 33.96%]	31.4%	[30.79% - 32.10%]
% 60+ own home	*	78.6%	[76.58% - 80.53%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage		43.1%	[37.66% - 48.48%]	48.7%	[47.71% - 49.72%]
% 60+ stressed about paying rent/mortgage in last month		18.4%	[14.15% - 22.74%]	22.1%	[20.02% - 24.09%]
% 65+ households (renter) spend >35% of income on housing		24.7%	[11.50% - 37.90%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing	*	28.9%	[5.73% - 12.91%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year		3.3%	[1.31% - 5.30%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year		1.6%	[0.22% - 2.97%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year		0.9%	[-0.33% - 2.16%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community	*	6.9%	[4.89% - 8.94%]	12.1%	[11.62% - 12.58%]
ECONOMIC					
% 60+ receiving food benefits in last year		10.3%	[-0.15% - 20.70%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year	*	16.1%	[12.85% - 19.27%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year		9.3%	[5.73% - 12.91%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000		22.6%	[16.34% - 28.96%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999		38.9%	[32.03% - 45.71%]	32.2%	[31.06% - 33.39%]
% 65+ households with annual income \$50,000-\$99,999		25.5%	[20.43% - 30.49%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+	*	13.0%	[9.05% - 16.99%]	18.7%	[17.91% - 19.47%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu