

East Greenwich (Kent)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		52.3%	[46.29% - 58.39%]	55.6%	[54.85% - 56.28%]
% 75-84 years		29.7%	[22.50% - 36.99%]	28.9%	[28.18% - 29.72%]
% 85 years or older		17.9%	[11.54% - 24.29%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female		58.4%	[50.97% - 65.78%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female	*	87.7%	[74.09% - 101.37%]	69.7%	[68.05% - 71.40%]
Race and ethnicity of the population 65+					
% White		94.9%	[89.48% - 100.23%]	92.0%	[90.81% - 93.12%]
% African American		1.0%	[-2.11% - 4.08%]	3.2%	[2.96% - 3.38%]
% Asian		1.7%	[-0.96% - 4.42%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino	*	0.5%	[-2.17% - 3.20%]	4.9%	[4.72% - 5.07%]
Marital status of the population 65+					
% married		55.7%	[50.44% - 60.88%]	51.3%	[50.78% - 51.78%]
% divorced/separated		12.1%	[5.17% - 19.06%]	15.7%	[15.00% - 16.37%]
% widowed		27.1%	[20.00% - 34.16%]	25.0%	[24.26% - 25.77%]
% never married		5.1%	[1.38% - 8.91%]	8.0%	[7.50% - 8.54%]
Education of the population 65+					
% with less than high school education	*	8.8%	[4.61% - 13.07%]	19.1%	[18.37% - 19.74%]
% with high school or some college		50.3%	[41.96% - 58.61%]	52.9%	[52.00% - 53.74%]
% with college degree	*	25.3%	[19.98% - 30.63%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree		15.6%	[10.54% - 20.61%]	13.9%	[13.32% - 14.43%]
% of 65+ population who speak only English at home	*	94.5%	[85.42% - 103.63%]	82.9%	[81.76% - 83.94%]
% of 65+ population who are veterans of military service		21.3%	[16.05% - 26.61%]	19.0%	[18.51% - 19.54%]
% of 60+ who are LGBT		2.5%	[1.54% - 3.54%]	2.8%	[2.34% - 3.25%]
Age-sex adjusted 1-year mortality rate		4.1%	[3.51% - 4.76%]	4.4%	[4.26% - 4.46%]
WELLNESS					
% 60+ getting the recommended hours of sleep	B	73.6%	[68.31% - 78.93%]	63.0%	[61.81% - 64.29%]
% 60+ doing any physical activity within last month	B	78.6%	[73.49% - 83.70%]	71.0%	[69.74% - 72.20%]
% 60+ met CDC guidelines for muscle-strengthening activity	B	32.1%	[26.63% - 37.61%]	25.0%	[23.77% - 26.17%]
% 60+ met CDC guidelines for aerobic physical activity	B	65.2%	[59.57% - 70.77%]	54.3%	[52.92% - 55.67%]
% 60+ with fair or poor health status	B	12.7%	[9.00% - 16.34%]	19.5%	[18.47% - 20.56%]
% 60+ with 15+ physically unhealthy days in last month	B	8.9%	[5.57% - 12.20%]	14.5%	[13.57% - 15.46%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		21.5%	[16.23% - 26.78%]	26.3%	[25.14% - 27.49%]
% 60+ who were injured in a fall within last year		8.2%	[4.80% - 11.61%]	10.3%	[9.54% - 11.14%]
% 65+ had hip fracture		3.1%	[2.38% - 3.84%]	3.4%	[3.27% - 3.52%]
PREVENTION					
% 60+ with physical exam/check-up in last year		91.9%	[89.05% - 94.79%]	93.0%	[92.31% - 93.64%]
% 60+ flu shot in last year		64.2%	[58.56% - 69.77%]	60.6%	[59.26% - 61.94%]
% 60+ with pneumonia vaccine		69.5%	[64.04% - 75.02%]	67.7%	[66.44% - 69.06%]
% 60+ with shingles vaccine	B	47.4%	[41.30% - 53.47%]	35.3%	[34.00% - 36.58%]
% 60+ women with a mammogram within last 2 years		87.5%	[82.06% - 92.92%]	82.0%	[80.65% - 83.43%]
% 60+ with colorectal cancer screening	B	85.0%	[80.60% - 89.33%]	77.8%	[76.64% - 78.95%]
% 60+ with HIV test		17.2%	[12.80% - 21.69%]	15.8%	[14.75% - 16.78%]
% 60+ met CDC preventive health screening goals		45.4%	[38.01% - 52.72%]	39.2%	[37.58% - 40.81%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		21.3%	[16.62% - 26.05%]	18.1%	[17.07% - 19.17%]
% 60+ stressed about buying food in last month	B	7.0%	[4.07% - 9.96%]	13.2%	[12.09% - 14.36%]
% 60+ self-reported obese	B	20.9%	[16.31% - 25.52%]	26.8%	[25.56% - 27.98%]
% 65+ clinically diagnosed obesity	B	25.0%	[22.90% - 27.09%]	29.3%	[28.94% - 29.63%]
% 65+ with high cholesterol		78.3%	[76.40% - 80.25%]	79.1%	[78.78% - 79.38%]
% 60+ with cholesterol screening	B	99.2%	[98.45% - 99.85%]	96.9%	[96.44% - 97.40%]
ORAL HEALTH					
% 60+ with dental insurance	B	64.8%	[58.76% - 70.89%]	56.3%	[54.99% - 57.64%]
% 60+ with annual dental exam	B	85.5%	[80.94% - 90.07%]	75.9%	[74.78% - 77.08%]
% 60+ with loss of 6 or more teeth	B	21.4%	[16.06% - 26.67%]	29.6%	[28.37% - 30.83%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias		12.4%	[10.94% - 13.83%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia		51.6%	[49.36% - 53.88%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma	B	12.3%	[10.86% - 13.76%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		15.3%	[13.69% - 16.82%]	15.0%	[14.72% - 15.22%]
% 65+ with autism spectrum disorder		N/A		0.04%	[0.03% - 0.06%]
% 65+ with benign prostatic hyperplasia (men)		44.2%	[40.77% - 47.58%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)		12.0%	[10.14% - 13.94%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract	W	71.2%	[69.05% - 73.29%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease		28.9%	[26.76% - 31.04%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease	B	19.2%	[17.47% - 20.92%]	22.9%	[22.64% - 23.23%]
% 65+ with colon cancer		2.6%	[1.91% - 3.29%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure	B	19.5%	[17.66% - 21.26%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes	B	29.1%	[26.90% - 31.23%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)		2.7%	[1.73% - 3.60%]	1.9%	[1.81% - 2.07%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy	B	2.2%	[1.54% - 2.81%]	2.9%	[2.82% - 3.08%]
% 65+ with fibromyalgia, chronic pain and fatigue		24.6%	[22.59% - 26.68%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma	W	29.5%	[27.48% - 31.52%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack		5.0%	[4.08% - 5.96%]	5.8%	[5.63% - 5.95%]
% 65+ with HIV/AIDS		0.1%	[0.03% - 0.10%]	0.12%	[0.10% - 0.15%]
% 65+ with hypertension	B	74.3%	[72.21% - 76.29%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism		23.5%	[21.61% - 25.35%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease		41.7%	[39.31% - 44.02%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas		2.9%	[2.09% - 3.65%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease		9.6%	[8.20% - 10.97%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer		1.8%	[1.25% - 2.42%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache		6.8%	[5.61% - 8.00%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis		56.9%	[54.40% - 59.31%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis		20.4%	[18.62% - 22.11%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease	B	20.5%	[18.66% - 22.28%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer		6.9%	[5.77% - 8.00%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)		14.9%	[12.60% - 17.28%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke		12.7%	[11.22% - 14.09%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury		1.1%	[0.65% - 1.51%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions	B	60.5%	[58.25% - 62.74%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions		7.6%	[6.29% - 8.83%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder		1.3%	[0.69% - 1.83%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder	B	5.3%	[4.18% - 6.34%]	7.0%	[6.76% - 7.15%]
% 60+ who used marijuana in last month		N/A		3.4%	[2.52% - 4.26%]
% 60+ excessive drinking		7.4%	[4.50% - 10.26%]	9.3%	[8.54% - 10.16%]
% 65+ with tobacco use disorder	B	8.7%	[7.34% - 10.06%]	10.8%	[10.58% - 11.06%]
% 60+ current smokers		6.4%	[3.56% - 9.29%]	8.7%	[7.98% - 9.51%]
% 60+ ever used E-Cigarettes in last month		5.2%	[2.22% - 8.12%]	5.8%	[5.14% - 6.42%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support	B	85.6%	[81.68% - 89.44%]	79.7%	[78.56% - 80.78%]
% 60+ who reported being satisfied with life		95.9%	[92.98% - 98.85%]	95.3%	[94.67% - 95.87%]
% 60+ with 15+ days poor mental health in last month		4.7%	[2.59% - 6.80%]	7.4%	[6.70% - 8.03%]
% 65+ with depression		31.8%	[29.75% - 33.89%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder		29.2%	[27.01% - 31.35%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder		3.7%	[2.84% - 4.62%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder	B	1.0%	[0.52% - 1.39%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder	B	2.2%	[1.59% - 2.87%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder		3.8%	[2.87% - 4.72%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		13.0%	[7.58% - 18.43%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment	W	19.4%	[17.65% - 21.24%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty		6.7%	[2.88% - 10.51%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		0.7%	[0.26% - 1.05%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		10.8%	[5.70% - 15.89%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty		15.4%	[9.63% - 21.10%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment		3.0%	[2.19% - 3.74%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty		7.1%	[2.88% - 11.35%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty		18.1%	[11.78% - 24.41%]	14.3%	[13.63% - 15.03%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		27.2%	[21.80% - 32.60%]	22.5%	[20.54% - 24.54%]
% of grandparents raising grandchildren	*	0.0%	[-0.28% - 0.28%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren		1.7%	[0.40% - 3.06%]	3.2%	[2.94% - 3.38%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	5.8%	[5.07% - 6.51%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees	*	38.5%	[37.01% - 40.00%]	43.8%	[43.55% - 44.00%]
% 60+ with a regular doctor		98.2%	[97.00% - 99.36%]	96.7%	[96.19% - 97.16%]
% 60+ who did not see a doctor when needed due to cost		3.7%	[1.83% - 5.57%]	5.4%	[4.75% - 5.98%]
SERVICE UTILIZATION					
# physician visits per year		8.6	[8.26 - 8.91]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually	*	502.4	[448.10 - 556.77]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually	*	47.1	[45.76 - 48.45]	52.2	[51.99 - 52.42]
# home health visits annually		3.2	[2.59 - 3.75]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually	*	1.5	[1.22 - 1.68]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually	*	212.5	[185.52 - 239.53]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)		15.1%	[11.32% - 18.80%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually		82.6	[65.85 - 99.28]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports	*	2.5%	[1.98% - 2.93%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users		3.8%	[3.18% - 4.41%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents	*	64.8%	[56.01% - 73.66%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)		10.0	[8.0 - 13.0]	11.0	[11.0 - 12.0]
Median hospice payment (Medicare + other) per hospice user		\$3,271	[\$2,493 - \$3,778]	\$3,871	[\$3,743 - \$4,011]
COMMUNITY					
% 60+ who used Internet in last month	*	81.9%	[77.62% - 86.26%]	71.6%	[70.41% - 72.82%]
% 60+ who believe local service orgs understand needs		51.3%	[44.36% - 58.24%]	44.1%	[42.62% - 45.57%]
% 60+ who believe he/she can make a difference	*	60.4%	[54.20% - 66.67%]	52.2%	[50.76% - 53.55%]
% 60+ who believe working together can make a difference		82.4%	[77.64% - 87.24%]	81.0%	[79.85% - 82.05%]
% 60+ who volunteer at least once per month	*	30.2%	[24.41% - 36.01%]	22.9%	[21.76% - 24.05%]
% 60+ who attend community events (church, club) monthly		49.5%	[42.98% - 55.94%]	44.4%	[42.96% - 45.75%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
TRANSPORTATION					
% 65+ who own a motor vehicle		83.1%	[80.77% - 85.36%]	85.0%	[84.54% - 85.42%]
% 60+ who always drive or ride wearing a seatbelt		94.1%	[91.31% - 96.79%]	91.9%	[91.08% - 92.66%]
% 60+ who drove under the influence of drinking in last month		N/A		2.0%	[1.44% - 2.48%]
HOUSING					
% 65+ population who live alone		34.8%	[26.86% - 42.83%]	31.4%	[30.79% - 32.10%]
% 60+ own home	*	78.7%	[74.22% - 83.24%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage		47.8%	[39.47% - 56.14%]	48.7%	[47.71% - 49.72%]
% 60+ stressed about paying rent/mortgage in last month		18.4%	[14.15% - 22.74%]	22.1%	[20.02% - 24.09%]
% 65+ households (renter) spend >35% of income on housing		52.7%	[24.47% - 80.95%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing	*	24.4%	[3.92% - 14.98%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year		4.1%	[0.18% - 8.05%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year		1.9%	[-0.58% - 4.41%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year		0.4%	[-1.34% - 2.18%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community		7.8%	[3.75% - 11.84%]	12.1%	[11.62% - 12.58%]
ECONOMIC					
% 60+ receiving food benefits in last year		4.6%	[0.36% - 8.76%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year	*	28.2%	[22.97% - 33.44%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year		9.4%	[3.92% - 14.98%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000		16.9%	[8.79% - 24.94%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999		28.5%	[17.89% - 39.01%]	32.2%	[31.06% - 33.39%]
% 65+ households with annual income \$50,000-\$99,999		25.7%	[18.97% - 32.52%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+	*	28.9%	[20.50% - 37.38%]	18.7%	[17.91% - 19.47%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu