

ZIPCODE 02886 (Warwick)

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02886 ESTIMATE	MARGIN OF ERROR ²	Warwick ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS								
Population 65 years or older								
% 65-74 years	*		49.9%	[45.24% - 54.64%]	56.8%	[53.93% - 59.64%]	55.6%	[54.85% - 56.28%]
% 75-84 years			28.2%	[24.13% - 32.18%]	25.9%	[23.83% - 28.06%]	28.9%	[28.18% - 29.72%]
% 85 years or older	*		21.9%	[18.36% - 25.44%]	17.3%	[15.25% - 19.28%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female	*		63.0%	[58.35% - 67.60%]	58.5%	[55.70% - 61.25%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female			67.2%	[60.24% - 74.18%]	65.3%	[59.01% - 71.56%]	69.7%	[68.05% - 71.40%]
% White	*		97.3%	[93.51% - 101.15%]	95.2%	[92.21% - 98.13%]	92.0%	[90.81% - 93.12%]
% African American	*		0.6%	[-0.62% - 1.81%]	1.5%	[0.74% - 2.29%]	3.2%	[2.96% - 3.38%]
% Asian			0.7%	[-0.36% - 1.85%]	1.5%	[0.88% - 2.14%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino			3.1%	[1.40% - 4.75%]	1.8%	[1.02% - 2.56%]	4.9%	[4.72% - 5.07%]
% married	*		45.0%	[41.37% - 48.65%]	49.7%	[48.03% - 51.44%]	51.3%	[50.78% - 51.78%]
% divorced/separated			18.3%	[14.31% - 22.30%]	18.4%	[15.84% - 20.92%]	15.7%	[15.00% - 16.37%]
% widowed	*		32.2%	[27.73% - 36.64%]	25.6%	[23.31% - 27.94%]	25.0%	[24.26% - 25.77%]
% never married	*		4.5%	[2.67% - 6.32%]	6.3%	[4.96% - 7.56%]	8.0%	[7.50% - 8.54%]
% with less than high school education			15.0%	[11.24% - 18.78%]	13.5%	[11.49% - 15.58%]	19.1%	[18.37% - 19.74%]
% with high school or some college			57.6%	[53.48% - 61.74%]	58.3%	[55.91% - 60.74%]	52.9%	[52.00% - 53.74%]
% with college degree	*		18.6%	[14.98% - 22.31%]	17.6%	[15.22% - 19.96%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree	*		8.7%	[6.06% - 11.41%]	10.5%	[9.02% - 12.07%]	13.9%	[13.32% - 14.43%]
% population who speak only English at home	*		89.4%	[85.24% - 93.54%]	90.0%	[87.01% - 93.06%]	82.9%	[81.76% - 83.94%]
% population who are veterans of military service			18.2%	[14.84% - 21.48%]	21.3%	[19.34% - 23.31%]	19.0%	[18.51% - 19.54%]
Age-sex adjusted 1-year mortality rate			4.4%	[3.91% - 4.93%]	4.5%	[4.12% - 4.79%]	4.4%	[4.26% - 4.46%]
ECONOMIC								
% 60+ receiving food benefits in last year			15.9%	[0.63% - 31.20%]	11.9%	[-0.41% - 24.11%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year			19.6%	[16.14% - 23.06%]	22.5%	[20.88% - 24.21%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year			9.5%	[6.44% - 12.58%]	7.6%	[5.78% - 9.42%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000			26.5%	[20.67% - 32.33%]	22.6%	[18.98% - 26.19%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999			37.2%	[30.02% - 44.37%]	36.3%	[32.08% - 40.46%]	32.2%	[31.06% - 33.39%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02886 ESTIMATE	MARGIN OF ERROR ²	Warwick ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ households with annual income \$50,000-\$99,999			20.7%	[16.16% - 25.20%]	22.7%	[19.92% - 25.57%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+			15.6%	[11.40% - 19.85%]	18.4%	[15.49% - 21.31%]	18.7%	[17.91% - 19.47%]
% 65+ who own a motor vehicle			86.6%	[84.68% - 88.56%]	89.0%	[88.33% - 89.74%]	85.0%	[84.54% - 85.42%]
HOUSING								
% 65+ population who live alone		*	40.3%	[36.80% - 43.80%]	35.2%	[32.52% - 37.95%]	31.4%	[30.79% - 32.10%]
% of grandparents raising grandchildren			0.7%	[0.20% - 1.24%]	1.0%	[0.64% - 1.43%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren			3.6%	[2.29% - 4.82%]	3.1%	[2.37% - 3.86%]	3.2%	[2.94% - 3.38%]
% 60+ own home		*	69.4%	[66.21% - 72.54%]	74.1%	[72.60% - 75.69%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage			42.6%	[36.02% - 49.14%]	51.8%	[48.39% - 55.22%]	48.7%	[47.71% - 49.72%]
% 65+ households (renter) spend >35% of income on housing			32.7%	[20.14% - 45.36%]	39.7%	[31.09% - 48.30%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing		*	27.1%	[6.44% - 12.58%]	29.4%	[5.78% - 9.42%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year			4.1%	[2.13% - 6.12%]	3.5%	[2.42% - 2.78%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year			2.9%	[1.16% - 4.72%]	2.0%	[1.14% - 1.79%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year			0.3%	[-0.41% - 1.02%]	1.1%	[0.33% - 8.49%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community		*	7.0%	[4.81% - 9.19%]	7.3%	[6.19% - 12.58%]	12.1%	[11.62% - 12.58%]
CHRONIC DISEASE								
% 65+ with Alzheimer's disease or related dementias			14.1%	[12.72% - 15.41%]	13.5%	[12.62% - 14.33%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia		W	57.7%	[55.79% - 59.64%]	54.6%	[53.33% - 55.84%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma			16.1%	[14.72% - 17.55%]	16.0%	[15.05% - 16.87%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation			15.9%	[14.51% - 17.28%]	14.7%	[13.84% - 15.57%]	15.0%	[14.72% - 15.22%]
% 65+ with benign prostatic hyperplasia (men)			42.7%	[39.76% - 45.69%]	40.8%	[38.94% - 42.71%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)			10.7%	[9.14% - 12.21%]	11.3%	[10.24% - 12.29%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract	W	W	71.0%	[69.24% - 72.81%]	67.4%	[66.23% - 68.63%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease		W	35.0%	[33.08% - 36.91%]	33.8%	[32.58% - 35.07%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		W	25.8%	[24.09% - 27.45%]	24.2%	[23.12% - 25.24%]	22.9%	[22.64% - 23.23%]
% 65+ with clinically diagnosed obesity			31.0%	[29.09% - 32.87%]	31.1%	[29.88% - 32.37%]	29.3%	[28.94% - 29.63%]
% 65+ with colon cancer			2.6%	[1.97% - 3.14%]	2.8%	[2.41% - 3.21%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure		W	24.2%	[22.54% - 25.91%]	23.7%	[22.63% - 24.81%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes		W	38.7%	[36.77% - 40.71%]	37.7%	[36.39% - 38.96%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)			1.5%	[0.92% - 2.10%]	1.6%	[1.23% - 2.04%]	1.9%	[1.81% - 2.07%]
% 65+ with epilepsy			2.9%	[2.23% - 3.61%]	2.7%	[2.29% - 3.15%]	2.9%	[2.82% - 3.08%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02886 ESTIMATE	MARGIN OF ERROR ²	Warwick ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with fibromyalgia, chronic pain and fatigue		W	28.0%	[26.16% - 29.77%]	25.5%	[24.32% - 26.61%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma			28.3%	[26.62% - 30.07%]	26.8%	[25.66% - 27.85%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack			6.7%	[5.71% - 7.59%]	6.5%	[5.87% - 7.06%]	5.8%	[5.63% - 5.95%]
% 65+ had hip fracture		W	4.3%	[3.54% - 5.05%]	3.5%	[3.08% - 3.97%]	3.4%	[3.27% - 3.52%]
% 65+ with high cholesterol		W	82.7%	[81.22% - 84.22%]	81.5%	[80.46% - 82.47%]	79.1%	[78.78% - 79.38%]
% 65+ with hypertension		W	81.2%	[79.67% - 82.78%]	80.8%	[79.76% - 81.81%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism		W	26.4%	[24.72% - 28.12%]	25.1%	[23.99% - 26.15%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease		W	48.3%	[46.23% - 50.28%]	46.5%	[45.19% - 47.83%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas			2.9%	[2.21% - 3.53%]	2.7%	[2.30% - 3.14%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease			11.2%	[9.96% - 12.47%]	10.4%	[9.63% - 11.23%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer			2.2%	[1.64% - 2.74%]	2.6%	[2.21% - 2.99%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache			6.9%	[5.91% - 7.98%]	6.5%	[5.84% - 7.14%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis		W	61.7%	[59.72% - 63.73%]	59.2%	[57.86% - 60.52%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis		W	23.0%	[21.38% - 24.59%]	20.6%	[19.59% - 21.57%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease			27.6%	[25.84% - 29.36%]	26.8%	[25.61% - 27.89%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer			8.5%	[7.43% - 9.59%]	8.1%	[7.37% - 8.75%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)			14.2%	[12.12% - 16.26%]	13.7%	[12.45% - 15.05%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke			13.0%	[11.71% - 14.25%]	12.7%	[11.89% - 13.52%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury			1.3%	[0.83% - 1.78%]	1.1%	[0.84% - 1.39%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions		W	69.5%	[67.69% - 71.31%]	67.7%	[66.46% - 68.86%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions		W	5.7%	[4.80% - 6.68%]	6.1%	[5.50% - 6.78%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL / MENTAL HEALTH								
% 65+ with opioid use disorder			2.5%	[1.81% - 3.10%]	1.9%	[1.53% - 2.28%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder			7.5%	[6.39% - 8.56%]	7.4%	[6.64% - 8.06%]	7.0%	[6.76% - 7.15%]
% 65+ with tobacco use disorder		W	12.7%	[11.30% - 14.06%]	13.0%	[12.07% - 13.92%]	10.8%	[10.58% - 11.06%]
% 65+ with depression		W	37.8%	[35.97% - 39.72%]	36.2%	[34.97% - 37.38%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder	W	W	37.8%	[35.80% - 39.73%]	34.5%	[33.26% - 35.79%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder		W	5.5%	[4.55% - 6.44%]	4.6%	[3.98% - 5.13%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder			2.2%	[1.53% - 2.80%]	2.0%	[1.64% - 2.44%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder			4.4%	[3.60% - 5.24%]	4.0%	[3.47% - 4.47%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder		W	3.7%	[2.97% - 4.52%]	3.6%	[3.06% - 4.05%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02886 ESTIMATE	MARGIN OF ERROR ²	Warwick ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY								
% 65+ with self-reported hearing difficulty			14.9%	[11.11% - 18.67%]	15.8%	[13.40% - 18.28%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment			17.4%	[15.90% - 18.85%]	17.1%	[16.13% - 18.04%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty			4.4%	[2.15% - 6.62%]	5.2%	[3.89% - 6.55%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment			1.4%	[0.99% - 1.88%]	1.2%	[0.96% - 1.51%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty		B	5.3%	[3.23% - 7.46%]	6.4%	[4.97% - 7.90%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty			18.0%	[14.13% - 21.96%]	18.2%	[15.90% - 20.56%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment			3.9%	[3.11% - 4.62%]	3.8%	[3.30% - 4.26%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty			5.8%	[3.31% - 8.30%]	6.1%	[4.49% - 7.70%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty			12.6%	[9.10% - 16.05%]	13.0%	[10.90% - 15.18%]	14.3%	[13.63% - 15.03%]
ACCESS TO CARE / SERVICE UTILIZATION								
% 65+ dually eligible for Medicare and Medicaid	*		12.9%	[12.06% - 13.69%]	11.2%	[10.71% - 11.71%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees		*	47.8%	[46.55% - 48.98%]	46.4%	[45.58% - 47.15%]	43.8%	[43.55% - 44.00%]
# physician visits per year	*	*	9.2	[8.87 - 9.52]	8.7	[8.47 - 8.86]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually		*	799.7	[727.54 - 871.80]	706.2	[666.47 - 745.91]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually	*	*	55.9	[54.76 - 57.09]	53.7	[52.92 - 54.40]	52.2	[51.99 - 52.42]
# home health visits annually			4.2	[3.57 - 4.77]	3.7	[3.36 - 4.11]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually			1.8	[1.59 - 1.98]	1.9	[1.74 - 2.02]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually		*	328.5	[296.53 - 360.42]	314.7	[294.58 - 334.77]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)			19.4%	[16.39% - 22.48%]	18.2%	[16.33% - 20.09%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually			117.7	[99.40 - 135.91]	109.1	[98.20 - 120.02]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports			4.7%	[4.16% - 5.19%]	3.9%	[3.56% - 4.17%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users			4.0%	[3.46% - 4.45%]	3.8%	[3.51% - 4.14%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents			58.2%	[52.32% - 64.12%]	55.7%	[51.97% - 59.48%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)			10.0	[8.00 - 13.00]	10.0	[9.00 - 11.97]	11.0	[11.00 - 12.00]
Median hospice payment (Medicare + other) per hospice user			\$3,277	[\$2,981 - \$3,986]	\$3,633	[\$3,237 - \$4,023]	\$3,871	[\$3,743 - \$4,011]

Notes. 1 We use B, W, or * to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, *=rate is different than comparison).

2 All zip code, city, and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu