

ZIPCODE 02895 (Woonsocket)

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02895 ESTIMATE	MARGIN OF ERROR ²	Woonsocket ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS								
Population 65 years or older								
% 65-74 years			52.7%	[48.17% - 57.33%]	52.7%	[48.17% - 57.33%]	55.6%	[54.85% - 56.28%]
% 75-84 years			30.1%	[25.57% - 34.58%]	30.1%	[25.57% - 34.58%]	28.9%	[28.18% - 29.72%]
% 85 years or older			17.2%	[14.43% - 19.93%]	17.2%	[14.43% - 19.93%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female			57.2%	[53.04% - 61.30%]	57.2%	[53.04% - 61.30%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female		*	79.2%	[73.45% - 84.91%]	79.2%	[73.45% - 84.91%]	69.7%	[68.05% - 71.40%]
% White			92.7%	[90.50% - 94.87%]	92.7%	[90.50% - 94.87%]	92.0%	[90.81% - 93.12%]
% African American			3.6%	[1.57% - 5.65%]	3.6%	[1.57% - 5.65%]	3.2%	[2.96% - 3.38%]
% Asian			1.7%	[-0.03% - 3.48%]	1.7%	[-0.03% - 3.48%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino		*	2.1%	[0.46% - 3.74%]	2.1%	[0.46% - 3.74%]	4.9%	[4.72% - 5.07%]
% married		*	39.7%	[36.19% - 43.19%]	39.7%	[36.19% - 43.19%]	51.3%	[50.78% - 51.78%]
% divorced/separated		*	20.8%	[16.81% - 24.84%]	20.8%	[16.81% - 24.84%]	15.7%	[15.00% - 16.37%]
% widowed			28.8%	[24.86% - 32.71%]	28.8%	[24.86% - 32.71%]	25.0%	[24.26% - 25.77%]
% never married			10.7%	[7.77% - 13.62%]	10.7%	[7.77% - 13.62%]	8.0%	[7.50% - 8.54%]
% with less than high school education		*	30.6%	[26.15% - 35.09%]	30.6%	[26.15% - 35.09%]	19.1%	[18.37% - 19.74%]
% with high school or some college			55.7%	[51.57% - 59.88%]	55.7%	[51.57% - 59.88%]	52.9%	[52.00% - 53.74%]
% with college degree		*	8.2%	[5.98% - 10.37%]	8.2%	[5.98% - 10.37%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree		*	5.5%	[3.46% - 7.50%]	5.5%	[3.46% - 7.50%]	13.9%	[13.32% - 14.43%]
% population who speak only English at home		*	77.3%	[73.69% - 80.96%]	77.3%	[73.69% - 80.96%]	82.9%	[81.76% - 83.94%]
% population who are veterans of military service			22.4%	[18.33% - 26.52%]	22.4%	[18.33% - 26.52%]	19.0%	[18.51% - 19.54%]
Age-sex adjusted 1-year mortality rate		W	5.4%	[4.77% - 5.98%]	5.4%	[4.77% - 5.98%]	4.4%	[4.26% - 4.46%]
ECONOMIC								
% 60+ receiving food benefits in last year			28.8%	[4.90% - 52.61%]	28.8%	[4.90% - 52.61%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year		*	15.6%	[12.47% - 18.74%]	15.6%	[12.47% - 18.74%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year			12.0%	[8.99% - 14.97%]	12.0%	[8.99% - 14.97%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000		*	36.6%	[30.10% - 43.04%]	36.6%	[30.10% - 43.04%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999			32.4%	[27.35% - 37.54%]	32.4%	[27.35% - 37.54%]	32.2%	[31.06% - 33.39%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02895 ESTIMATE	MARGIN OF ERROR ²	Woonsocket ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ households with annual income \$50,000-\$99,999			23.5%	[18.23% - 28.80%]	23.5%	[18.23% - 28.80%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+		*	7.5%	[4.71% - 10.23%]	7.5%	[4.71% - 10.23%]	18.7%	[17.91% - 19.47%]
% 65+ who own a motor vehicle		*	72.9%	[69.80% - 76.01%]	72.9%	[69.80% - 76.01%]	85.0%	[84.54% - 85.42%]
HOUSING								
% 65+ population who live alone		*	39.1%	[35.55% - 42.74%]	39.1%	[35.55% - 42.74%]	31.4%	[30.79% - 32.10%]
% of grandparents raising grandchildren			1.7%	[0.90% - 2.57%]	1.7%	[0.90% - 2.57%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren			4.5%	[3.12% - 5.78%]	4.5%	[3.12% - 5.78%]	3.2%	[2.94% - 3.38%]
% 60+ own home		*	46.8%	[43.83% - 49.69%]	46.8%	[43.83% - 49.69%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage			44.3%	[38.19% - 50.42%]	44.3%	[38.19% - 50.42%]	48.7%	[47.71% - 49.72%]
% 65+ households (renter) spend >35% of income on housing			38.6%	[31.22% - 46.03%]	38.6%	[31.22% - 46.03%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing		*	26.9%	[8.99% - 14.97%]	26.9%	[8.99% - 14.97%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year			5.3%	[2.74% - 7.76%]	5.3%	[2.74% - 1.27%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year			0.4%	[-0.53% - 1.27%]	0.4%	[-0.53% - 0.93%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year			0.4%	[-0.08% - 0.93%]	0.4%	[-0.08% - 13.82%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community			11.7%	[9.59% - 13.82%]	11.7%	[9.59% - 12.58%]	12.1%	[11.62% - 12.58%]
CHRONIC DISEASE								
% 65+ with Alzheimer's disease or related dementias			14.4%	[12.90% - 15.96%]	14.4%	[12.90% - 15.96%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia			51.0%	[48.85% - 53.14%]	51.0%	[48.85% - 53.14%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma		W	19.1%	[17.46% - 20.82%]	19.1%	[17.46% - 20.82%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		W	17.2%	[15.57% - 18.75%]	17.2%	[15.57% - 18.75%]	15.0%	[14.72% - 15.22%]
% 65+ with benign prostatic hyperplasia (men)			38.6%	[35.50% - 41.77%]	38.6%	[35.50% - 41.77%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)		B	7.5%	[6.04% - 9.02%]	7.5%	[6.04% - 9.02%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract			67.5%	[65.45% - 69.54%]	67.5%	[65.45% - 69.54%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease		W	38.8%	[36.57% - 40.94%]	38.8%	[36.57% - 40.94%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		W	33.7%	[31.68% - 35.71%]	33.7%	[31.68% - 35.71%]	22.9%	[22.64% - 23.23%]
% 65+ with clinically diagnosed obesity		W	32.8%	[30.72% - 34.97%]	32.8%	[30.72% - 34.97%]	29.3%	[28.94% - 29.63%]
% 65+ with colon cancer		W	3.6%	[2.84% - 4.40%]	3.6%	[2.84% - 4.40%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure		W	32.1%	[30.00% - 34.14%]	32.1%	[30.00% - 34.14%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes		W	39.8%	[37.58% - 41.99%]	39.8%	[37.58% - 41.99%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)			1.6%	[0.89% - 2.35%]	1.6%	[0.89% - 2.35%]	1.9%	[1.81% - 2.07%]
% 65+ with epilepsy		W	4.0%	[3.10% - 4.90%]	4.0%	[3.10% - 4.90%]	2.9%	[2.82% - 3.08%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02895 ESTIMATE	MARGIN OF ERROR ²	Woonsocket ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with fibromyalgia, chronic pain and fatigue			25.4%	[23.50% - 27.38%]	25.4%	[23.50% - 27.38%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma		B	23.1%	[21.31% - 24.87%]	23.1%	[21.31% - 24.87%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack		W	8.9%	[7.68% - 10.09%]	8.9%	[7.68% - 10.09%]	5.8%	[5.63% - 5.95%]
% 65+ had hip fracture			3.1%	[2.36% - 3.79%]	3.1%	[2.36% - 3.79%]	3.4%	[3.27% - 3.52%]
% 65+ with high cholesterol			80.7%	[78.96% - 82.43%]	80.7%	[78.96% - 82.43%]	79.1%	[78.78% - 79.38%]
% 65+ with hypertension		W	82.0%	[80.35% - 83.73%]	82.0%	[80.35% - 83.73%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism			24.5%	[22.67% - 26.33%]	24.5%	[22.67% - 26.33%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease		W	52.2%	[49.95% - 54.47%]	52.2%	[49.95% - 54.47%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas			2.9%	[2.18% - 3.70%]	2.9%	[2.18% - 3.70%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease			11.3%	[9.91% - 12.74%]	11.3%	[9.91% - 12.74%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer			2.0%	[1.37% - 2.54%]	2.0%	[1.37% - 2.54%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache			6.1%	[5.05% - 7.24%]	6.1%	[5.05% - 7.24%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis			54.0%	[51.69% - 56.21%]	54.0%	[51.69% - 56.21%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis			20.1%	[18.44% - 21.81%]	20.1%	[18.44% - 21.81%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease		W	33.9%	[31.83% - 36.03%]	33.9%	[31.83% - 36.03%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer			8.1%	[6.88% - 9.32%]	8.1%	[6.88% - 9.32%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)		B	10.3%	[8.41% - 12.28%]	10.3%	[8.41% - 12.28%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke			12.4%	[11.03% - 13.82%]	12.4%	[11.03% - 13.82%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury			1.0%	[0.57% - 1.49%]	1.0%	[0.57% - 1.49%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions		W	70.7%	[68.70% - 72.67%]	70.7%	[68.70% - 72.67%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions			7.9%	[6.69% - 9.11%]	7.9%	[6.69% - 9.11%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL / MENTAL HEALTH								
% 65+ with opioid use disorder		W	3.0%	[2.20% - 3.81%]	3.0%	[2.20% - 3.81%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder		W	10.2%	[8.81% - 11.62%]	10.2%	[8.81% - 11.62%]	7.0%	[6.76% - 7.15%]
% 65+ with tobacco use disorder		W	19.5%	[17.65% - 21.27%]	19.5%	[17.65% - 21.27%]	10.8%	[10.58% - 11.06%]
% 65+ with depression			34.8%	[32.74% - 36.82%]	34.8%	[32.74% - 36.82%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder		W	36.1%	[33.93% - 38.25%]	36.1%	[33.93% - 38.25%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder			4.6%	[3.66% - 5.61%]	4.6%	[3.66% - 5.61%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder			2.5%	[1.76% - 3.29%]	2.5%	[1.76% - 3.29%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder		W	5.7%	[4.64% - 6.75%]	5.7%	[4.64% - 6.75%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder			3.0%	[2.17% - 3.74%]	3.0%	[2.17% - 3.74%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02895 ESTIMATE	MARGIN OF ERROR ²	Woonsocket ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY								
% 65+ with self-reported hearing difficulty		W	19.6%	[15.70% - 23.58%]	19.6%	[15.70% - 23.58%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment		B	13.9%	[12.36% - 15.35%]	13.9%	[12.36% - 15.35%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty			7.3%	[5.16% - 9.38%]	7.3%	[5.16% - 9.38%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment			1.4%	[0.88% - 1.90%]	1.4%	[0.88% - 1.90%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty			8.0%	[5.18% - 10.90%]	8.0%	[5.18% - 10.90%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty		W	31.8%	[26.53% - 37.06%]	31.8%	[26.53% - 37.06%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment			4.6%	[3.69% - 5.55%]	4.6%	[3.69% - 5.55%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty			7.9%	[5.10% - 10.71%]	7.9%	[5.10% - 10.71%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty			16.8%	[12.93% - 20.69%]	16.8%	[12.93% - 20.69%]	14.3%	[13.63% - 15.03%]
ACCESS TO CARE / SERVICE UTILIZATION								
% 65+ dually eligible for Medicare and Medicaid		*	23.5%	[22.43% - 24.60%]	23.5%	[22.43% - 24.60%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees		*	50.6%	[49.29% - 51.85%]	50.6%	[49.29% - 51.85%]	43.8%	[43.55% - 44.00%]
# physician visits per year		*	7.4	[7.12 - 7.75]	7.4	[7.12 - 7.75]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually		*	839.2	[765.62 - 912.70]	839.2	[765.62 - 912.70]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually		*	58.9	[57.50 - 60.24]	58.9	[57.50 - 60.24]	52.2	[51.99 - 52.42]
# home health visits annually			3.8	[3.08 - 4.43]	3.8	[3.08 - 4.43]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually		*	2.4	[2.09 - 2.64]	2.4	[2.09 - 2.64]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually		*	405.7	[364.56 - 446.91]	405.7	[364.56 - 446.91]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)			20.1%	[16.93% - 23.31%]	20.1%	[16.93% - 23.31%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually		*	144.6	[121.95 - 167.30]	144.6	[121.95 - 167.30]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports		*	8.1%	[7.45% - 8.85%]	8.1%	[7.45% - 8.85%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users			3.4%	[2.88% - 3.86%]	3.4%	[2.88% - 3.86%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents		*	44.8%	[39.33% - 50.33%]	44.8%	[39.33% - 50.33%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)			10.0	[8.00 - 12.95]	10.0	[8.00 - 12.95]	11.0	[11.00 - 12.00]
Median hospice payment (Medicare + other) per hospice user			\$3,264	[\$2,526 - \$4,113]	\$3,264	[\$2,526 - \$4,113]	\$3,871	[\$3,743 - \$4,011]

Notes. 1 We use B, W, or * to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, *=rate is different than comparison).

2 All zip code, city, and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu