

ZIPCODE 02905 (Providence)

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02905 ESTIMATE	MARGIN OF ERROR ²	Providence ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS								
Population 65 years or older								
% 65-74 years		*	63.6%	[56.82% - 70.30%]	54.1%	[51.14% - 56.99%]	55.6%	[54.85% - 56.28%]
% 75-84 years			26.2%	[20.32% - 32.04%]	29.8%	[27.22% - 32.28%]	28.9%	[28.18% - 29.72%]
% 85 years or older		*	10.3%	[6.24% - 14.28%]	16.2%	[13.86% - 18.51%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female			58.5%	[51.64% - 65.29%]	58.8%	[55.87% - 61.65%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female			72.4%	[53.56% - 91.22%]	67.7%	[61.04% - 74.30%]	69.7%	[68.05% - 71.40%]
% White		*	69.6%	[65.40% - 73.87%]	68.1%	[66.22% - 70.05%]	92.0%	[90.81% - 93.12%]
% African American		*	13.5%	[9.25% - 17.75%]	14.6%	[12.73% - 16.52%]	3.2%	[2.96% - 3.38%]
% Asian			1.9%	[-0.58% - 4.29%]	3.8%	[2.62% - 4.99%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino		*	31.0%	[23.37% - 38.55%]	25.9%	[24.05% - 27.79%]	4.9%	[4.72% - 5.07%]
% married			46.6%	[40.53% - 52.61%]	38.8%	[36.59% - 40.93%]	51.3%	[50.78% - 51.78%]
% divorced/separated		*	25.3%	[18.59% - 32.07%]	18.8%	[16.42% - 21.14%]	15.7%	[15.00% - 16.37%]
% widowed	*	*	16.6%	[11.40% - 21.89%]	25.4%	[22.53% - 28.27%]	25.0%	[24.26% - 25.77%]
% never married			11.5%	[6.75% - 16.16%]	17.1%	[14.62% - 19.51%]	8.0%	[7.50% - 8.54%]
% with less than high school education		*	32.4%	[25.64% - 39.12%]	31.1%	[28.44% - 33.86%]	19.1%	[18.37% - 19.74%]
% with high school or some college		*	43.2%	[35.93% - 50.41%]	43.4%	[40.67% - 46.10%]	52.9%	[52.00% - 53.74%]
% with college degree			10.5%	[7.08% - 13.94%]	9.7%	[8.02% - 11.42%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree			13.9%	[10.66% - 17.22%]	15.7%	[13.93% - 17.57%]	13.9%	[13.32% - 14.43%]
% population who speak only English at home		*	53.9%	[48.05% - 59.81%]	59.9%	[58.18% - 61.65%]	82.9%	[81.76% - 83.94%]
% population who are veterans of military service		*	11.4%	[7.41% - 15.31%]	11.6%	[9.78% - 13.47%]	19.0%	[18.51% - 19.54%]
Age-sex adjusted 1-year mortality rate			3.6%	[2.89% - 4.36%]	4.0%	[3.73% - 4.35%]	4.4%	[4.26% - 4.46%]
ECONOMIC								
% 60+ receiving food benefits in last year			33.8%	[8.32% - 59.21%]	35.7%	[8.52% - 62.86%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year			22.0%	[17.81% - 26.18%]	19.6%	[17.51% - 21.74%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year		*	16.6%	[11.22% - 21.89%]	19.2%	[16.73% - 21.61%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000			32.2%	[24.45% - 39.86%]	40.3%	[35.96% - 44.57%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999			31.5%	[24.10% - 38.88%]	26.7%	[23.13% - 30.34%]	32.2%	[31.06% - 33.39%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02905 ESTIMATE	MARGIN OF ERROR ²	Providence ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ households with annual income \$50,000-\$99,999			24.1%	[16.43% - 31.67%]	17.7%	[14.93% - 20.53%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+		*	12.3%	[7.16% - 17.45%]	15.3%	[12.66% - 17.87%]	18.7%	[17.91% - 19.47%]
% 65+ who own a motor vehicle	*	*	76.9%	[70.69% - 83.16%]	67.1%	[64.04% - 70.07%]	85.0%	[84.54% - 85.42%]
HOUSING								
% 65+ population who live alone	*		29.6%	[24.02% - 35.13%]	37.6%	[35.83% - 39.29%]	31.4%	[30.79% - 32.10%]
% of grandparents raising grandchildren			1.8%	[0.76% - 2.80%]	1.0%	[0.74% - 1.30%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren		*	6.5%	[4.20% - 8.89%]	4.6%	[3.83% - 5.28%]	3.2%	[2.94% - 3.38%]
% 60+ own home		*	53.1%	[48.08% - 58.18%]	47.8%	[44.94% - 50.59%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage		*	66.0%	[57.76% - 74.28%]	53.7%	[48.75% - 58.62%]	48.7%	[47.71% - 49.72%]
% 65+ households (renter) spend >35% of income on housing			33.9%	[22.61% - 45.25%]	33.7%	[28.60% - 38.83%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing		*	33.0%	[11.22% - 21.89%]	32.1%	[16.73% - 21.61%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year			4.5%	[1.21% - 7.79%]	5.0%	[3.68% - 6.68%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year			1.0%	[-0.37% - 2.32%]	0.4%	[0.14% - 1.55%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year			2.0%	[-0.69% - 4.72%]	1.0%	[0.38% - 1.63%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community	*		10.2%	[7.27% - 13.16%]	15.4%	[14.43% - 12.58%]	12.1%	[11.62% - 12.58%]
CHRONIC DISEASE								
% 65+ with Alzheimer's disease or related dementias			13.9%	[11.61% - 16.09%]	13.8%	[12.92% - 14.66%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia		B	43.7%	[40.57% - 46.80%]	48.0%	[46.77% - 49.28%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma			14.3%	[12.10% - 16.53%]	14.6%	[13.75% - 15.52%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation		B	12.2%	[10.17% - 14.18%]	12.3%	[11.48% - 13.07%]	15.0%	[14.72% - 15.22%]
% 65+ with benign prostatic hyperplasia (men)	B	B	32.3%	[27.90% - 36.62%]	38.8%	[36.96% - 40.59%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)			10.3%	[7.79% - 12.85%]	10.1%	[9.06% - 11.08%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract		B	57.5%	[54.41% - 60.67%]	61.6%	[60.34% - 62.83%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease			31.9%	[28.74% - 35.08%]	32.8%	[31.54% - 34.05%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease		B	18.9%	[16.46% - 21.35%]	20.3%	[19.27% - 21.26%]	22.9%	[22.64% - 23.23%]
% 65+ with clinically diagnosed obesity			29.6%	[26.42% - 32.78%]	28.6%	[27.38% - 29.84%]	29.3%	[28.94% - 29.63%]
% 65+ with colon cancer			1.8%	[0.98% - 2.68%]	2.1%	[1.79% - 2.49%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure			19.3%	[16.68% - 21.88%]	21.2%	[20.10% - 22.23%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes			37.2%	[33.91% - 40.56%]	38.3%	[36.97% - 39.60%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)			1.6%	[1.10% - 2.12%]	1.4%	[1.04% - 1.85%]	1.9%	[1.81% - 2.07%]
% 65+ with epilepsy			4.1%	[2.68% - 5.49%]	3.0%	[2.57% - 3.50%]	2.9%	[2.82% - 3.08%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02905 ESTIMATE	MARGIN OF ERROR ²	Providence ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with fibromyalgia, chronic pain and fatigue			23.0%	[20.09% - 25.85%]	24.0%	[22.83% - 25.12%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma		B	23.1%	[20.47% - 25.75%]	25.4%	[24.32% - 26.48%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack			5.6%	[4.22% - 7.03%]	5.7%	[5.12% - 6.25%]	5.8%	[5.63% - 5.95%]
% 65+ had hip fracture		B	2.2%	[1.37% - 3.12%]	3.1%	[2.68% - 3.50%]	3.4%	[3.27% - 3.52%]
% 65+ with high cholesterol		B	73.2%	[70.39% - 76.03%]	74.6%	[73.43% - 75.67%]	79.1%	[78.78% - 79.38%]
% 65+ with hypertension			75.4%	[72.60% - 78.10%]	75.0%	[73.93% - 76.17%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism		B	17.6%	[15.23% - 19.98%]	19.5%	[18.48% - 20.45%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease			39.3%	[35.94% - 42.59%]	39.7%	[38.37% - 40.99%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas		B	1.6%	[0.83% - 2.46%]	2.4%	[2.04% - 2.84%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease			8.9%	[6.91% - 10.85%]	10.3%	[9.45% - 11.08%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer			1.5%	[0.75% - 2.31%]	2.4%	[1.98% - 2.73%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache		B	4.5%	[3.03% - 5.92%]	5.7%	[5.07% - 6.32%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis		B	48.9%	[45.48% - 52.40%]	50.6%	[49.29% - 52.01%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis			17.7%	[15.35% - 20.08%]	19.6%	[18.67% - 20.62%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease			26.5%	[23.59% - 29.46%]	26.3%	[25.14% - 27.43%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer			8.7%	[6.89% - 10.55%]	7.7%	[7.02% - 8.39%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)			12.1%	[9.07% - 15.13%]	12.8%	[11.62% - 14.08%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke			11.8%	[9.83% - 13.81%]	11.2%	[10.47% - 12.02%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury			0.8%	[0.55% - 1.11%]	0.8%	[0.59% - 1.07%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions		B	58.4%	[55.25% - 61.50%]	61.5%	[60.26% - 62.75%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions		B	9.4%	[7.49% - 11.23%]	9.2%	[8.48% - 10.00%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL / MENTAL HEALTH								
% 65+ with opioid use disorder			2.8%	[1.65% - 3.97%]	2.2%	[1.80% - 2.62%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder			8.9%	[6.93% - 10.87%]	8.1%	[7.38% - 8.89%]	7.0%	[6.76% - 7.15%]
% 65+ with tobacco use disorder			11.1%	[8.92% - 13.26%]	12.5%	[11.55% - 13.37%]	10.8%	[10.58% - 11.06%]
% 65+ with depression		B	31.1%	[28.22% - 34.03%]	35.7%	[34.45% - 36.86%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder		B	24.1%	[21.18% - 27.06%]	28.6%	[27.36% - 29.79%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder			5.1%	[3.46% - 6.69%]	5.0%	[4.42% - 5.63%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder			1.4%	[0.52% - 2.19%]	2.4%	[1.97% - 2.86%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder			3.8%	[2.52% - 5.01%]	5.2%	[4.60% - 5.81%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder			2.6%	[1.49% - 3.78%]	3.2%	[2.68% - 3.66%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02905 ESTIMATE	MARGIN OF ERROR ²	Providence ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY								
% 65+ with self-reported hearing difficulty		B	8.1%	[4.61% - 11.64%]	11.5%	[9.47% - 13.57%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment			14.7%	[12.39% - 17.07%]	15.6%	[14.65% - 16.50%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty			7.6%	[3.58% - 11.70%]	7.4%	[5.43% - 9.36%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment		W	2.0%	[1.13% - 2.94%]	1.5%	[1.15% - 1.76%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty			9.7%	[5.22% - 14.16%]	14.5%	[11.83% - 17.08%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty			22.5%	[15.97% - 28.99%]	27.8%	[24.46% - 31.14%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment			5.0%	[3.54% - 6.46%]	4.3%	[3.73% - 4.79%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty			10.9%	[6.10% - 15.65%]	14.6%	[11.99% - 17.31%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty			16.7%	[11.19% - 22.26%]	22.8%	[19.67% - 25.85%]	14.3%	[13.63% - 15.03%]
ACCESS TO CARE / SERVICE UTILIZATION								
% 65+ dually eligible for Medicare and Medicaid	*	*	30.7%	[29.01% - 32.31%]	35.0%	[34.33% - 35.74%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees		*	47.0%	[45.21% - 48.78%]	45.1%	[44.36% - 45.83%]	43.8%	[43.55% - 44.00%]
# physician visits per year		*	6.9	[6.38 - 7.37]	7.2	[7.01 - 7.40]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually	*		566.1	[474.43 - 657.69]	714.6	[664.02 - 765.18]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually			52.7	[50.94 - 54.45]	53.9	[53.15 - 54.63]	52.2	[51.99 - 52.42]
# home health visits annually			3.4	[2.27 - 4.51]	3.6	[3.24 - 3.96]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually			1.6	[1.30 - 1.93]	1.6	[1.53 - 1.77]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually			299.9	[245.47 - 354.35]	306.6	[284.34 - 328.85]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)			18.6%	[11.98% - 25.30%]	19.2%	[16.85% - 21.49%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually			117.0	[87.19 - 146.79]	106.9	[96.01 - 117.72]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports	*		4.3%	[3.58% - 5.04%]	7.0%	[6.58% - 7.34%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users		*	2.5%	[1.87% - 3.11%]	3.3%	[2.97% - 3.55%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents		*	37.7%	[26.55% - 48.84%]	47.9%	[43.99% - 51.84%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)			18.5	[9.00 - 27.96]	14.0	[12.00 - 18.00]	11.0	[11.00 - 12.00]
Median hospice payment (Medicare + other) per hospice user			\$4,841	[\$3,278 - \$6,703]	\$4,573	[\$4,055 - \$5,034]	\$3,871	[\$3,743 - \$4,011]

Notes. 1 We use B, W, or * to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, *=rate is different than comparison).

2 All zip code, city, and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu