

## ZIPCODE 02910 (Cranston)

| HEALTHY AGING INDICATORS                              | HIGHER / LOWER CITY RATE <sup>1</sup> | HIGHER / LOWER STATE RATE <sup>1</sup> | ZIPCODE 02910 ESTIMATE | MARGIN OF ERROR <sup>2</sup> | Cranston ESTIMATE | MARGIN OF ERROR <sup>2</sup> | STATE ESTIMATE | MARGIN OF ERROR <sup>2</sup> |
|---|---------------------------------------|--|------------------------|------------------------------|-------------------|------------------------------|----------------|------------------------------|
| <b>POPULATION CHARACTERISTICS</b>                     |                                       |  |                        |                              |                   |                              |                |                              |
| Population 65 years or older                          |                                       |  |                        |                              |                   |                              |                |                              |
| % 65-74 years   | *                                     |  | 65.9%                  | [ 58.70% - 73.11% ]          | 56.3%             | [ 53.58% - 59.05% ]          | 55.6%          | [ 54.85% - 56.28% ]          |
| % 75-84 years   | *                                     |  | 21.2%                  | [ 15.76% - 26.71% ]          | 25.6%             | [ 22.63% - 28.53% ]          | 28.9%          | [ 28.18% - 29.72% ]          |
| % 85 years or older                                   |                                       |  | 12.9%                  | [ 7.77% - 17.94% ]           | 18.1%             | [ 15.58% - 20.64% ]          | 15.5%          | [ 14.95% - 16.02% ]          |
| % 65+ population who are female                       |                                       |  | 61.4%                  | [ 54.12% - 68.66% ]          | 58.1%             | [ 55.03% - 61.11% ]          | 57.2%          | [ 56.30% - 58.00% ]          |
| % 85+ population who are female                       |                                       |  | 72.8%                  | [ 52.46% - 93.09% ]          | 72.1%             | [ 65.25% - 78.91% ]          | 69.7%          | [ 68.05% - 71.40% ]          |
| % White   |                                       |  | 89.2%                  | [ 83.20% - 95.19% ]          | 92.1%             | [ 91.34% - 92.82% ]          | 92.0%          | [ 90.81% - 93.12% ]          |
| % African American                                    |                                       |  | 3.4%                   | [ -0.02% - 6.75% ]           | 2.0%              | [ 0.99% - 3.11% ]            | 3.2%           | [ 2.96% - 3.38% ]            |
| % Asian   |                                       |  | 6.2%                   | [ 1.38% - 11.01% ]           | 3.4%              | [ 2.06% - 4.78% ]            | 1.6%           | [ 1.42% - 1.77% ]            |
| % Hispanic/Latino                                     |                                       |  | 4.6%                   | [ 0.54% - 8.68% ]            | 4.4%              | [ 2.70% - 6.08% ]            | 4.9%           | [ 4.72% - 5.07% ]            |
| % married   | *                                     |  | 58.0%                  | [ 54.21% - 61.85% ]          | 52.1%             | [ 49.79% - 54.43% ]          | 51.3%          | [ 50.78% - 51.78% ]          |
| % divorced/separated                                  | *                                     |  | 9.5%                   | [ 5.14% - 13.84% ]           | 12.8%             | [ 10.57% - 15.13% ]          | 15.7%          | [ 15.00% - 16.37% ]          |
| % widowed   |                                       |  | 26.5%                  | [ 19.28% - 33.63% ]          | 27.6%             | [ 24.36% - 30.84% ]          | 25.0%          | [ 24.26% - 25.77% ]          |
| % never married                                       |                                       |  | 6.0%                   | [ 2.96% - 9.09% ]            | 7.4%              | [ 5.76% - 9.12% ]            | 8.0%           | [ 7.50% - 8.54% ]            |
| % with less than high school education                |                                       |  | 17.5%                  | [ 10.92% - 24.02% ]          | 18.2%             | [ 15.58% - 20.89% ]          | 19.1%          | [ 18.37% - 19.74% ]          |
| % with high school or some college                    |                                       |  | 61.1%                  | [ 53.26% - 68.92% ]          | 56.7%             | [ 53.19% - 60.28% ]          | 52.9%          | [ 52.00% - 53.74% ]          |
| % with college degree                                 |                                       |  | 9.2%                   | [ 4.65% - 13.66% ]           | 12.8%             | [ 10.64% - 15.04% ]          | 14.2%          | [ 13.63% - 14.77% ]          |
| % with graduate or professional degree                |                                       |  | 12.3%                  | [ 6.99% - 17.58% ]           | 12.2%             | [ 10.25% - 14.13% ]          | 13.9%          | [ 13.32% - 14.43% ]          |
| % population who speak only English at home           |                                       |  | 84.7%                  | [ 79.67% - 89.77% ]          | 82.6%             | [ 80.79% - 84.34% ]          | 82.9%          | [ 81.76% - 83.94% ]          |
| % population who are veterans of military service     |                                       |  | 16.7%                  | [ 11.50% - 21.83% ]          | 16.1%             | [ 13.54% - 18.63% ]          | 19.0%          | [ 18.51% - 19.54% ]          |
| Age-sex adjusted 1-year mortality rate                |                                       |  | 4.2%                   | [ 3.47% - 4.92% ]            | 4.0%              | [ 3.65% - 4.30% ]            | 4.4%           | [ 4.26% - 4.46% ]            |
| <b>ECONOMIC</b>                                       |                                       |  |                        |                              |                   |                              |                |                              |
| % 60+ receiving food benefits in last year            |                                       |  | 13.7%                  | [ 0.64% - 26.80% ]           | 12.5%             | [ -0.38% - 25.47% ]          | 15.0%          | [ -0.18% - 30.16% ]          |
| % 65+ employed in last year                           | *                                     |  | 30.6%                  | [ 25.02% - 36.24% ]          | 23.9%             | [ 21.60% - 26.27% ]          | 21.9%          | [ 21.25% - 22.51% ]          |
| % 65+ with income below the poverty line in last year |                                       |  | 10.9%                  | [ 5.76% - 15.98% ]           | 8.2%              | [ 6.37% - 10.12% ]           | 9.5%           | [ 8.98% - 10.07% ]           |
| % 65+ households with annual income < \$20,000        |                                       |  | 20.6%                  | [ 11.24% - 29.90% ]          | 20.0%             | [ 16.61% - 23.46% ]          | 24.3%          | [ 23.28% - 25.36% ]          |
| % 65+ households with annual income \$20,000-\$49,999 |                                       |  | 35.7%                  | [ 26.66% - 44.68% ]          | 39.0%             | [ 34.44% - 43.60% ]          | 32.2%          | [ 31.06% - 33.39% ]          |

| HEALTHY AGING INDICATORS                                  | HIGHER /<br>LOWER<br>CITY<br>RATE <sup>1</sup> | HIGHER /<br>LOWER<br>STATE<br>RATE <sup>1</sup> | ZIPCODE 02910<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> | Cranston<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> | STATE<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> |
|---|--|---|---------------------------|---------------------------------|----------------------|---------------------------------|-------------------|---------------------------------|
| % 65+ households with annual income \$50,000-\$99,999     |  |   | 20.9%                     | [ 13.74% - 28.02% ]             | 23.2%                | [ 19.91% - 26.40% ]             | 24.8%             | [ 23.82% - 25.70% ]             |
| % 65+ households with annual income \$100,000+            |  |   | 22.9%                     | [ 13.43% - 32.32% ]             | 17.8%                | [ 14.63% - 20.95% ]             | 18.7%             | [ 17.91% - 19.47% ]             |
| % 65+ who own a motor vehicle                             |  |   | 87.6%                     | [ 82.49% - 92.74% ]             | 86.9%                | [ 85.37% - 88.36% ]             | 85.0%             | [ 84.54% - 85.42% ]             |
| <b>HOUSING</b>  |  |   |                           |                                 |                      |                                 |                   |                                 |
| % 65+ population who live alone                           |  |   | 24.6%                     | [ 18.05% - 31.21% ]             | 30.9%                | [ 28.18% - 33.60% ]             | 31.4%             | [ 30.79% - 32.10% ]             |
| % of grandparents raising grandchildren                   |  |   | 1.4%                      | [ 0.37% - 2.49% ]               | 0.7%                 | [ 0.31% - 1.13% ]               | 1.0%              | [ 0.84% - 1.08% ]               |
| % of grandparents who live with grandchildren             |  |   | 2.6%                      | [ 0.90% - 4.22% ]               | 2.6%                 | [ 1.87% - 3.43% ]               | 3.2%              | [ 2.94% - 3.38% ]               |
| % 60+ own home  | *  | *   | 82.0%                     | [ 78.69% - 85.34% ]             | 74.0%                | [ 71.75% - 76.22% ]             | 70.3%             | [ 69.85% - 70.73% ]             |
| % 60+ homeowners who have mortgage                        |  |   | 53.9%                     | [ 46.07% - 61.73% ]             | 51.1%                | [ 47.81% - 54.45% ]             | 48.7%             | [ 47.71% - 49.72% ]             |
| % 65+ households (renter) spend >35% of income on housing |  |   | 33.6%                     | [ 15.87% - 51.38% ]             | 42.3%                | [ 34.62% - 49.97% ]             | 39.2%             | [ 36.98% - 41.48% ]             |
| % 65+ households (owner) spend >35% of income on housing  |  | *   | 30.3%                     | [ 5.76% - 15.98% ]              | 30.2%                | [ 6.37% - 10.13% ]              | 27.6%             | [ 26.49% - 28.80% ]             |
| % 65+ moved within same county in last year               |  |   | 2.6%                      | [ -1.40% - 6.65% ]              | 3.8%                 | [ 2.01% - 0.97% ]               | 3.6%              | [ 3.20% - 3.93% ]               |
| % 65+ moved from different county in last year            |  |   | 0.0%                      | [ -1.67% - 1.67% ]              | 0.6%                 | [ 0.20% - 1.77% ]               | 1.0%              | [ 0.79% - 1.17% ]               |
| % 65+ moved from different state in last year             |  |   | 0.8%                      | [ -0.65% - 2.27% ]              | 1.0%                 | [ 0.20% - 9.12% ]               | 1.1%              | [ 0.88% - 1.33% ]               |
| % of vacant homes in community                            |  |   | 9.7%                      | [ 6.86% - 12.52% ]              | 7.5%                 | [ 5.92% - 12.58% ]              | 12.1%             | [ 11.62% - 12.58% ]             |
| <b>CHRONIC DISEASE</b>                                    |  |   |                           |                                 |                      |                                 |                   |                                 |
| % 65+ with Alzheimer's disease or related dementias       |  |   | 11.2%                     | [ 9.40% - 13.09% ]              | 13.8%                | [ 12.91% - 14.74% ]             | 13.1%             | [ 12.86% - 13.34% ]             |
| % 65+ with anemia   | B  |   | 47.7%                     | [ 44.76% - 50.63% ]             | 53.0%                | [ 51.66% - 54.29% ]             | 50.0%             | [ 49.62% - 50.33% ]             |
| % 65+ with asthma   |  |   | 16.5%                     | [ 14.36% - 18.71% ]             | 15.4%                | [ 14.46% - 16.34% ]             | 14.9%             | [ 14.68% - 15.18% ]             |
| % 65+ with atrial fibrillation                            |  | B   | 12.3%                     | [ 10.45% - 14.24% ]             | 14.6%                | [ 13.69% - 15.51% ]             | 15.0%             | [ 14.72% - 15.22% ]             |
| % 65+ with benign prostatic hyperplasia (men)             | B  | B   | 37.1%                     | [ 32.74% - 41.39% ]             | 43.9%                | [ 41.89% - 45.90% ]             | 42.2%             | [ 41.66% - 42.72% ]             |
| % 65+ with breast cancer (women)                          |  |   | 12.1%                     | [ 9.56% - 14.63% ]              | 12.0%                | [ 10.87% - 13.10% ]             | 11.1%             | [ 10.80% - 11.39% ]             |
| % 65+ with cataract                                       |  | B   | 60.7%                     | [ 57.82% - 63.63% ]             | 64.8%                | [ 63.50% - 66.04% ]             | 67.5%             | [ 67.15% - 67.83% ]             |
| % 65+ with chronic kidney disease                         |  |   | 32.5%                     | [ 29.59% - 35.34% ]             | 34.1%                | [ 32.79% - 35.39% ]             | 30.7%             | [ 30.38% - 31.07% ]             |
| % 65+ with chronic obstructive pulmonary disease          |  |   | 23.4%                     | [ 20.97% - 25.89% ]             | 23.4%                | [ 22.26% - 24.46% ]             | 22.9%             | [ 22.64% - 23.23% ]             |
| % 65+ with clinically diagnosed obesity                   |  | W   | 33.7%                     | [ 30.75% - 36.69% ]             | 34.2%                | [ 32.87% - 35.51% ]             | 29.3%             | [ 28.94% - 29.63% ]             |
| % 65+ with colon cancer                                   |  |   | 2.9%                      | [ 1.96% - 3.87% ]               | 3.1%                 | [ 2.63% - 3.52% ]               | 2.7%              | [ 2.58% - 2.80% ]               |
| % 65+ with congestive heart failure                       |  |   | 23.2%                     | [ 20.65% - 25.69% ]             | 23.4%                | [ 22.22% - 24.49% ]             | 21.6%             | [ 21.33% - 21.93% ]             |
| % 65+ with diabetes                                       |  |   | 37.7%                     | [ 34.69% - 40.68% ]             | 38.2%                | [ 36.84% - 39.52% ]             | 34.7%             | [ 34.30% - 35.01% ]             |
| % 65+ with endometrial cancer (women)                     |  |   | 2.5%                      | [ 1.34% - 3.74% ]               | 2.0%                 | [ 1.54% - 2.49% ]               | 1.9%              | [ 1.81% - 2.07% ]               |
| % 65+ with epilepsy                                       |  |   | 3.9%                      | [ 2.68% - 5.08% ]               | 4.1%                 | [ 3.59% - 4.71% ]               | 2.9%              | [ 2.82% - 3.08% ]               |

| HEALTHY AGING INDICATORS                            | HIGHER /<br>LOWER<br>CITY<br>RATE <sup>1</sup> | HIGHER /<br>LOWER<br>STATE<br>RATE <sup>1</sup> | ZIPCODE 02910<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> | Cranston<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> | STATE<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> |
|---|--|---|---------------------------|---------------------------------|----------------------|---------------------------------|-------------------|---------------------------------|
| % 65+ with fibromyalgia, chronic pain and fatigue   |  |   | 22.8%                     | [ 20.23% - 25.43% ]             | 25.8%                | [ 24.56% - 26.97% ]             | 25.4%             | [ 25.09% - 25.74% ]             |
| % 65+ with glaucoma                                 |  |   | 25.7%                     | [ 23.14% - 28.21% ]             | 27.7%                | [ 26.52% - 28.85% ]             | 27.0%             | [ 26.70% - 27.32% ]             |
| % 65+ ever had a heart attack                       |  |   | 5.5%                      | [ 4.18% - 6.79% ]               | 5.8%                 | [ 5.24% - 6.45% ]               | 5.8%              | [ 5.63% - 5.95% ]               |
| % 65+ had hip fracture                              |  |   | 2.8%                      | [ 1.89% - 3.74% ]               | 3.6%                 | [ 3.14% - 4.09% ]               | 3.4%              | [ 3.27% - 3.52% ]               |
| % 65+ with high cholesterol                         |  |   | 78.0%                     | [ 75.47% - 80.47% ]             | 80.8%                | [ 79.71% - 81.82% ]             | 79.1%             | [ 78.78% - 79.38% ]             |
| % 65+ with hypertension                             |  |   | 79.6%                     | [ 77.17% - 82.05% ]             | 79.9%                | [ 78.86% - 81.01% ]             | 78.0%             | [ 77.73% - 78.33% ]             |
| % 65+ with hypothyroidism                           |  |   | 21.1%                     | [ 18.68% - 23.44% ]             | 22.5%                | [ 21.42% - 23.60% ]             | 22.4%             | [ 22.09% - 22.68% ]             |
| % 65+ with ischemic heart disease                   |  |   | 39.4%                     | [ 36.40% - 42.41% ]             | 43.4%                | [ 42.00% - 44.72% ]             | 41.8%             | [ 41.39% - 42.13% ]             |
| % 65+ with leukemias and lymphomas                  |  |   | 3.2%                      | [ 2.12% - 4.37% ]               | 3.1%                 | [ 2.66% - 3.61% ]               | 2.7%              | [ 2.59% - 2.83% ]               |
| % 65+ with liver disease                            |  | B   | 7.9%                      | [ 6.24% - 9.51% ]               | 10.1%                | [ 9.26% - 10.90% ]              | 9.9%              | [ 9.71% - 10.16% ]              |
| % 65+ with lung cancer                              |  |   | 2.1%                      | [ 1.29% - 2.94% ]               | 2.3%                 | [ 1.94% - 2.72% ]               | 2.1%              | [ 1.97% - 2.17% ]               |
| % 65+ with migraine and other chronic headache      |  |   | 5.2%                      | [ 3.78% - 6.60% ]               | 6.7%                 | [ 5.99% - 7.39% ]               | 6.1%              | [ 5.94% - 6.31% ]               |
| % 65+ with osteoarthritis or rheumatoid arthritis   | B  | B   | 51.5%                     | [ 48.40% - 54.65% ]             | 56.5%                | [ 55.15% - 57.92% ]             | 56.2%             | [ 55.78% - 56.54% ]             |
| % 65+ with osteoporosis                             |  |   | 18.2%                     | [ 16.03% - 20.46% ]             | 20.7%                | [ 19.61% - 21.70% ]             | 19.6%             | [ 19.29% - 19.85% ]             |
| % 65+ with peripheral vascular disease              |  |   | 28.7%                     | [ 25.92% - 31.39% ]             | 30.1%                | [ 28.89% - 31.38% ]             | 25.6%             | [ 25.29% - 25.92% ]             |
| % 65+ with pressure ulcer or chronic ulcer          |  |   | 8.8%                      | [ 7.13% - 10.49% ]              | 8.4%                 | [ 7.64% - 9.12% ]               | 8.1%              | [ 7.94% - 8.33% ]               |
| % 65+ with prostate cancer (men)                    |  |   | 12.8%                     | [ 9.88% - 15.75% ]              | 13.1%                | [ 11.74% - 14.42% ]             | 13.4%             | [ 13.09% - 13.81% ]             |
| % 65+ with stroke                                   |  |   | 11.9%                     | [ 10.04% - 13.74% ]             | 12.5%                | [ 11.66% - 13.37% ]             | 11.9%             | [ 11.65% - 12.09% ]             |
| % 65+ with traumatic brain injury                   |  |   | 1.2%                      | [ 0.91% - 1.52% ]               | 1.2%                 | [ 0.91% - 1.52% ]               | 1.0%              | [ 0.96% - 1.11% ]               |
| % 65+ with 4+ (out of 15) chronic conditions        |  |   | 63.8%                     | [ 60.96% - 66.70% ]             | 66.7%                | [ 65.49% - 68.00% ]             | 63.8%             | [ 63.47% - 64.16% ]             |
| % 65+ with 0 chronic conditions                     |  |   | 8.4%                      | [ 6.65% - 10.07% ]              | 6.5%                 | [ 5.85% - 7.20% ]               | 7.0%              | [ 6.77% - 7.15% ]               |
| <b>BEHAVIORAL / MENTAL HEALTH</b>                   |  |   |                           |                                 |                      |                                 |                   |                                 |
| % 65+ with opioid use disorder                      |  |   | 2.0%                      | [ 1.03% - 2.95% ]               | 1.9%                 | [ 1.52% - 2.32% ]               | 1.9%              | [ 1.75% - 1.96% ]               |
| % 65+ with substance use disorder                   |  |   | 5.9%                      | [ 4.41% - 7.44% ]               | 6.0%                 | [ 5.35% - 6.70% ]               | 7.0%              | [ 6.76% - 7.15% ]               |
| % 65+ with tobacco use disorder                     |  |   | 11.2%                     | [ 9.19% - 13.13% ]              | 10.2%                | [ 9.31% - 11.02% ]              | 10.8%             | [ 10.58% - 11.06% ]             |
| % 65+ with depression                               |  |   | 32.7%                     | [ 29.97% - 35.49% ]             | 34.0%                | [ 32.77% - 35.26% ]             | 32.9%             | [ 32.60% - 33.26% ]             |
| % 65+ with anxiety disorder                         |  |   | 30.1%                     | [ 27.29% - 33.01% ]             | 32.5%                | [ 31.24% - 33.83% ]             | 29.8%             | [ 29.48% - 30.17% ]             |
| % 65+ with bipolar disorder                         |  |   | 3.7%                      | [ 2.51% - 4.86% ]               | 4.5%                 | [ 3.95% - 5.13% ]               | 4.1%              | [ 3.93% - 4.23% ]               |
| % 65+ with post-traumatic stress disorder           |  |   | 1.9%                      | [ 0.97% - 2.80% ]               | 1.7%                 | [ 1.28% - 2.03% ]               | 1.7%              | [ 1.60% - 1.81% ]               |
| % 65+ with schizophrenia & other psychotic disorder |  |   | 3.6%                      | [ 2.47% - 4.79% ]               | 3.8%                 | [ 3.26% - 4.32% ]               | 3.8%              | [ 3.61% - 3.89% ]               |
| % 65+ with personality disorder                     |  |   | 3.1%                      | [ 1.92% - 4.24% ]               | 3.4%                 | [ 2.87% - 3.92% ]               | 2.8%              | [ 2.66% - 2.91% ]               |

| HEALTHY AGING INDICATORS   | HIGHER /<br>LOWER<br>CITY<br>RATE <sup>1</sup> | HIGHER /<br>LOWER<br>STATE<br>RATE <sup>1</sup> | ZIPCODE 02910<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> | Cranston<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> | STATE<br>ESTIMATE | MARGIN OF<br>ERROR <sup>2</sup> |
|--|--|---|---------------------------|---------------------------------|----------------------|---------------------------------|-------------------|---------------------------------|
| <b>LIVING WITH DISABILITY</b>                                    |  |   |                           |                                 |                      |                                 |                   |                                 |
| % 65+ with self-reported hearing difficulty                      |  |   | 12.1%                     | [ 7.83% - 16.34% ]              | 13.2%                | [ 11.04% - 15.32% ]             | 13.9%             | [ 13.26% - 14.57% ]             |
| % 65+ with clinical diagnosis of deafness or hearing impairment  | B  |   | 15.0%                     | [ 12.87% - 17.06% ]             | 19.2%                | [ 18.12% - 20.22% ]             | 16.4%             | [ 16.17% - 16.70% ]             |
| % 65+ with self-reported vision difficulty                       |  |   | 6.2%                      | [ 2.96% - 9.49% ]               | 4.5%                 | [ 3.04% - 6.04% ]               | 5.5%              | [ 5.03% - 5.95% ]               |
| % 65+ with clinical diagnosis of blindness or visual impairment  |  |   | 1.1%                      | [ 0.48% - 1.78% ]               | 1.1%                 | [ 0.86% - 1.42% ]               | 1.1%              | [ 0.98% - 1.13% ]               |
| % 65+ with self-reported cognition difficulty                    |  |   | 7.3%                      | [ 3.27% - 11.33% ]              | 8.6%                 | [ 6.63% - 10.63% ]              | 8.2%              | [ 7.63% - 8.74% ]               |
| % 65+ with self-reported ambulatory difficulty                   |  |   | 18.8%                     | [ 12.84% - 24.72% ]             | 21.5%                | [ 18.33% - 24.74% ]             | 21.0%             | [ 20.21% - 21.76% ]             |
| % 65+ with clinical diagnosis of mobility impairment             |  |   | 4.3%                      | [ 3.07% - 5.44% ]               | 4.4%                 | [ 3.83% - 4.95% ]               | 3.8%              | [ 3.64% - 3.92% ]               |
| % 65+ with self-reported self-care difficulty                    |  |   | 8.0%                      | [ 3.69% - 12.40% ]              | 10.0%                | [ 7.62% - 12.31% ]              | 8.0%              | [ 7.40% - 8.50% ]               |
| % 65+ with self-reported independent living difficulty           |  |   | 12.5%                     | [ 7.67% - 17.31% ]              | 15.9%                | [ 13.02% - 18.87% ]             | 14.3%             | [ 13.63% - 15.03% ]             |
| <b>ACCESS TO CARE / SERVICE UTILIZATION</b>                      |  |   |                           |                                 |                      |                                 |                   |                                 |
| % 65+ dually eligible for Medicare and Medicaid                  |  |   | 13.3%                     | [ 12.13% - 14.51% ]             | 13.2%                | [ 12.66% - 13.78% ]             | 13.8%             | [ 13.62% - 13.94% ]             |
| % 65+ Medicare managed care enrollees                            |  | *   | 46.9%                     | [ 45.13% - 48.63% ]             | 45.9%                | [ 45.07% - 46.70% ]             | 43.8%             | [ 43.55% - 44.00% ]             |
| # physician visits per year                                      |  |   | 8.3                       | [ 7.85 - 8.80 ]                 | 9.0                  | [ 8.77 - 9.21 ]                 | 8.4               | [ 8.31 - 8.41 ]                 |
| # emergency room visits/1000 persons 65+ years annually          |  |   | 527.6                     | [ 442.56 - 612.71 ]             | 605.3                | [ 550.81 - 659.84 ]             | 620.6             | [ 609.83 - 631.28 ]             |
| # Part D monthly prescription fills per person annually          |  |   | 51.8                      | [ 50.21 - 53.43 ]               | 52.2                 | [ 51.44 - 52.93 ]               | 52.2              | [ 51.99 - 52.42 ]               |
| # home health visits annually                                    |  |   | 3.3                       | [ 2.34 - 4.34 ]                 | 3.7                  | [ 3.22 - 4.10 ]                 | 3.5               | [ 3.40 - 3.61 ]                 |
| # durable medical equipment claims annually                      |  |   | 1.8                       | [ 1.49 - 2.07 ]                 | 1.8                  | [ 1.63 - 1.91 ]                 | 1.7               | [ 1.69 - 1.76 ]                 |
| # inpatient hospital stays/1000 persons 65+ years annually       |  |   | 282.0                     | [ 234.43 - 329.55 ]             | 302.2                | [ 280.39 - 323.92 ]             | 286.5             | [ 281.04 - 291.96 ]             |
| % Medicare inpatient hospital readmissions (as % of admissions)  |  |   | 20.2%                     | [ 13.96% - 26.43% ]             | 19.8%                | [ 17.47% - 22.11% ]             | 17.4%             | [ 16.81% - 17.98% ]             |
| # skilled nursing facility stays/1000 persons 65+ years annually |  |   | 89.7                      | [ 64.51 - 114.94 ]              | 103.0                | [ 91.47 - 114.59 ]              | 98.8              | [ 95.83 - 101.70 ]              |
| % 65+ getting Medicaid long term services and supports           |  | *   | 3.3%                      | [ 2.64% - 3.89% ]               | 4.2%                 | [ 3.84% - 4.50% ]               | 4.2%              | [ 4.12% - 4.31% ]               |
| % 65+ hospice users  |  |   | 3.1%                      | [ 2.47% - 3.77% ]               | 3.4%                 | [ 3.04% - 3.67% ]               | 3.5%              | [ 3.45% - 3.63% ]               |
| % 65+ hospice users as % of decedents                            |  | *   | 41.0%                     | [ 31.75% - 50.28% ]             | 50.4%                | [ 46.07% - 54.71% ]             | 53.0%             | [ 51.86% - 54.20% ]             |
| Median hospice days per hospice user (65+, deceased)             |  |   | 9.0                       | [ 6.00 - 11.87 ]                | 11.0                 | [ 9.00 - 12.72 ]                | 11.0              | [ 11.00 - 12.00 ]               |
| Median hospice payment (Medicare + other) per hospice user       |  |   | \$3,614                   | [ \$2,555 - \$4,883 ]           | \$4,016              | [ \$3,373 - \$4,546 ]           | \$3,871           | [ \$3,743 - \$4,011 ]           |

Notes. 1 We use B, W, or \* to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, \*=rate is different than comparison).

2 All zip code, city, and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu