

ZIPCODE 02921 (Cranston)

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02921 ESTIMATE	MARGIN OF ERROR ²	Cranston ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS								
Population 65 years or older								
% 65-74 years			59.5%	[53.25% - 65.71%]	56.3%	[53.58% - 59.05%]	55.6%	[54.85% - 56.28%]
% 75-84 years			22.3%	[15.49% - 29.13%]	25.6%	[22.63% - 28.53%]	28.9%	[28.18% - 29.72%]
% 85 years or older			18.2%	[9.61% - 26.82%]	18.1%	[15.58% - 20.64%]	15.5%	[14.95% - 16.02%]
% 65+ population who are female			58.5%	[49.71% - 67.37%]	58.1%	[55.03% - 61.11%]	57.2%	[56.30% - 58.00%]
% 85+ population who are female			82.7%	[60.21% - 105.11%]	72.1%	[65.25% - 78.91%]	69.7%	[68.05% - 71.40%]
% White			93.0%	[89.47% - 96.61%]	92.1%	[91.34% - 92.82%]	92.0%	[90.81% - 93.12%]
% African American		*	0.0%	[-2.88% - 2.88%]	2.0%	[0.99% - 3.11%]	3.2%	[2.96% - 3.38%]
% Asian			5.5%	[0.65% - 10.40%]	3.4%	[2.06% - 4.78%]	1.6%	[1.42% - 1.77%]
% Hispanic/Latino		*	1.3%	[-1.84% - 4.41%]	4.4%	[2.70% - 6.08%]	4.9%	[4.72% - 5.07%]
% married			54.3%	[49.11% - 59.47%]	52.1%	[49.79% - 54.43%]	51.3%	[50.78% - 51.78%]
% divorced/separated			10.8%	[5.16% - 16.46%]	12.8%	[10.57% - 15.13%]	15.7%	[15.00% - 16.37%]
% widowed			31.4%	[21.35% - 41.53%]	27.6%	[24.36% - 30.84%]	25.0%	[24.26% - 25.77%]
% never married		*	3.5%	[-0.05% - 6.96%]	7.4%	[5.76% - 9.12%]	8.0%	[7.50% - 8.54%]
% with less than high school education			18.2%	[9.99% - 26.44%]	18.2%	[15.58% - 20.89%]	19.1%	[18.37% - 19.74%]
% with high school or some college			49.6%	[43.48% - 55.74%]	56.7%	[53.19% - 60.28%]	52.9%	[52.00% - 53.74%]
% with college degree			18.1%	[12.32% - 23.81%]	12.8%	[10.64% - 15.04%]	14.2%	[13.63% - 14.77%]
% with graduate or professional degree			14.1%	[9.21% - 19.02%]	12.2%	[10.25% - 14.13%]	13.9%	[13.32% - 14.43%]
% population who speak only English at home			83.8%	[82.16% - 85.36%]	82.6%	[80.79% - 84.34%]	82.9%	[81.76% - 83.94%]
% population who are veterans of military service			17.1%	[11.43% - 22.73%]	16.1%	[13.54% - 18.63%]	19.0%	[18.51% - 19.54%]
Age-sex adjusted 1-year mortality rate			4.4%	[3.45% - 5.33%]	4.0%	[3.65% - 4.30%]	4.4%	[4.26% - 4.46%]
ECONOMIC								
% 60+ receiving food benefits in last year			9.6%	[0.30% - 18.86%]	12.5%	[-0.38% - 25.47%]	15.0%	[-0.18% - 30.16%]
% 65+ employed in last year			26.8%	[20.20% - 33.40%]	23.9%	[21.60% - 26.27%]	21.9%	[21.25% - 22.51%]
% 65+ with income below the poverty line in last year			6.0%	[1.55% - 10.39%]	8.2%	[6.37% - 10.12%]	9.5%	[8.98% - 10.07%]
% 65+ households with annual income < \$20,000		*	14.5%	[7.03% - 21.98%]	20.0%	[16.61% - 23.46%]	24.3%	[23.28% - 25.36%]
% 65+ households with annual income \$20,000-\$49,999			40.1%	[26.73% - 53.53%]	39.0%	[34.44% - 43.60%]	32.2%	[31.06% - 33.39%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02921 ESTIMATE	MARGIN OF ERROR ²	Cranston ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ households with annual income \$50,000-\$99,999		*	16.5%	[10.02% - 23.02%]	23.2%	[19.91% - 26.40%]	24.8%	[23.82% - 25.70%]
% 65+ households with annual income \$100,000+		*	28.8%	[20.03% - 37.66%]	17.8%	[14.63% - 20.95%]	18.7%	[17.91% - 19.47%]
% 65+ who own a motor vehicle	*	*	96.4%	[93.81% - 98.94%]	86.9%	[85.37% - 88.36%]	85.0%	[84.54% - 85.42%]
HOUSING								
% 65+ population who live alone			30.8%	[24.30% - 37.26%]	30.9%	[28.18% - 33.60%]	31.4%	[30.79% - 32.10%]
% of grandparents raising grandchildren			0.3%	[-0.26% - 0.91%]	0.7%	[0.31% - 1.13%]	1.0%	[0.84% - 1.08%]
% of grandparents who live with grandchildren			3.6%	[1.43% - 5.74%]	2.6%	[1.87% - 3.43%]	3.2%	[2.94% - 3.38%]
% 60+ own home	*	*	82.4%	[77.19% - 87.54%]	74.0%	[71.75% - 76.22%]	70.3%	[69.85% - 70.73%]
% 60+ homeowners who have mortgage			56.9%	[49.44% - 64.43%]	51.1%	[47.81% - 54.45%]	48.7%	[47.71% - 49.72%]
% 65+ households (renter) spend >35% of income on housing			53.6%	[25.81% - 81.36%]	42.3%	[34.62% - 49.97%]	39.2%	[36.98% - 41.48%]
% 65+ households (owner) spend >35% of income on housing		*	34.9%	[1.55% - 10.40%]	30.2%	[6.37% - 10.13%]	27.6%	[26.49% - 28.80%]
% 65+ moved within same county in last year			1.3%	[-1.18% - 3.74%]	3.8%	[2.01% - 0.97%]	3.6%	[3.20% - 3.93%]
% 65+ moved from different county in last year			0.1%	[-1.59% - 1.79%]	0.6%	[0.20% - 1.77%]	1.0%	[0.79% - 1.17%]
% 65+ moved from different state in last year			0.6%	[-1.43% - 2.71%]	1.0%	[0.20% - 9.12%]	1.1%	[0.88% - 1.33%]
% of vacant homes in community		*	5.4%	[1.55% - 9.24%]	7.5%	[5.92% - 12.58%]	12.1%	[11.62% - 12.58%]
CHRONIC DISEASE								
% 65+ with Alzheimer's disease or related dementias	B		10.8%	[8.75% - 12.91%]	13.8%	[12.91% - 14.74%]	13.1%	[12.86% - 13.34%]
% 65+ with anemia			50.2%	[46.87% - 53.62%]	53.0%	[51.66% - 54.29%]	50.0%	[49.62% - 50.33%]
% 65+ with asthma			12.5%	[10.34% - 14.74%]	15.4%	[14.46% - 16.34%]	14.9%	[14.68% - 15.18%]
% 65+ with atrial fibrillation			14.4%	[12.10% - 16.77%]	14.6%	[13.69% - 15.51%]	15.0%	[14.72% - 15.22%]
% 65+ with benign prostatic hyperplasia (men)			43.9%	[38.88% - 48.93%]	43.9%	[41.89% - 45.90%]	42.2%	[41.66% - 42.72%]
% 65+ with breast cancer (women)			14.3%	[11.18% - 17.49%]	12.0%	[10.87% - 13.10%]	11.1%	[10.80% - 11.39%]
% 65+ with cataract		B	61.4%	[58.13% - 64.76%]	64.8%	[63.50% - 66.04%]	67.5%	[67.15% - 67.83%]
% 65+ with chronic kidney disease			32.2%	[28.91% - 35.50%]	34.1%	[32.79% - 35.39%]	30.7%	[30.38% - 31.07%]
% 65+ with chronic obstructive pulmonary disease			21.0%	[18.31% - 23.72%]	23.4%	[22.26% - 24.46%]	22.9%	[22.64% - 23.23%]
% 65+ with clinically diagnosed obesity		W	38.7%	[35.25% - 42.21%]	34.2%	[32.87% - 35.51%]	29.3%	[28.94% - 29.63%]
% 65+ with colon cancer		W	4.4%	[3.06% - 5.76%]	3.1%	[2.63% - 3.52%]	2.7%	[2.58% - 2.80%]
% 65+ with congestive heart failure			21.0%	[18.18% - 23.78%]	23.4%	[22.22% - 24.49%]	21.6%	[21.33% - 21.93%]
% 65+ with diabetes			36.4%	[32.97% - 39.84%]	38.2%	[36.84% - 39.52%]	34.7%	[34.30% - 35.01%]
% 65+ with endometrial cancer (women)			2.0%	[1.54% - 2.49%]	2.0%	[1.54% - 2.49%]	1.9%	[1.81% - 2.07%]
% 65+ with epilepsy			2.9%	[1.77% - 4.07%]	4.1%	[3.59% - 4.71%]	2.9%	[2.82% - 3.08%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02921 ESTIMATE	MARGIN OF ERROR ²	Cranston ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with fibromyalgia, chronic pain and fatigue			27.3%	[24.15% - 30.45%]	25.8%	[24.56% - 26.97%]	25.4%	[25.09% - 25.74%]
% 65+ with glaucoma			27.7%	[24.73% - 30.69%]	27.7%	[26.52% - 28.85%]	27.0%	[26.70% - 27.32%]
% 65+ ever had a heart attack			4.8%	[3.40% - 6.21%]	5.8%	[5.24% - 6.45%]	5.8%	[5.63% - 5.95%]
% 65+ had hip fracture			3.0%	[1.84% - 4.06%]	3.6%	[3.14% - 4.09%]	3.4%	[3.27% - 3.52%]
% 65+ with high cholesterol	W	W	86.7%	[84.36% - 89.03%]	80.8%	[79.71% - 81.82%]	79.1%	[78.78% - 79.38%]
% 65+ with hypertension		W	81.5%	[78.81% - 84.17%]	79.9%	[78.86% - 81.01%]	78.0%	[77.73% - 78.33%]
% 65+ with hypothyroidism		B	19.2%	[16.61% - 21.87%]	22.5%	[21.42% - 23.60%]	22.4%	[22.09% - 22.68%]
% 65+ with ischemic heart disease			42.5%	[38.97% - 45.98%]	43.4%	[42.00% - 44.72%]	41.8%	[41.39% - 42.13%]
% 65+ with leukemias and lymphomas			2.9%	[1.73% - 4.10%]	3.1%	[2.66% - 3.61%]	2.7%	[2.59% - 2.83%]
% 65+ with liver disease			10.1%	[8.04% - 12.23%]	10.1%	[9.26% - 10.90%]	9.9%	[9.71% - 10.16%]
% 65+ with lung cancer			2.1%	[1.18% - 3.10%]	2.3%	[1.94% - 2.72%]	2.1%	[1.97% - 2.17%]
% 65+ with migraine and other chronic headache			6.7%	[4.93% - 8.50%]	6.7%	[5.99% - 7.39%]	6.1%	[5.94% - 6.31%]
% 65+ with osteoarthritis or rheumatoid arthritis			57.4%	[53.86% - 61.02%]	56.5%	[55.15% - 57.92%]	56.2%	[55.78% - 56.54%]
% 65+ with osteoporosis			17.1%	[14.63% - 19.64%]	20.7%	[19.61% - 21.70%]	19.6%	[19.29% - 19.85%]
% 65+ with peripheral vascular disease			27.6%	[24.48% - 30.72%]	30.1%	[28.89% - 31.38%]	25.6%	[25.29% - 25.92%]
% 65+ with pressure ulcer or chronic ulcer	B	B	5.7%	[4.10% - 7.21%]	8.4%	[7.64% - 9.12%]	8.1%	[7.94% - 8.33%]
% 65+ with prostate cancer (men)			14.7%	[11.20% - 18.29%]	13.1%	[11.74% - 14.42%]	13.4%	[13.09% - 13.81%]
% 65+ with stroke			10.6%	[8.53% - 12.62%]	12.5%	[11.66% - 13.37%]	11.9%	[11.65% - 12.09%]
% 65+ with traumatic brain injury			1.2%	[0.91% - 1.52%]	1.2%	[0.91% - 1.52%]	1.0%	[0.96% - 1.11%]
% 65+ with 4+ (out of 15) chronic conditions			65.6%	[62.40% - 68.89%]	66.7%	[65.49% - 68.00%]	63.8%	[63.47% - 64.16%]
% 65+ with 0 chronic conditions		W	5.1%	[3.54% - 6.59%]	6.5%	[5.85% - 7.20%]	7.0%	[6.77% - 7.15%]
BEHAVIORAL / MENTAL HEALTH								
% 65+ with opioid use disorder			1.7%	[0.75% - 2.67%]	1.9%	[1.52% - 2.32%]	1.9%	[1.75% - 1.96%]
% 65+ with substance use disorder		B	4.6%	[3.11% - 6.18%]	6.0%	[5.35% - 6.70%]	7.0%	[6.76% - 7.15%]
% 65+ with tobacco use disorder			8.6%	[6.55% - 10.70%]	10.2%	[9.31% - 11.02%]	10.8%	[10.58% - 11.06%]
% 65+ with depression			31.1%	[28.03% - 34.25%]	34.0%	[32.77% - 35.26%]	32.9%	[32.60% - 33.26%]
% 65+ with anxiety disorder			32.8%	[29.40% - 36.12%]	32.5%	[31.24% - 33.83%]	29.8%	[29.48% - 30.17%]
% 65+ with bipolar disorder			3.8%	[2.50% - 5.09%]	4.5%	[3.95% - 5.13%]	4.1%	[3.93% - 4.23%]
% 65+ with post-traumatic stress disorder			2.0%	[0.98% - 3.09%]	1.7%	[1.28% - 2.03%]	1.7%	[1.60% - 1.81%]
% 65+ with schizophrenia & other psychotic disorder	B	B	2.1%	[1.08% - 3.11%]	3.8%	[3.26% - 4.32%]	3.8%	[3.61% - 3.89%]
% 65+ with personality disorder			3.3%	[1.96% - 4.65%]	3.4%	[2.87% - 3.92%]	2.8%	[2.66% - 2.91%]

HEALTHY AGING INDICATORS	HIGHER / LOWER CITY RATE ¹	HIGHER / LOWER STATE RATE ¹	ZIPCODE 02921 ESTIMATE	MARGIN OF ERROR ²	Cranston ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY								
% 65+ with self-reported hearing difficulty			12.1%	[6.58% - 17.68%]	13.2%	[11.04% - 15.32%]	13.9%	[13.26% - 14.57%]
% 65+ with clinical diagnosis of deafness or hearing impairment		W	20.5%	[17.67% - 23.29%]	19.2%	[18.12% - 20.22%]	16.4%	[16.17% - 16.70%]
% 65+ with self-reported vision difficulty	*	B	0.0%	[-2.39% - 2.39%]	4.5%	[3.04% - 6.04%]	5.5%	[5.03% - 5.95%]
% 65+ with clinical diagnosis of blindness or visual impairment			1.1%	[0.86% - 1.42%]	1.1%	[0.86% - 1.42%]	1.1%	[0.98% - 1.13%]
% 65+ with self-reported cognition difficulty			6.7%	[2.02% - 11.42%]	8.6%	[6.63% - 10.63%]	8.2%	[7.63% - 8.74%]
% 65+ with self-reported ambulatory difficulty	*	B	11.6%	[5.27% - 17.89%]	21.5%	[18.33% - 24.74%]	21.0%	[20.21% - 21.76%]
% 65+ with clinical diagnosis of mobility impairment			3.5%	[2.23% - 4.83%]	4.4%	[3.83% - 4.95%]	3.8%	[3.64% - 3.92%]
% 65+ with self-reported self-care difficulty			8.3%	[2.57% - 13.97%]	10.0%	[7.62% - 12.31%]	8.0%	[7.40% - 8.50%]
% 65+ with self-reported independent living difficulty			8.7%	[3.12% - 14.32%]	15.9%	[13.02% - 18.87%]	14.3%	[13.63% - 15.03%]
ACCESS TO CARE / SERVICE UTILIZATION								
% 65+ dually eligible for Medicare and Medicaid	*	*	9.3%	[8.09% - 10.57%]	13.2%	[12.66% - 13.78%]	13.8%	[13.62% - 13.94%]
% 65+ Medicare managed care enrollees			44.6%	[42.47% - 46.70%]	45.9%	[45.07% - 46.70%]	43.8%	[43.55% - 44.00%]
# physician visits per year	*	*	10.0	[9.41 - 10.50]	9.0	[8.77 - 9.21]	8.4	[8.31 - 8.41]
# emergency room visits/1000 persons 65+ years annually			539.3	[454.83 - 623.75]	605.3	[550.81 - 659.84]	620.6	[609.83 - 631.28]
# Part D monthly prescription fills per person annually			51.2	[49.27 - 53.04]	52.2	[51.44 - 52.93]	52.2	[51.99 - 52.42]
# home health visits annually			3.0	[2.23 - 3.78]	3.7	[3.22 - 4.10]	3.5	[3.40 - 3.61]
# durable medical equipment claims annually			1.8	[1.46 - 2.22]	1.8	[1.63 - 1.91]	1.7	[1.69 - 1.76]
# inpatient hospital stays/1000 persons 65+ years annually			268.3	[212.01 - 324.58]	302.2	[280.39 - 323.92]	286.5	[281.04 - 291.96]
% Medicare inpatient hospital readmissions (as % of admissions)			22.7%	[15.57% - 29.92%]	19.8%	[17.47% - 22.11%]	17.4%	[16.81% - 17.98%]
# skilled nursing facility stays/1000 persons 65+ years annually			77.9	[53.83 - 101.96]	103.0	[91.47 - 114.59]	98.8	[95.83 - 101.70]
% 65+ getting Medicaid long term services and supports			3.7%	[2.92% - 4.53%]	4.2%	[3.84% - 4.50%]	4.2%	[4.12% - 4.31%]
% 65+ hospice users			3.2%	[2.35% - 3.96%]	3.4%	[3.04% - 3.67%]	3.5%	[3.45% - 3.63%]
% 65+ hospice users as % of decedents			48.8%	[35.18% - 62.34%]	50.4%	[46.07% - 54.71%]	53.0%	[51.86% - 54.20%]
Median hospice days per hospice user (65+, deceased)			22.0	[12.00 - 30.87]	11.0	[9.00 - 12.72]	11.0	[11.00 - 12.00]
Median hospice payment (Medicare + other) per hospice user			\$5,216	[\$3,958 - \$6,727]	\$4,016	[\$3,373 - \$4,546]	\$3,871	[\$3,743 - \$4,011]

Notes. 1 We use B, W, or * to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, *=rate is different than comparison).

2 All zip code, city, and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu