TUFTS Health Plan FOUNDATION

Orford (Grafton)

Orford is a rural town located in western New Hampshire known for its historic "ridge" homes. There are 234 residents age 65 or older. Compared to state average rates, older residents fared better on some healthy aging indicators with lower rates of tooth loss, high cholesterol, anxiety disorders, post-traumatic stress disorder, schizophrenia and other psychotic disorders, tobacco use disorders, Alzheimer's disease or related dementias, diabetes, stroke, chronic obstructive pulmonary disease, asthma, hypertension, heart attack, ischemic heart disease, congestive heart failure, peripheral vascular disease, osteoarthritis/rheumatoid arthritis, osteoporosis, lung cancer, benign prostatic hyperplasia, anemia, chronic kidney disease, liver diseases, glaucoma, and pressure ulcers. However, they had higher rates of leukemias and lymphomas. They are more likely to take the health promotion steps of meeting the CDC guidelines for aerobic physical activity, getting the recommended hours of sleep, not smoking and having annual dental exams. Community resources to support healthy aging include a home health agency, a senior center, and 2 public libraries.



POPULATION CHARACTERISTICS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	STATE ESTIMATE
Total population all ages		1,504	1,327,503
Population 60 years or older as % of total population		21.9%	22.7%
Total population 60 years or older		330	301,630
Population 65 years or older as % of total population		15.6%	15.8%
Total population 65 years or older		234	210,385
% 65-74 years		53.4%	58.5%
% 75-84 years		32.9%	28.6%
% 85 years or older		13.7%	12.9%
Gender (65+ population)			
% female		47.9%	54.7%
Race/Ethnicity (65+ population)			
% White		93.2%	97.7%
% African American		6.8%	0.5%
% Asian		0.0%	0.9%
% Other		0.0%	0.9%
% Hispanic/Latino		2.1%	0.9%
Marital Status (65+ population)			
% married		59.4%	58.5%
% divorced/separated		14.1%	14.0%
% widowed		20.9%	22.9%
% never married		5.6%	4.6%
Education (65+ population)			
% with less than high school education		16.2%	12.3%
% with high school or some college		42.7%	57.1%
% with college degree		41.0%	30.6%
% of 65+ population living alone		22.6%	26.1%
% of 65+ population who speak only English at home		100.0%	91.3%
% of 65+ population who are veterans of military service		25.6%	24.8%
Age-sex adjusted 1-year mortality rate		3.8%	4.1%
0 (1 (0 ())			54654

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	STATE ESTIMATE
Geographic Migration (65+ population) in the past 12 months			
% moved within same county		0.0%	3.6%
% moved from different county in New Hampshire		0.0%	1.0%
% moved from different state		1.7%	1.7%
WELLNESS & PREVENTION			
% 60+ with any physical activity within last month	В	84.4%	74.5%
% 60+ met CDC guidelines for muscle-strengthening activity		29.9%	26.0%
% 60+ met CDC guidelines for aerobic physical activity	В	69.6%	58.6%
% 60+ met CDC guidelines for both types of physical activities		23.4%	19.9%
% 60+ getting recommended hours of sleep	В	73.6%	66.4%
% 60+ injured in a fall within last 12 months		11.4%	10.4%
% 65+ had hip fracture		3.2%	3.3%
% 60+ with self-reported fair or poor health status		13.9%	16.5%
% 60+ with 15+ physically unhealthy days last month		10.4%	12.5%
% 60+ with physical exam/check-up in past year		80.9%	86.5%
% 60+ met CDC preventive health screening goals		39.7%	40.3%
% 60+ flu shot past year		66.1%	59.3%
% 65+ with pneumonia vaccine		81.0%	77.8%
% 60+ with cholesterol screening		94.5%	95.3%
% 60+ women with a mammogram within last 2 years		70.6%	79.3%
% 60+ with colorectal cancer screening		74.2%	77.0%
% 60+ with HIV test		14.4%	13.5%
% 60+ current smokers	В	3.9%	8.1%
Oral Health			
% 60+ with loss of 6 or more teeth	В	18.5%	29.0%
% 60+ with annual dental exam	В	83.6%	75.7%
# of dentists per 100,000 persons (all ages) (county)		83	72
NUTRITION/DIET			
% 60+ with 5 or more servings of fruit or vegetables per day		25.4%	20.2%
% 60+ self-reported obese	В	19.5%	27.2%
% 65+ clinically diagnosed obese		14.4%	16.7%
% 65+ with high cholesterol	В	59.3%	72.2%
% 60+ excessive drinking		9.8%	9.2%
% 65+ with poor supermarket access		17.4%	28.4%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	STATE ESTIMATE
BEHAVIORAL HEALTH			
% 60+ with 15+ days poor mental health last month		5.0%	6.9%
% 65+ with depression		26.5%	28.8%
% 65+ with anxiety disorders	В	14.7%	21.9%
% 65+ with bipolar disorders		2.5%	3.1%
% 65+ with post-traumatic stress disorder	В	0.7%	1.4%
% 65+ with schizophrenia & other psychotic disorders	В	3.9%	4.9%
% 65+ with personality disorders		0.9%	1.1%
# opioid deaths (all ages) (county)		45	1,279
% 65+ with substance use disorders (drug use +/or alcohol abuse)		6.0%	5.5%
% 65+ with tobacco use disorders	В	6.6%	10.4%
CHRONIC DISEASE			
% 65+ with Alzheimer's disease or related dementias	В	8.4%	12.0%
% 65+ with diabetes	В	21.7%	28.2%
% 65+ with stroke	В	7.4%	10.8%
% 65+ with chronic obstructive pulmonary disease	В	11.3%	20.5%
% 65+ with asthma	В	10.3%	13.0%
% 65+ with hypertension	В	57.4%	70.2%
% 65+ ever had a heart attack	В	3.0%	4.5%
% 65+ with ischemic heart disease	В	23.7%	34.3%
% 65+ with congestive heart failure	В	13.7%	17.7%
% 65+ with atrial fibrillation		13.7%	14.4%
% 65+ with peripheral vascular disease	В	8.2%	14.7%
% 65+ with osteoarthritis/rheumatoid arthritis	В	43.3%	49.1%
% 65+ with osteoporosis	В	13.1%	17.4%
% 65+ with leukemias and lymphomas	W	3.4%	2.0%
% 65+ with lung cancer	В	1.1%	1.6%
% 65+ with colon cancer		2.0%	2.4%
% 65+ women with breast cancer		9.7%	9.8%
% 65+ women with endometrial cancer		1.5%	1.7%
% 65+ men with prostate cancer		11.5%	11.5%
% 65+ with benign prostatic hyperplasia	В	29.5%	36.8%
% 65+ with HIV/AIDS		0.05%	0.05%
% 65+ with hypothyroidism		18.7%	20.8%
% 65+ with anemia	В	30.1%	37.3%
% 65+ with chronic kidney disease	В	13.9%	22.3%
% 65+ with liver diseases	В	4.8%	6.9%
% 65+ with fibromyalgia, chronic pain and fatigue		18.7%	18.6%

% 65+ with epilepsy 1.6% 2.1% % 65+ with traumatic brain injury 1.0% 1.1% % 65+ with traumatic brain injury 1.0% 1.1% % 65+ with qualties spectrum disorders N/A 0.03% % 65+ with glaucoma B 19.6% 22.9% % 65+ with pressure ulcer or chronic ulcer B 5.0% 7.1% % 65+ with pressure ulcer or chronic conditions B 39.6% 54.4% % 65+ with 0 chronic conditions B 39.6% 54.4% % 65+ with 0 chronic conditions B 39.6% 54.4% % 65+ with 0 chronic conditions B 39.6% 54.4% % 65+ with 0 chronic conditions B 14.2% 10.3% LIVING WITH DISABILITY 5.8% 15.0% 51.0% % 65+ with self-reported dependentificulty 15.8% 15.0% % 65+ with self-reported dependentificulty 13.3% 5.2% % 65+ with self-reported ambulatory difficulty 18.8% 65+ with self-reported self-care difficulty 18.8% % 65+ with self-reported self-care difficulty 7.3	HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	STATE ESTIMATE
% 65+ with traumatic brain injury 1.0% 1.1% % 65+ with autism spectrum disorders N/A 0.03% % 65+ with glaucoma B 19.6% 22.9% % 65+ with cataract 59.3% 61.2% % 65+ with pressure ulcer or chronic ulcer B 5.0% 7.1% % 65+ with Qut of 15) chronic conditions B 39.6% 54.4% % 65+ with O chronic conditions B 39.6% 54.4% % 65+ with O chronic conditions B 39.6% 54.4% % 65+ with D chronic conditions B 39.6% 54.4% % 65+ with D chronic conditions B 39.6% 54.4% % 65+ with D chronic conditions B 31.2% 10.3% LVINIG WITH DISABILITY 15.8% 15.0% % 65+ with D chronic diagnosis of deafness or hearing impairment 16.9% 14.4% % 65+ with clinical diagnosis of diagnosis or visual impairment 0.6% 65+ with self-reported cognition difficulty 18.8% 18.8% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% 18.8%	% 65+ with migraine and other chronic headache		4.4%	4.0%
% 65+ with autism spectrum disorders N/A 0.03% % 65+ with glaucoma B 19.6% 22.9% % 65+ with plaucoma B 19.6% 22.9% % 65+ with pressure ulcer or chronic ulcer B 5.0% 7.1% % 65+ with pressure ulcer or chronic conditions B 39.6% 54.4% % 65+ with (out of 15) chronic conditions B 39.6% 54.4% % 65+ with ochronic conditions B 14.2% 10.3% LIVING WITH DISABILITY 15.8% 15.0% % 65+ with self-reported hearing difficulty 15.8% 15.0% % 65+ with self-reported hearing difficulty 1.3% 5.2% % 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported self-care difficulty 7.6% 7.6% % 65+ with self-reported independent living difficulty 7.6% 7.9% % 65+ with self-reported self-care and Medicaid 3.3% 7.5%	% 65+ with epilepsy		1.6%	2.1%
% 65+ with glaucoma B 19.6% 22.9% % 65+ with cataract 59.3% 61.2% % 65+ with pressure ulcer or chronic ulcer B 5.0% 7.1% % 65+ with 4+ (out of 15) chronic conditions B 39.6% 54.4% % 65+ with 0 chronic conditions B 14.2% 10.3% LIVING WITH DISABILITY 8 65+ with self-reported hearing difficulty 15.8% 15.0% % 65+ with self-reported hearing difficulty 15.8% 15.0% 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with clinical diagnosis of blindness or visual impairment 0.6% 0.9% % 65+ with clinical diagnosis of blindness or visual impairment 0.6% 0.9% % 65+ with self-reported cognition difficulty 18.8% 18.8% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported independent living difficulty 7.6% 7.9% % 65+ with self-reported ambulatory difficulty 7.6% 7.9% % 65+ with self-reported ambulat	% 65+ with traumatic brain injury		1.0%	1.1%
% 65+ with cataract 59.3% 61.2% % 65+ with pressure ulcer or chronic ulcer B 5.0% 7.1% % 65+ with pressure ulcer or chronic conditions B 39.6% 54.4% % 65+ with 9 chronic conditions B 39.6% 54.4% % 65+ with 0 chronic conditions B 14.2% 10.3% LIVING WITH DISABILITY % 65+ with self-reported hearing difficulty 15.8% 15.0% % 65+ with clinical diagnosis of deafness or hearing impairment 16.9% 14.4% % 65+ with clinical diagnosis of blindness or visual impairment 0.6% 0.9% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported ambulatory difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) 7.6% 7.9% % Medicare managed care enrollees 7.6% <	% 65+ with autism spectrum disorders		N/A	0.03%
% 65+ with pressure ulcer or chronic ulcer B 5.0% 7.1% % 65+ with 4+ (out of 15) chronic conditions B 39.6% 54.4% % 65+ with 0 chronic conditions B 14.2% 10.3% LIVING WITH DISABILITY *** *** 15.8% 15.0% % 65+ with self-reported hearing difficulty 15.8% 15.0% 44.4% % 65+ with clinical diagnosis of deafness or hearing impairment 16.9% 14.4% % 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE *** *** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** <	% 65+ with glaucoma	В	19.6%	22.9%
% 65+ with 4+ (out of 15) chronic conditions B 39.6% 54.4% % 65+ with 0 chronic conditions B 14.2% 10.3% LIVING WITH DISABILITY % 65+ with self-reported hearing difficulty 15.8% 15.0% % 65+ with clinical diagnosis of deafness or hearing impairment 16.9% 14.4% % 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported diagnosis of mobility impairments 2.6% 3.2% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of nursing homes with	% 65+ with cataract		59.3%	61.2%
% 65+ with 0 chronic conditions B 14.2% 10.3% LIVING WITH DISABILITY 65+ with self-reported hearing difficulty 15.8% 15.0% % 65+ with clinical diagnosis of deafness or hearing impairment 16.9% 14.4% % 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with self-reported vision difficulty 9.4% 6.9% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Access TO CARE Medicare (65+ population) 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% % 60+ who did not see doctor when needed due to cost 3.8 5.4% <td>% 65+ with pressure ulcer or chronic ulcer</td> <td>В</td> <td>5.0%</td> <td>7.1%</td>	% 65+ with pressure ulcer or chronic ulcer	В	5.0%	7.1%
LIVING WITH DISABILITY % 65+ with self-reported hearing difficulty 15.8% 15.0% % 65+ with clinical diagnosis of deafness or hearing impairment 16.9% 14.4% % 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with clinical diagnosis of blindness or visual impairment 0.6% 0.9% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with clinical diagnosis of mobility impairments 2.6% 3.2% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) % Medicare managed care enrollees 7.6% 7.9% % doully eligible for Medicare and Medicaid 3.3% 7.5% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of nursing homes within 5 miles 0 2.961 # of home health agencies <	% 65+ with 4+ (out of 15) chronic conditions	В	39.6%	54.4%
% 65+ with self-reported hearing difficulty 15.8% 15.0% % 65+ with clinical diagnosis of deafness or hearing impairment 16.9% 14.4% % 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with clinical diagnosis of blindness or visual impairment 0.6% 0.9% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with self-reported ambulatory difficulty 4.7% 5.6% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 2,961 # of home health agencies 1 49 # of community health centers 0<	% 65+ with 0 chronic conditions	В	14.2%	10.3%
% 65+ with clinical diagnosis of deafness or hearing impairment 16.9% 14.4% % 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with clinical diagnosis of blindness or visual impairment 0.6% 0.9% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with clinical diagnosis of mobility impairments 2.6% 3.2% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) 7.6% 7.9% % dually eligible for Medicare and Medicaid 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of nursing homes within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of ommunity health centers 0 22 # of adult day health centers 0 21	LIVING WITH DISABILITY			
% 65+ with self-reported vision difficulty 1.3% 5.2% % 65+ with clinical diagnosis of blindness or visual impairment 0.6% 0.9% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with clinical diagnosis of mobility impairments 2.6% 3.2% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) 7.6% 7.9% % dually eligible for Medicare and Medicaid 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of nursing homes within 5 miles 0 26 # of nursing homes within 5 miles 0 26 # of onomunity health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% 65+ with self-reported hearing difficulty		15.8%	15.0%
% 65+ with clinical diagnosis of blindness or visual impairment 0.6% 0.9% % 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with clinical diagnosis of mobility impairments 2.6% 3.2% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) * 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 21 # of memory cafes 0 12	% 65+ with clinical diagnosis of deafness or hearing impairment		16.9%	14.4%
% 65+ with self-reported cognition difficulty 9.4% 6.9% % 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with clinical diagnosis of mobility impairments 2.6% 3.2% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) * 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 2,961 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% 65+ with self-reported vision difficulty		1.3%	5.2%
% 65+ with self-reported ambulatory difficulty 18.8% 18.8% % 65+ with clinical diagnosis of mobility impairments 2.6% 3.2% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) * 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of adult day health centers 0 21 # of memory cafes 0 12	% 65+ with clinical diagnosis of blindness or visual impairment		0.6%	0.9%
% 65+ with clinical diagnosis of mobility impairments 2.6% 3.2% % 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) * * 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% 65+ with self-reported cognition difficulty		9.4%	6.9%
% 65+ with self-reported self-care difficulty 4.7% 5.6% % 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) * 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% 65+ with self-reported ambulatory difficulty		18.8%	18.8%
% 65+ with self-reported independent living difficulty 7.3% 11.3% ACCESS TO CARE Medicare (65+ population) * * 7.6% 7.9% % Medicare managed care enrollees 7.6% 7.9% * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% * 5.4% * 5.4% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% * * 2.961 # of primary care providers within 5 miles 0 2,961 * * 26 # of nursing homes within 5 miles 0 74 * * 49 # of home health agencies 1 49 * * * 22 # of adult day health centers 0 21 * * * 21 # of memory cafes 0 12 * * * * *	% 65+ with clinical diagnosis of mobility impairments		2.6%	3.2%
ACCESS TO CARE Medicare (65+ population) % Medicare managed care enrollees 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% 65+ with self-reported self-care difficulty		4.7%	5.6%
Medicare (65+ population) 7.6% 7.9% % Medicare managed care enrollees 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% 65+ with self-reported independent living difficulty		7.3%	11.3%
% Medicare managed care enrollees 7.6% 7.9% % dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	ACCESS TO CARE			
% dually eligible for Medicare and Medicaid * 3.3% 7.5% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	Medicare (65+ population)			
% dually eligible for Medicare and Medicard 3.3% 7.3% % 60+ with a regular doctor 94.4% 95.8% % 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% Medicare managed care enrollees		7.6%	7.9%
% 60+ who did not see doctor when needed due to cost 3.8% 5.4% # of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% dually eligible for Medicare and Medicaid	*	3.3%	7.5%
# of primary care providers within 5 miles 0 2,961 # of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% 60+ with a regular doctor		94.4%	95.8%
# of hospitals within 5 miles 0 26 # of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	% 60+ who did not see doctor when needed due to cost		3.8%	5.4%
# of nursing homes within 5 miles 0 74 # of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	# of primary care providers within 5 miles		0	2,961
# of home health agencies 1 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	# of hospitals within 5 miles		0	26
# of community health centers022# of adult day health centers021# of memory cafes012	# of nursing homes within 5 miles		0	74
# of adult day health centers # of memory cafes 0 21 # of memory cafes	# of home health agencies		1	49
# of memory cafes 0 12	# of community health centers		0	22
	# of adult day health centers		0	21
# of dementia-related support groups 0 14	# of memory cafes		0	12
	# of dementia-related support groups		0	14

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	STATE ESTIMATE
SERVICE UTILIZATION			
Physician visits per year	*	5.1	6.3
Emergency room visits/1000 persons 65+ years per year	*	386	572
Part D monthly prescription fills per person per year	*	41.4	49.1
Home health visits per year	*	1.7	2.5
Durable medical equipment claims per year	*	1.6	2.0
Inpatient hospital stays/1000 persons 65+ years per year	*	179	237
Medicare inpatient hospital readmissions (as % of admissions)		12.8%	15.8%
# skilled nursing facility stays/1000 persons 65+ years per year	*	49	76
# skilled nursing home Medicare beds/1000 persons 65+ years		0	33
% 65+ getting Medicaid long term services and supports	*	1.4%	3.7%
COMMUNITY VARIABLES & CIVIC ENGAGEMENT			
AARP Age-Friendly efforts in community		Not yet	Yes
# of senior centers		1	44
Air pollution: annual # of unhealthy days for 65+ (county)		0	N/A
% of grandparents raising grandchildren		1.5%	0.8%
% of grandparents who live with grandchildren		3.0%	2.5%
# of assisted living sites		0	134
% of vacant homes in community		17.6%	16.0%
# of universities and community colleges		0	41
# of public libraries		2	234
# of YMCAs		0	12
% in county with access to broadband (all ages)		89.0%	93.0%
% 60+ who used Internet in last month		84.8%	77.6%
Voter participation rate in 2018 election (age 18+)		51.6%	54.7%
SAFETY & TRANSPORTATION			
Violent crime rate /100,000 persons		0	207
Homicide rate /100,000 persons (county)		2	1
# firearm fatalities (county)		40	586
Property crime rate /100,000 persons		323	2,012
% 65+ who own a motor vehicle		98.5%	91.0%
% 60+ who always drive wearing a seatbelt		82.9%	77.1%
# of fatal crashes involving adult age 60+/town		0	151
# of fatal crashes involving adult age 60+/county		17	151

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	STATE ESTIMATE
ECONOMIC & HOUSING VARIABLES			
% 65+ with income below the poverty line past year		7.3%	5.4%
% 60+ receiving food stamps past year		1.8%	5.7%
% 65+ employed past year		20.1%	24.8%
Household income (65+ householder)			
% households with annual income < \$20,000		10.7%	18.2%
% households with annual income \$20,000-\$49,999		32.1%	36.5%
% households with annual income > \$50,000		57.3%	45.3%
% 60+ own home		87.4%	79.9%
% 60+ have mortgage on home		29.1%	35.3%
% 65+ households spend >35% of income on housing (renter)		0.0%	8.7%
% 65+ households spend >35% of income on housing (owner)		25.2%	21.2%
COST OF LIVING	\$ COUNTY ESTIMATE	\$ STATE ESTIMATE	RATIO (COUNTY/STATE)
Elder Economic Security Standard Index			
Single, homeowner without mortgage, good health	\$23,496	\$25,284	0.93
Single, renter, good health	\$26,592	\$26,400	1.01
Couple, homeowner without mortgage, good health	\$35,436	\$37,128	0.95
Couple, renter, good health	\$38,532	\$38,244	1.01

TECHNICAL NOTES

*See our technical report (online at https://healthyagingdatareports.org/) for more information on data sources, measures, methodology, and margin of errors. For most indicators the reported community and state values are both estimates derived from sample data. Thus, it is possible that some of the differences between state and community estimates may be due to chance associated with population sampling. We use the terms "better" and "worse" to highlight differences between community and state estimates that we are confident are <u>not</u> due to chance. "Better" is used where a higher/lower value has positive implications for the health of older residents. "Worse" is used where a higher/lower score has negative implications for the health of older people, and when the implication is unclear, we use an *. We balance two goals. First, we aim to report data at very local levels because we believe change is often locally driven. Second, we vowed to protect the privacy of the people providing the information reported. Thus, given the constraints of the data analyzed we used a hierarchical approach to reporting. When possible we report estimates for 244 geographic units (i.e., every NH city/town and 5 Manchester neighborhoods, 4 Nashua neighborhoods). For example, the population characteristics were reported for all 244 units. For other data (i.e., highly prevalent chronic disease, health services utilization) we could report for 154 geographic units. For less prevalent conditions we report for 69 geographic units. For the BRFSS data we report for 28 geographic units, and for the lowest prevalence conditions (e.g., HIV) we report for 4 geographic units. The same estimate is reported for all cities/towns within aggregated geographic areas. Maps of the different geographic groupings and the rationale behind the groupings are in the Technical Report.

Data Sources:

- Population Characteristics: The U.S. Census Bureau (American Community Survey 2012-2016).
- Wellness & Prevention: The Behavioral Risk Factor Surveillance System (2011-2016).
- Nutrition/Diet: BRFSS (2011-2016), CMS (2014-2015), and the U.S. Department of Agriculture Food Atlas (2017).
- Behavioral Health: BRFSS (2011-2016), CMS (2014-2015), CDC Wonder website (2014-2016).
- Chronic Disease: The Master Beneficiary Summary File ABCD/Other from CMS (2014-2015).
- Disability: CMS (2014-2015) for the clinical measures, and ACS (2012-2016) for the self-reported disability.
- Access to Care: BRFSS (2011-2016), CMS (2015), Medicare.gov (June-July 2018), the NH Division of Public Health Services (2018), National Adult Day Services Association (2018), memorycaredirectory.com (2018), and the Alzheimer's Association (July 2018).
- Service Utilization: CMS (2015), and Medicare Nursing Home Compare (December 2018).
- Community & Civic Engagement: AARP (2018 update; https://www.aarp.org/livable-communities/network-age-friendly-communities/info-2014/member-list.html), the Aging & Disability Resource Center, U.S. Environmental Protection Agency Air Compare (2016), assistedlivingfacilities.org, ACS (2012-2016), the NH Department of Business and Economic Affairs Division of Travel and Tourism Development (August 2018), NH YMCA (July 2018), the Federal Communications Commission (2016), BRFSS (2011-2016), and the NH Secretary of State.
- Safety & Transportation: U.S. Department of Justice Federal Bureau of Investigation (August 2017), the County Health Rankings (2018), BRFSS (2011-2016), ACS (2012-2016), and the National Highway Traffic Safety Administration (2011-2015).
- Economic & Housing, Cost of Living: ACS (2012-2016) and the Center for Social and Demographic Research on Aging at the University of Massachusetts Boston (August 2017).

<u>Healthy Aging Data Report Team.</u> Many people contributed to this research. The 2018 research team: Beth Dugan PhD, Frank Porell PhD, Nina Silverstein PhD, Chae Man Lee PhD, ShuangShuang Wang PhD, Bon Kim, Natalie Pitheckoff, Haowei Wang, Sae Hwang Han, Richard Chunga, & Shiva Prisad from the Gerontology Institute in the McCormack Graduate School of Policy and Global Studies at the University of Massachusetts Boston. The Tufts Health Plan Foundation supported the research and provided important guidance. Our Advisory Committees helped to make the Data Report best address the needs of New Hampshire. We thank JSI for their continued partnership. Questions? Beth.dugan@umb.edu Update: 05/2019