

## **Bedford (Hillsborough)**

Bedford is an urban town and suburb of Manchester, located in Hillsborough County. There are 3,390 residents age 65 or older. Compared to state average rates, older residents fared better on some healthy aging indicators with lower rates of tooth loss, obesity, tobacco use disorders, diabetes, and chronic obstructive pulmonary disease. However, they had higher rates of hip fracture, high cholesterol, anxiety and bipolar disorders, schizophrenia and other psychotic disorders, Alzheimer's disease or related dementias, stroke asthma, osteoarthritis/rheumatoid arthritis, osteoporosis, prostate cancer, benign prostatic hyperplasia, hypothyroidism, anemia, and glaucoma. Community resources to support healthy aging include a hospital and 3 nursing homes within 5 miles, 10 home health agencies, a memory cafe, a dementia support group, 3 assisted living sites, and a public library.



POPULATION CHARACTERISTICS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
Total population all ages		21,879	1,327,503
Population 60 years or older as % of total population		23.1%	22.7%
Total population 60 years or older		5,047	301,630
Population 65 years or older as % of total population		15.5%	15.8%
Total population 65 years or older		3,390	210,385
% 65-74 years		52.8%	58.5%
% 75-84 years		27.9%	28.6%
% 85 years or older		19.3%	12.9%
Gender (65+ population)			
% female		57.6%	54.7%
Race/Ethnicity (65+ population)			
% White		96.7%	97.7%
% African American		0.0%	0.5%
% Asian		3.2%	0.9%
% Other		0.1%	0.9%
% Hispanic/Latino		0.0%	0.9%
Marital Status (65+ population)			
% married		57.1%	58.5%
% divorced/separated		9.0%	14.0%
% widowed		31.5%	22.9%
% never married		2.4%	4.6%
Education (65+ population)			
% with less than high school education		11.0%	12.3%
% with high school or some college		48.2%	57.1%
% with college degree		40.8%	30.6%
% of 65+ population living alone		26.2%	26.1%
% of 65+ population who speak only English at home		89.9%	91.3%
% of 65+ population who are veterans of military service		19.6%	24.8%
Age-sex adjusted 1-year mortality rate		4.2%	4.1%
Rodford (Hillshorough)			DACE 1

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
Geographic Migration (65+ population) in the past 12 months			
% moved within same county		6.7%	3.6%
% moved from different county in New Hampshire		0.8%	1.0%
% moved from different state		1.2%	1.7%
WELLNESS & PREVENTION			
% 60+ with any physical activity within last month		72.8%	74.5%
% 60+ met CDC guidelines for muscle-strengthening activity		21.3%	26.0%
% 60+ met CDC guidelines for aerobic physical activity		58.6%	58.6%
% 60+ met CDC guidelines for both types of physical activities		16.9%	19.9%
% 60+ getting recommended hours of sleep		66.9%	66.4%
% 60+ injured in a fall within last 12 months		7.6%	10.4%
% 65+ had hip fracture	W	4.3%	3.3%
% 60+ with self-reported fair or poor health status		14.5%	16.5%
% 60+ with 15+ physically unhealthy days last month		14.3%	12.5%
% 60+ with physical exam/check-up in past year		88.6%	86.5%
% 60+ met CDC preventive health screening goals		38.5%	40.3%
% 60+ flu shot past year		55.0%	59.3%
% 65+ with pneumonia vaccine		72.9%	77.8%
% 60+ with cholesterol screening		95.4%	95.3%
% 60+ women with a mammogram within last 2 years		85.5%	79.3%
% 60+ with colorectal cancer screening		78.1%	77.0%
% 60+ with HIV test		14.4%	13.5%
% 60+ current smokers		6.2%	8.1%
Oral Health			
% 60+ with loss of 6 or more teeth	В	22.2%	29.0%
% 60+ with annual dental exam		80.9%	75.7%
# of dentists per 100,000 persons (all ages) (county)		77	72
NUTRITION/DIET			
% 60+ with 5 or more servings of fruit or vegetables per day		24.1%	20.2%
% 60+ self-reported obese		24.2%	27.2%
% 65+ clinically diagnosed obese	В	14.9%	16.7%
% 65+ with high cholesterol	W	75.6%	72.2%
% 60+ excessive drinking		9.4%	9.2%
% 65+ with poor supermarket access		34.0%	28.4%

HEALTHY AGING INDICATORS	BETTER / WORSE	COMMUNITY	STATE
	STATE RATE <sup>1</sup>	ESTIMATE	ESTIMATE
BEHAVIORAL HEALTH		7.00/	0.00/
% 60+ with 15+ days poor mental health last month		7.0%	6.9%
% 65+ with depression		30.4%	28.8%
% 65+ with anxiety disorders	W	24.0%	21.9%
% 65+ with bipolar disorders	W	4.4%	3.1%
% 65+ with post-traumatic stress disorder		1.0%	1.4%
% 65+ with schizophrenia & other psychotic disorders	W	7.6%	4.9%
% 65+ with personality disorders		1.2%	1.1%
# opioid deaths (all ages) (county)		491	1,279
% 65+ with substance use disorders (drug use +/or alcohol abuse)		5.8%	5.5%
% 65+ with tobacco use disorders	В	7.3%	10.4%
CHRONIC DISEASE			
% 65+ with Alzheimer's disease or related dementias	W	14.5%	12.0%
% 65+ with diabetes	В	24.9%	28.2%
% 65+ with stroke	W	13.3%	10.8%
% 65+ with chronic obstructive pulmonary disease	В	18.3%	20.5%
% 65+ with asthma	W	14.7%	13.0%
% 65+ with hypertension		68.3%	70.2%
% 65+ ever had a heart attack		4.0%	4.5%
% 65+ with ischemic heart disease		34.6%	34.3%
% 65+ with congestive heart failure		18.0%	17.7%
% 65+ with atrial fibrillation		15.9%	14.4%
% 65+ with peripheral vascular disease		15.3%	14.7%
% 65+ with osteoarthritis/rheumatoid arthritis	W	56.1%	49.1%
% 65+ with osteoporosis	W	21.0%	17.4%
% 65+ with leukemias and lymphomas		2.4%	2.0%
% 65+ with lung cancer		1.7%	1.6%
% 65+ with colon cancer		2.6%	2.4%
% 65+ women with breast cancer		10.3%	9.8%
% 65+ women with endometrial cancer		1.4%	1.7%
% 65+ men with prostate cancer	W	14.5%	11.5%
% 65+ with benign prostatic hyperplasia	W	41.2%	36.8%
% 65+ with HIV/AIDS		0.07%	0.05%
% 65+ with hypothyroidism	W	26.2%	20.8%
% 65+ with anemia	W	40.7%	37.3%
% 65+ with chronic kidney disease	* *	22.7%	22.3%
% 65+ with liver diseases		7.6%	6.9%
% 65+ with fibromyalgia, chronic pain and fatigue		19.3%	18.6%
70 00+ with horomyalyia, chilonic pain and fatigue		13.3/0	10.0%

% 65+ with epilepsy         2.3%         2.1%           % 65+ with traumatic brain injury         1.4%         1.1%           % 65+ with autism spectrum disorders         N/A         0.03%           % 65+ with glaucoma         W         27.3%         22.9%           % 65+ with pressure ulcer or chronic ulcer         7.4%         7.1%           % 65+ with pressure ulcer or chronic conditions         W         8.5%         54.4%           % 65+ with 4+ (out of 15) chronic conditions         W         8.5%         10.3%           LIVING WITH DISABILITY         12.9%         15.0%           % 65+ with self-reported hearing difficulty         12.9%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         15.7%         14.4%           % 65+ with clinical diagnosis of blindness or visual impairment         1.0%         0.9%           % 65+ with self-reported cognition difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         15.1%         18.8%           % 65+ with self-reported self-care difficulty         3.6%         6.9%           % 65+ with self-reported self-care difficulty         3.7%         6.5%           % 65+ with self-reported self-care difficulty         3.7%         6.5%           %	HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
% 65+ with traumatic brain injury         1.4%         1.1%           % 65+ with autism spectrum disorders         N/A         0.03%           % 65+ with glaucoma         W         27.3%         22.9%           % 65+ with cataract         63.1%         61.2%           % 65+ with cataract         7.4%         7.1%           % 65+ with cataract         7.4%         7.1%           % 65+ with Quit of 15) chronic conditions         W         8.5%         10.3%           LIVING WITH DISABILITY         W         8.5%         10.3%           LIVING WITH DISABILITY         12.9%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         15.7%         14.4%           % 65+ with clinical diagnosis of deafness or hearing impairment         15.7%         15.0%           % 65+ with self-reported vision difficulty         3.0%         5.2%           % 65+ with self-reported cognition difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         15.1%         18.8%           % 65+ with self-reported ambulatory difficulty         15.1%         18.8%           % 65+ with self-reported ambulatory difficulty         3.9%         3.2%           % 65+ with self-reported independent living difficulty         3	% 65+ with migraine and other chronic headache		4.1%	4.0%
% 65+ with autism spectrum disorders         N/A         0.03%           % 65+ with glaucoma         W         27.3%         22.9%           % 65+ with plaucoma         W         27.3%         22.9%           % 65+ with pressure ulcer or chronic ulcer         7.4%         7.1%           % 65+ with pressure ulcer or chronic conditions         W         8.5%         54.4%           % 65+ with (out of 15) chronic conditions         W         8.5%         10.3%           LVINING WITH DISABILITY           % 65+ with self-reported hearing difficulty         12.9%         15.0%           % 65+ with self-reported hearing difficulty         3.0%         5.2%           % 65+ with self-reported vision difficulty         3.0%         5.2%           % 65+ with self-reported ambulatory difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         4.1%         5.6%           % 65+ with self-reported ambulatory difficulty         3.9%         3.2%           % 65+ with self-reported ambulatory difficulty         4.1%         5.6%           % 65+ with self-reported independent living difficulty         3.0%         3.2%           % 65+ with self-reported ambulatory	% 65+ with epilepsy		2.3%	2.1%
% 65+ with glaucoma         W         27.3%         22.9%           % 65+ with cataract         63.1%         61.2%           % 65+ with pressure ulcer or chronic ulcer         7.4%         7.1%           % 65+ with 4+ (out of 15) chronic conditions         W         8.5%         54.4%           % 65+ with 0 chronic conditions         W         8.5%         10.3%           LIVING WITH DISABILITY         ***         65+ with self-reported hearing difficulty         12.9%         15.0%           % 65+ with self-reported hearing difficulty         3.0%         5.2%           % 65+ with clinical diagnosis of deafness or hearing impairment         15.7%         14.4%           % 65+ with clinical diagnosis of blindness or visual impairment         1.0%         0.9%           % 65+ with self-reported cognition difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         15.1%         18.8%           % 65+ with self-reported ambulatory difficulty         3.9%         3.2%           % 65+ with self-reported independent living difficulty         4.1%         5.6%           % 65+ with self-reported independent living difficulty         3.9%         3.2%           % 65+ with self-reported independent living difficulty         4.1%         5.6%           % 65+ with sel	% 65+ with traumatic brain injury		1.4%	1.1%
% 65+ with cataract         63.1%         61.2%           % 65+ with pressure ulcer or chronic ulcer         7.4%         7.1%           % 65+ with pressure ulcer or chronic conditions         54.9%         54.4%           % 65+ with 9 chronic conditions         W         8.5%         10.3%           LIVING WITH DISABILITY           % 65+ with self-reported hearing difficulty         12.9%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         15.7%         14.4%           % 65+ with clinical diagnosis of blindness or visual impairment         1.0%         0.9%           % 65+ with self-reported vision difficulty         3.6%         6.9%           % 65+ with self-reported organition difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         4.1%         5.6%           % 65+ with self-reported self-care difficulty         4.1%         5.6%           % 65+ with self-reported ambulatory difficulty         4.1%         5.6%           % 65+ with self-reported ambulatory difficulty         4.1%         5.6%           % 65+ with self-reported self-care difficulty         4.1%         5.6%           % 65+ with self-reported self-care diff	% 65+ with autism spectrum disorders		N/A	0.03%
% 65+ with pressure ulcer or chronic ulcer         7.4%         7.1%           % 65+ with 4+ (out of 15) chronic conditions         54.9%         54.4%           % 65+ with 0 chronic conditions         W         8.5%         10.3%           LIVING WITH DISABILITY           % 65+ with self-reported hearing difficulty         12.9%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         15.7%         14.4%           % 65+ with self-reported vision difficulty         3.0%         5.2%           % 65+ with self-reported origination difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         15.1%         18.8%           % 65+ with self-reported ambulatory difficulty         3.9%         3.2%           % 65+ with self-reported self-care difficulty         4.1%         5.6%           % 65+ with self-reported self-care difficulty         4.1%         5.6%           % 65+ with self-reported mobility impairments         3.9%         3.2%           % 65+ with self-reported mell-care difficulty         4.1%         5.6%           % 65+ with self-reported self-care difficulty         4.1%         5.6%           % 65+ with self-reported self-care difficulty         7.9%         7.9%           % Medicare (65+ population)	% 65+ with glaucoma	W	27.3%	22.9%
% 65+ with 4+ (out of 15) chronic conditions       54.9%       54.4%         % 65+ with 0 chronic conditions       W       8.5%       10.3%         LIVING WITH DISABILITY         % 65+ with self-reported hearing difficulty       12.9%       15.0%         % 65+ with clinical diagnosis of deafness or hearing impairment       15.7%       14.4%         % 65+ with self-reported vision difficulty       3.0%       5.2%         % 65+ with clinical diagnosis of blindness or visual impairment       1.0%       0.9%         % 65+ with self-reported cognition difficulty       3.6%       6.9%         % 65+ with self-reported ambulatory difficulty       15.1%       18.8%         % 65+ with self-reported ambulatory difficulty       3.9%       3.2%         % 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)       7.9%       7.9%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         % 60+ who did not see doctor when needed due to cost<	% 65+ with cataract		63.1%	61.2%
% 65+ with 0 chronic conditions         W         8.5%         10.3%           LIVING WITH DISABILITY         12.9%         15.0%           % 65+ with self-reported hearing difficulty         12.9%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         15.7%         14.4%           % 65+ with self-reported vision difficulty         3.0%         5.2%           % 65+ with clinical diagnosis of blindness or visual impairment         1.0%         0.9%           % 65+ with self-reported cognition difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         15.1%         18.8%           % 65+ with self-reported ambulatory difficulty         3.9%         3.2%           % 65+ with self-reported self-care difficulty         4.1%         5.6%           % 65+ with self-reported independent living difficulty         9.3%         11.3%           ACCESS TO CARE         Medicare (65+ population)         7.9%         7.9%           % Medicare managed care enrollees         7.9%         7.9%           % 60+ with a regular doctor         96.4%         95.8%           % 60+ who did not see doctor when needed due to cost         4.5%         5.4%           % 60+ who did not see doctor when needed due to cost         4.5%         5.4% </td <td>% 65+ with pressure ulcer or chronic ulcer</td> <td></td> <td>7.4%</td> <td>7.1%</td>	% 65+ with pressure ulcer or chronic ulcer		7.4%	7.1%
LIVING WITH DISABILITY           % 65+ with self-reported hearing difficulty         12.9%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         15.7%         14.4%           % 65+ with self-reported vision difficulty         3.0%         5.2%           % 65+ with clinical diagnosis of blindness or visual impairment         1.0%         0.9%           % 65+ with self-reported cognition difficulty         3.6%         6.9%           % 65+ with self-reported ambulatory difficulty         15.1%         18.8%           % 65+ with clinical diagnosis of mobility impairments         3.9%         3.2%           % 65+ with self-reported self-care difficulty         4.1%         5.6%           % 65+ with self-reported independent living difficulty         9.3%         11.3%           ACCESS TO CARE         Medicare (65+ population)           % Medicare managed care enrollees         7.9%         7.9%           % 60+ with a regular doctor         96.4%         95.8%           % 60+ who did not see doctor when needed due to cost         4.5%         5.4%           % 60+ who did not see doctor when needed due to cost         4.5%         5.4%           # of inursing homes within 5 miles         1         26           # of inursing homes within 5 miles         3 <td>% 65+ with 4+ (out of 15) chronic conditions</td> <td></td> <td>54.9%</td> <td>54.4%</td>	% 65+ with 4+ (out of 15) chronic conditions		54.9%	54.4%
% 65+ with self-reported hearing difficulty       12.9%       15.0%         % 65+ with clinical diagnosis of deafness or hearing impairment       15.7%       14.4%         % 65+ with self-reported vision difficulty       3.0%       5.2%         % 65+ with clinical diagnosis of blindness or visual impairment       1.0%       0.9%         % 65+ with self-reported cognition difficulty       3.6%       6.9%         % 65+ with self-reported ambulatory difficulty       15.1%       18.8%         % 65+ with clinical diagnosis of mobility impairments       3.9%       3.2%         % 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare managed care enrollees       7.9%       7.9%         % doually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       45         # of adult day health centers	% 65+ with 0 chronic conditions	W	8.5%	10.3%
% 65+ with clinical diagnosis of deafness or hearing impairment       15.7%       14.4%         % 65+ with self-reported vision difficulty       3.0%       5.2%         % 65+ with clinical diagnosis of blindness or visual impairment       1.0%       0.9%         % 65+ with self-reported cognition difficulty       3.6%       6.9%         % 65+ with self-reported ambulatory difficulty       15.1%       18.8%         % 65+ with clinical diagnosis of mobility impairments       3.9%       3.2%         % 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)       7.9%       7.9%         % dually eligible for Medicare and Medicaid       7.9%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of nome health agencies       10       45         # of community health centers       0       22         # of memory cafes       1       1   <	LIVING WITH DISABILITY			
% 65+ with self-reported vision difficulty       3.0%       5.2%         % 65+ with clinical diagnosis of blindness or visual impairment       1.0%       0.9%         % 65+ with self-reported cognition difficulty       3.6%       6.9%         % 65+ with self-reported ambulatory difficulty       15.1%       18.8%         % 65+ with clinical diagnosis of mobility impairments       3.9%       3.2%         % 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)       *       7.9%       7.9%         % Medicare managed care enrollees       7.9%       7.9%         % doubly eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2.96         # of hospitals within 5 miles       3       7.4         # of nursing homes within 5 miles       1       26         # of nome health agencies       10       45         # of adult day health centers       0       21	% 65+ with self-reported hearing difficulty		12.9%	15.0%
% 65+ with clinical diagnosis of blindness or visual impairment       1.0%       0.9%         % 65+ with self-reported cognition difficulty       3.6%       6.9%         % 65+ with self-reported ambulatory difficulty       15.1%       18.8%         % 65+ with clinical diagnosis of mobility impairments       3.9%       3.2%         % 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)       Valually eligible for Medicare and Medicaid       7.9%       7.9%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2.96         # of nursing homes within 5 miles       3       7.4         # of nursing homes within 5 miles       1       26         # of nomenory cafes       10       45         # of adult day health centers       0       22         # of memory cafes       1       1           * of memory cafes       1       1	% 65+ with clinical diagnosis of deafness or hearing impairment		15.7%	14.4%
% 65+ with self-reported cognition difficulty       3.6%       6.9%         % 65+ with self-reported ambulatory difficulty       15.1%       18.8%         % 65+ with clinical diagnosis of mobility impairments       3.9%       3.2%         % 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)       *       7.9%       7.9%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2,96         # of nursing homes within 5 miles       3       7.4         # of now health agencies       10       45         # of community health centers       0       22         # of adult day health centers       0       25         # of memory cafes       1       1	% 65+ with self-reported vision difficulty		3.0%	5.2%
% 65+ with self-reported ambulatory difficulty       15.1%       18.8%         % 65+ with clinical diagnosis of mobility impairments       3.9%       3.2%         % 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)       *       6.3%       7.5%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2,96°         # of nursing homes within 5 miles       1       26°         # of nursing homes within 5 miles       3       72°         # of nomunity health centers       0       22°         # of adult day health centers       0       22°         # of memory cafes       1       1	% 65+ with clinical diagnosis of blindness or visual impairment		1.0%	0.9%
% 65+ with clinical diagnosis of mobility impairments       3.9%       3.2%         % 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)       *       7.9%       7.9%         % Medicare managed care enrollees       7.9%       7.9%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2.96         # of hospitals within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       49         # of community health centers       0       24         # of adult day health centers       0       24         # of memory cafes       1       1	% 65+ with self-reported cognition difficulty		3.6%	6.9%
% 65+ with self-reported self-care difficulty       4.1%       5.6%         % 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)       *       7.9%       7.9%         % Medicare managed care enrollees       7.9%       7.9%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2,96°         # of nursing homes within 5 miles       3       74         # of home health agencies       10       45         # of community health centers       0       22         # of adult day health centers       0       24         # of memory cafes       1       12	% 65+ with self-reported ambulatory difficulty		15.1%	18.8%
% 65+ with self-reported independent living difficulty       9.3%       11.3%         ACCESS TO CARE         Medicare (65+ population)         % Medicare managed care enrollees       7.9%       7.9%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2,96         # of nursing homes within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       48         # of community health centers       0       22         # of adult day health centers       0       24         # of memory cafes       1       1	% 65+ with clinical diagnosis of mobility impairments		3.9%	3.2%
ACCESS TO CARE         Medicare (65+ population)         % Medicare managed care enrollees       7.9%       7.9%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2,967         # of hospitals within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       1       12	% 65+ with self-reported self-care difficulty		4.1%	5.6%
Medicare (65+ population)       7.9%       7.9%         % Medicare managed care enrollees       7.9%       7.9%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2,967         # of hospitals within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       45         # of community health centers       0       22         # of adult day health centers       0       24         # of memory cafes       1       12	% 65+ with self-reported independent living difficulty		9.3%	11.3%
% Medicare managed care enrollees       7.9%       7.9%         % dually eligible for Medicare and Medicaid       *       6.3%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2,96         # of hospitals within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       45         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       1       12	ACCESS TO CARE			
% dually eligible for Medicare and Medicaid*6.3%7.5%% 60+ with a regular doctor96.4%95.8%% 60+ who did not see doctor when needed due to cost4.5%5.4%# of primary care providers within 5 miles2022,967# of hospitals within 5 miles126# of nursing homes within 5 miles374# of home health agencies1049# of community health centers022# of adult day health centers021# of memory cafes112	Medicare (65+ population)			
% dually eligible for Medicare and Medicard       6.5%       7.5%         % 60+ with a regular doctor       96.4%       95.8%         % 60+ who did not see doctor when needed due to cost       4.5%       5.4%         # of primary care providers within 5 miles       202       2,967         # of nursing homes within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       1       12	% Medicare managed care enrollees		7.9%	7.9%
% 60+ who did not see doctor when needed due to cost4.5%5.4%# of primary care providers within 5 miles2022,967# of hospitals within 5 miles126# of nursing homes within 5 miles374# of home health agencies1049# of community health centers022# of adult day health centers021# of memory cafes112	% dually eligible for Medicare and Medicaid	*	6.3%	7.5%
# of primary care providers within 5 miles       202       2,963         # of hospitals within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       1       12	% 60+ with a regular doctor		96.4%	95.8%
# of hospitals within 5 miles       1       26         # of nursing homes within 5 miles       3       74         # of home health agencies       10       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       1       12	% 60+ who did not see doctor when needed due to cost		4.5%	5.4%
# of nursing homes within 5 miles       3       74         # of home health agencies       10       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       1       12	# of primary care providers within 5 miles		202	2,961
# of home health agencies       10       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       1       12	# of hospitals within 5 miles		1	26
# of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       1       12	# of nursing homes within 5 miles		3	74
# of adult day health centers  # of memory cafes  0 21  1 12	# of home health agencies		10	49
# of memory cafes 1 12	# of community health centers		0	22
·	# of adult day health centers		0	21
# of dementia-related support groups 1 14	# of memory cafes		1	12
	# of dementia-related support groups		1	14

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
SERVICE UTILIZATION			
Physician visits per year	*	7.2	6.3
Emergency room visits/1000 persons 65+ years per year	*	467	572
Part D monthly prescription fills per person per year		47.8	49.1
Home health visits per year		2.6	2.5
Durable medical equipment claims per year		1.9	2.0
Inpatient hospital stays/1000 persons 65+ years per year		245	237
Medicare inpatient hospital readmissions (as % of admissions)		16.0%	15.8%
# skilled nursing facility stays/1000 persons 65+ years per year		85	76
# skilled nursing home Medicare beds/1000 persons 65+ years		114	33
% 65+ getting Medicaid long term services and supports	*	5.2%	3.7%
COMMUNITY VARIABLES & CIVIC ENGAGEMENT			
AARP Age-Friendly efforts in community		Not yet	Yes
# of senior centers		0	44
Air pollution: annual # of unhealthy days for 65+ (county)		1	N/A
% of grandparents raising grandchildren		0.4%	0.8%
% of grandparents who live with grandchildren		1.5%	2.5%
# of assisted living sites		3	134
% of vacant homes in community		2.9%	16.0%
# of universities and community colleges		0	41
# of public libraries		1	234
# of YMCAs		0	12
% in county with access to broadband (all ages)		94.0%	93.0%
% 60+ who used Internet in last month		81.9%	77.6%
Voter participation rate in 2018 election (age 18+)		68.9%	54.7%
SAFETY & TRANSPORTATION			
Violent crime rate /100,000 persons		63	207
Homicide rate /100,000 persons (county)		2	1
# firearm fatalities (county)		196	586
Property crime rate /100,000 persons		1,672	2,012
% 65+ who own a motor vehicle		87.6%	91.0%
% 60+ who always drive wearing a seatbelt		80.3%	77.1%
# of fatal crashes involving adult age 60+/town		2	151
# of fatal crashes involving adult age 60+/county		31	151

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
ECONOMIC & HOUSING VARIABLES			
% 65+ with income below the poverty line past year		2.0%	5.4%
% 60+ receiving food stamps past year		1.9%	5.7%
% 65+ employed past year		23.2%	24.8%
Household income (65+ householder)			
% households with annual income < \$20,000		17.3%	18.2%
% households with annual income \$20,000-\$49,999		30.7%	36.5%
% households with annual income > \$50,000		52.0%	45.3%
% 60+ own home		81.9%	79.9%
% 60+ have mortgage on home		42.1%	35.3%
% 65+ households spend >35% of income on housing (renter)		14.4%	8.7%
% 65+ households spend >35% of income on housing (owner)		24.2%	21.2%
COST OF LIVING	\$ COUNTY ESTIMATE	\$ STATE ESTIMATE	RATIO (COUNTY/STATE)
Elder Economic Security Standard Index			
Single, homeowner without mortgage, good health	\$26,196	\$25,284	1.04
Single, renter, good health	\$27,264	\$26,400	1.03
Couple, homeowner without mortgage, good health	\$38,160	\$37,128	1.03
Couple, renter, good health	\$39,228	\$38,244	1.03

## TECHNICAL NOTES

\*See our technical report (online at https://healthyagingdatareports.org/) for more information on data sources, measures, methodology, and margin of errors. For most indicators the reported community and state values are both estimates derived from sample data. Thus, it is possible that some of the differences between state and community estimates may be due to chance associated with population sampling. We use the terms "better" and "worse" to highlight differences between community and state estimates that we are confident are <u>not</u> due to chance. "Better" is used where a higher/lower value has positive implications for the health of older residents. "Worse" is used where a higher/lower score has negative implications for the health of older people, and when the implication is unclear, we use an \*. We balance two goals. First, we aim to report data at very local levels because we believe change is often locally driven. Second, we vowed to protect the privacy of the people providing the information reported. Thus, given the constraints of the data analyzed we used a hierarchical approach to reporting. When possible we report estimates for 244 geographic units (i.e., every NH city/town and 5 Manchester neighborhoods, 4 Nashua neighborhoods). For example, the population characteristics were reported for all 244 units. For other data (i.e., highly prevalent chronic disease, health services utilization) we could report for 154 geographic units. For less prevalent conditions we report for 69 geographic units. For the BRFSS data we report for 28 geographic units, and for the lowest prevalence conditions (e.g., HIV) we report for 4 geographic units. The same estimate is reported for all cities/towns within aggregated geographic areas. Maps of the different geographic groupings and the rationale behind the groupings are in the Technical Report.

## Data Sources:

- Population Characteristics: The U.S. Census Bureau (American Community Survey 2012-2016).
- Wellness & Prevention: The Behavioral Risk Factor Surveillance System (2011-2016).
- Nutrition/Diet: BRFSS (2011-2016), CMS (2014-2015), and the U.S. Department of Agriculture Food Atlas (2017).
- Behavioral Health: BRFSS (2011-2016), CMS (2014-2015), CDC Wonder website (2014-2016).
- Chronic Disease: The Master Beneficiary Summary File ABCD/Other from CMS (2014-2015).
- Disability: CMS (2014-2015) for the clinical measures, and ACS (2012-2016) for the self-reported disability.
- Access to Care: BRFSS (2011-2016), CMS (2015), Medicare.gov (June-July 2018), the NH Division of Public Health Services (2018), National Adult Day Services Association (2018), memorycaredirectory.com (2018), and the Alzheimer's Association (July 2018).
- Service Utilization: CMS (2015), and Medicare Nursing Home Compare (December 2018).
- Community & Civic Engagement: AARP (2018 update; https://www.aarp.org/livable-communities/network-age-friendly-communities/info-2014/member-list.html), the Aging & Disability Resource Center, U.S. Environmental Protection Agency Air Compare (2016), assistedlivingfacilities.org, ACS (2012-2016), the NH Department of Business and Economic Affairs Division of Travel and Tourism Development (August 2018), NH YMCA (July 2018), the Federal Communications Commission (2016), BRFSS (2011-2016), and the NH Secretary of State.
- Safety & Transportation: U.S. Department of Justice Federal Bureau of Investigation (August 2017), the County Health Rankings (2018), BRFSS (2011-2016), ACS (2012-2016), and the National Highway Traffic Safety Administration (2011-2015).
- Economic & Housing, Cost of Living: ACS (2012-2016) and the Center for Social and Demographic Research on Aging at the University of Massachusetts Boston (August 2017).

<u>Healthy Aging Data Report Team.</u> Many people contributed to this research. The 2018 research team: Beth Dugan PhD, Frank Porell PhD, Nina Silverstein PhD, Chae Man Lee PhD, ShuangShuang Wang PhD, Bon Kim, Natalie Pitheckoff, Haowei Wang, Sae Hwang Han, Richard Chunga, & Shiva Prisad from the Gerontology Institute in the McCormack Graduate School of Policy and Global Studies at the University of Massachusetts Boston. The Tufts Health Plan Foundation supported the research and provided important guidance. Our Advisory Committees helped to make the Data Report best address the needs of New Hampshire. We thank JSI for their continued partnership. Questions? Beth.dugan@umb.edu Update: 05/2019