



Wilton is a town located in Hillsborough County and is home to the notable children's theatre, Andy's Summer Playhouse. There are 609 residents age 65 or older. Compared to state average rates, older residents fared better on some healthy aging indicators with lower rates of schizophrenia and other psychotic disorders, diabetes, osteoporosis, endometrial cancer, hypothyroidism, pressure ulcers, and visual and mobility impairments. However, they had higher rates of cataracts. They are more likely to not smoke and take the health promotion steps of having a cholesterol screening and annual dental exam. Community resources to support healthy aging include 52 primary care providers and a nursing home within 5 miles, 5 home health agencies, an assisted living site, a public library, and access to broadband.



POPULATION CHARACTERISTICS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
Total population all ages		3,677	1,327,503
Population 60 years or older as % of total population		23.1%	22.7%
Total population 60 years or older		849	301,630
Population 65 years or older as % of total population		16.6%	15.8%
Total population 65 years or older		609	210,385
% 65-74 years		59.6%	58.5%
% 75-84 years		29.2%	28.6%
% 85 years or older		11.2%	12.9%
Gender (65+ population)			
% female		50.7%	54.7%
Race/Ethnicity (65+ population)			
% White		100.0%	97.7%
% African American		0.0%	0.5%
% Asian		0.0%	0.9%
% Other		0.0%	0.9%
% Hispanic/Latino		0.0%	0.9%
Marital Status (65+ population)			
% married		79.1%	58.5%
% divorced/separated		3.8%	14.0%
% widowed		10.8%	22.9%
% never married		6.2%	4.6%
Education (65+ population)			
% with less than high school education		9.2%	12.3%
% with high school or some college		42.5%	57.1%
% with college degree		48.3%	30.6%
% of 65+ population living alone		17.5%	26.1%
% of 65+ population who speak only English at home		88.8%	91.3%
% of 65+ population who are veterans of military service		28.4%	24.8%
Age-sex adjusted 1-year mortality rate		4.0%	4.1%
AAPL (LPH L L)			54054

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
Geographic Migration (65+ population) in the past 12 months			
% moved within same county		3.4%	3.6%
% moved from different county in New Hampshire		0.0%	1.0%
% moved from different state		0.0%	1.7%
WELLNESS & PREVENTION			
% 60+ with any physical activity within last month		70.5%	74.5%
% 60+ met CDC guidelines for muscle-strengthening activity		30.4%	26.0%
% 60+ met CDC guidelines for aerobic physical activity		55.8%	58.6%
% 60+ met CDC guidelines for both types of physical activities		23.3%	19.9%
% 60+ getting recommended hours of sleep		70.4%	66.4%
% 60+ injured in a fall within last 12 months		10.0%	10.4%
% 65+ had hip fracture		2.7%	3.3%
% 60+ with self-reported fair or poor health status		14.3%	16.5%
% 60+ with 15+ physically unhealthy days last month		10.6%	12.5%
% 60+ with physical exam/check-up in past year		84.2%	86.5%
% 60+ met CDC preventive health screening goals		45.2%	40.3%
% 60+ flu shot past year		60.7%	59.3%
% 65+ with pneumonia vaccine		84.2%	77.8%
% 60+ with cholesterol screening	В	98.2%	95.3%
% 60+ women with a mammogram within last 2 years		79.9%	79.3%
% 60+ with colorectal cancer screening		74.1%	77.0%
% 60+ with HIV test		11.4%	13.5%
% 60+ current smokers	В	2.7%	8.1%
Oral Health			
% 60+ with loss of 6 or more teeth		26.4%	29.0%
% 60+ with annual dental exam	В	84.2%	75.7%
# of dentists per 100,000 persons (all ages) (county)		77	72
NUTRITION/DIET			
% 60+ with 5 or more servings of fruit or vegetables per day		22.3%	20.2%
% 60+ self-reported obese		23.9%	27.2%
% 65+ clinically diagnosed obese		14.7%	16.7%
% 65+ with high cholesterol		70.0%	72.2%
% 60+ excessive drinking		10.9%	9.2%
% 65+ with poor supermarket access		0.0%	28.4%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
BEHAVIORAL HEALTH			
% 60+ with 15+ days poor mental health last month	В	3.4%	6.9%
% 65+ with depression		25.4%	28.8%
% 65+ with anxiety disorders		20.8%	21.9%
% 65+ with bipolar disorders		2.7%	3.1%
% 65+ with post-traumatic stress disorder		0.9%	1.4%
% 65+ with schizophrenia & other psychotic disorders	В	3.5%	4.9%
% 65+ with personality disorders		0.9%	1.1%
# opioid deaths (all ages) (county)		491	1,279
% 65+ with substance use disorders (drug use +/or alcohol abuse)		4.3%	5.5%
% 65+ with tobacco use disorders		8.7%	10.4%
CHRONIC DISEASE			
% 65+ with Alzheimer's disease or related dementias		11.1%	12.0%
% 65+ with diabetes	В	20.7%	28.2%
% 65+ with stroke		10.4%	10.8%
% 65+ with chronic obstructive pulmonary disease		18.3%	20.5%
% 65+ with asthma		11.8%	13.0%
% 65+ with hypertension		67.8%	70.2%
% 65+ ever had a heart attack		4.5%	4.5%
% 65+ with ischemic heart disease		32.5%	34.3%
% 65+ with congestive heart failure		16.0%	17.7%
% 65+ with atrial fibrillation		14.2%	14.4%
% 65+ with peripheral vascular disease		13.3%	14.7%
% 65+ with osteoarthritis/rheumatoid arthritis		48.8%	49.1%
% 65+ with osteoporosis	В	14.2%	17.4%
% 65+ with leukemias and lymphomas		2.1%	2.0%
% 65+ with lung cancer		1.7%	1.6%
% 65+ with colon cancer		2.0%	2.4%
% 65+ women with breast cancer		9.1%	9.8%
% 65+ women with endometrial cancer	В	1.0%	1.7%
% 65+ men with prostate cancer		14.0%	11.5%
% 65+ with benign prostatic hyperplasia		39.6%	36.8%
% 65+ with HIV/AIDS		0.04%	0.05%
% 65+ with hypothyroidism	В	17.1%	20.8%
% 65+ with anemia		34.6%	37.3%
% 65+ with chronic kidney disease		23.9%	22.3%
% 65+ with liver diseases		6.1%	6.9%
% 65+ with fibromyalgia, chronic pain and fatigue		16.7%	18.6%

% 65+ with epilepsy         1.5%         2.1%           % 65+ with traumatic brain injury         0.9%         1.1%           % 65+ with autism spectrum disorders         N/A         0.03%           % 65+ with glaucoma         22.1%         22.9%           % 65+ with cataract         W         66.9%         61.2%           % 65+ with crimination of the control of the	HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
% 65+ with traumatic brain injury         0.9%         1.1%           % 65+ with autism spectrum disorders         N/A         0.03%           % 65+ with glaucoma         22.1%         22.9%           % 65+ with cataract         W         66.9%         61.2%           % 65+ with cataract         B         4.9%         7.1%           % 65+ with Quit of 15) chronic conditions         B         4.6%         54.4%           % 65+ with 0 chronic conditions         B         46.8%         54.4%           % 65+ with Disability         11.9%         10.3%           LIVING WITH DISABILITY         18.1%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         11.8%         14.4%           % 65+ with clinical diagnosis of deafness or hearing impairment         B         0.5%         0.5%           % 65+ with clinical diagnosis of blindness or visual impairment         B         0.5%         0.5%           % 65+ with self-reported cognition difficulty         5.6%         6.9%           % 65+ with self-reported ambulatory difficulty         11.5%         18.8%           % 65+ with self-reported aphilating difficulty         8         0.3%         5.6%           % 65+ with self-reported independent living difficulty         8         0.	% 65+ with migraine and other chronic headache		3.4%	4.0%
% 65+ with autism spectrum disorders         N/A         0.03%           % 65+ with glaucoma         22.1%         22.9%           % 65+ with pressure ulcer or chronic ulcer         B         4.9%         7.1%           % 65+ with pressure ulcer or chronic ulcer         B         4.9%         7.1%           % 65+ with (out of 15) chronic conditions         B         46.8%         54.4%           % 65+ with (out of 15) chronic conditions         B         46.8%         54.4%           % 65+ with (out of 15) chronic conditions         B         46.8%         54.4%           % 65+ with out-conditions         B         46.8%         54.4%           % 65+ with out-conditions         B         46.8%         54.4%           % 65+ with out-conditions         B         46.8%         54.4%           % 65+ with clinical diagnosis of deafness or hearing impairment         B         11.8%         15.0%           % 65+ with self-reported vision difficulty         8.5%         5.2%         65+ with self-reported cognition difficulty         8.5%         6.9%           % 65+ with self-reported ambulatory difficulty         B         0.3%         5.6%         6.9%           % 65+ with clinical diagnosis of mobility impairment         B         2.4%         3.2%           <	% 65+ with epilepsy		1.5%	2.1%
% 65+ with glaucoma         22.1%         22.9%           % 65+ with cataract         W         66.9%         61.2%           % 65+ with pressure ulcer or chronic ulcer         B         4.9%         7.1%           % 65+ with 4+ (out of 15) chronic conditions         B         46.8%         54.4%           % 65+ with 0 chronic conditions         B         46.8%         54.4%           % 65+ with 0 chronic conditions         I1.9%         10.3%           LIVING WITH DISABILITY           % 65+ with self-reported hearing difficulty         8.1%         15.0%           % 65+ with self-reported very difficulty         8.5%         5.2%           % 65+ with clinical diagnosis of deafness or hearing impairment         B         0.5%         0.9%           % 65+ with self-reported vision difficulty         8.5%         5.2%         6.9%           % 65+ with self-reported ambulatory difficulty         11.5%         18.8%           % 65+ with self-reported ambulatory difficulty         8         0.3%         5.6%           % 65+ with self-reported ambulatory difficulty         8         0.3%         5.6%           % 65+ with self-reported independent living difficulty         8         0.3%         7.5%           65+ with self-reported self-care difficulty         8 <td>% 65+ with traumatic brain injury</td> <td></td> <td>0.9%</td> <td>1.1%</td>	% 65+ with traumatic brain injury		0.9%	1.1%
% 65+ with cataract         W         66.9%         61.2%           % 65+ with pressure ulcer or chronic ulcer         B         4.9%         7.1%           % 65+ with pressure ulcer or chronic conditions         B         46.8%         54.4%           % 65+ with 9 chronic conditions         B         46.8%         54.4%           % 65+ with 0 chronic conditions         11.9%         10.3%           LIVING WITH DISABILITY         31.19%         15.0%           % 65+ with self-reported hearing difficulty         11.8%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         11.8%         14.4%           % 65+ with clinical diagnosis of blindness or visual impairment         B         0.5%         0.9%           % 65+ with self-reported cognition difficulty         5.6%         6.9%         6.9%         6.5* with self-reported ambulatory difficulty         11.5%         18.8%           % 65+ with self-reported ambulatory difficulty         B         2.4%         3.2%           % 65+ with self-reported ambulatory difficulty         B         2.4%         3.2%           % 65+ with self-reported self-care difficulty         B         0.3%         5.6%           % 65+ with self-reported self-care difficulty         B         0.3%         7.6%      <	% 65+ with autism spectrum disorders		N/A	0.03%
% 65+ with pressure ulcer or chronic ulcer         B         4.9%         7.1%           % 65+ with 4+ (out of 15) chronic conditions         B         46.8%         54.4%           % 65+ with 0 chronic conditions         11.9%         10.3%           LIVING WITH DISABILITY         11.9%         15.0%           % 65+ with self-reported hearing difficulty         18.1%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         11.8%         14.4%           % 65+ with self-reported vision difficulty         8.5%         5.2%           % 65+ with clinical diagnosis of bilindness or visual impairment         B         0.5%         0.9%           % 65+ with self-reported cognition difficulty         5.6%         6.9%           % 65+ with self-reported ambulatory difficulty         11.5%         18.8%           % 65+ with self-reported self-care difficulty         B         0.3%         5.6%           % 65+ with self-reported self-care difficulty         B         0.3%         5.6%           % 65+ with self-reported independent living difficulty         B         0.3%         7.6%           % 65+ with self-reported independent living difficulty         B         0.3%         7.9%           ACCESS TO CARE         Medicare (65+ population)         5.9%         7.9% <td>% 65+ with glaucoma</td> <td></td> <td>22.1%</td> <td>22.9%</td>	% 65+ with glaucoma		22.1%	22.9%
% 65+ with 4+ (out of 15) chronic conditions       B       46.8%       54.4%         % 65+ with 0 chronic conditions       11.9%       10.3%         LIVING WITH DISABILITY         % 65+ with self-reported hearing difficulty       18.1%       15.0%         % 65+ with clinical diagnosis of deafness or hearing impairment       11.8%       14.4%         % 65+ with self-reported vision difficulty       8.5%       5.2%         % 65+ with self-reported cognition difficulty       5.6%       6.9%         % 65+ with self-reported ambulatory difficulty       5.6%       6.9%         % 65+ with clinical diagnosis of mobility impairments       B       2.4%       3.2%         % 65+ with self-reported ambulatory difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       7.9%         % 65+ with self-reported ambulatory difficulty       B       0.3%       7.9%         % 65+ with self-reported independent living difficulty       B       0.3%       7.9%         % 65+ with self-reported ambulatory difficulty       B <t< td=""><td>% 65+ with cataract</td><td>W</td><td>66.9%</td><td>61.2%</td></t<>	% 65+ with cataract	W	66.9%	61.2%
% 65+ with 0 chronic conditions         11.9%         10.3%           LIVING WITH DISABILITY         8 65+ with self-reported hearing difficulty         18.1%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         11.8%         14.4%           % 65+ with self-reported vision difficulty         8.5%         5.2%           % 65+ with clinical diagnosis of blindness or visual impairment         B         0.5%         0.9%           % 65+ with self-reported cognition difficulty         5.6%         6.9%           % 65+ with self-reported ambulatory difficulty         11.5%         18.8%           % 65+ with self-reported ambulatory difficulty         B         2.4%         3.2%           % 65+ with self-reported self-care difficulty         B         0.3%         5.6%           % 65+ with self-reported independent living difficulty         8.2%         11.3%           ACCESS TO CARE         ACCESS TO CARE         ACCESS TO CARE           Medicare (65+ population)         5.6%         5.9%         7.5%           % 60+ with a regular doctor         97.2%         95.8%           % 60+ who did not see doctor when needed due to cost         4.9%         5.4%           % 60+ who did not see doctor when needed due to cost         4.9%         5.4%           # of nursi	% 65+ with pressure ulcer or chronic ulcer	В	4.9%	7.1%
LIVING WITH DISABILITY           % 65+ with self-reported hearing difficulty         18.1%         15.0%           % 65+ with clinical diagnosis of deafness or hearing impairment         11.8%         14.4%           % 65+ with self-reported vision difficulty         8.5%         5.2%           % 65+ with clinical diagnosis of blindness or visual impairment         B         0.5%         0.9%           % 65+ with self-reported cognition difficulty         5.6%         6.9%           % 65+ with self-reported ambulatory difficulty         11.5%         18.8%           % 65+ with clinical diagnosis of mobility impairments         B         2.4%         3.2%           % 65+ with self-reported self-care difficulty         B         0.3%         5.6%           % 65+ with self-reported independent living difficulty         8.2%         11.3%           ACCESS TO CARE           Medicare (65+ population)         8.2%         7.9%           % Medicare managed care enrollees         6.3%         7.9%           % 60+ with a regular doctor         97.2%         95.8%           % 60+ who did not see doctor when needed due to cost         4.9%         5.4%           # of primary care providers within 5 miles         52         2,961           # of inursing homes within 5 miles         1 <td>% 65+ with 4+ (out of 15) chronic conditions</td> <td>В</td> <td>46.8%</td> <td>54.4%</td>	% 65+ with 4+ (out of 15) chronic conditions	В	46.8%	54.4%
% 65+ with self-reported hearing difficulty       18.1%       15.0%         % 65+ with clinical diagnosis of deafness or hearing impairment       11.8%       14.4%         % 65+ with self-reported vision difficulty       8.5%       5.2%         % 65+ with clinical diagnosis of blindness or visual impairment       B       0.5%       0.9%         % 65+ with self-reported cognition difficulty       5.6%       6.9%         % 65+ with self-reported ambulatory difficulty       11.5%       18.8%         % 65+ with clinical diagnosis of mobility impairments       B       2.4%       3.2%         % 65+ with self-reported self-care difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       8.2%       11.3%         ACCESS TO CARE         Medicare (65+ population)       8       2.4%       3.2%         % Medicare managed care enrollees       6.3%       7.9%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of nursing homes within 5 miles       1       7.4         # of one health agencies       5       49         <	% 65+ with 0 chronic conditions		11.9%	10.3%
% 65+ with clinical diagnosis of deafness or hearing impairment       11.8%       14.4%         % 65+ with self-reported vision difficulty       8.5%       5.2%         % 65+ with clinical diagnosis of blindness or visual impairment       B       0.5%       0.9%         % 65+ with self-reported cognition difficulty       5.6%       6.9%         % 65+ with self-reported ambulatory difficulty       11.5%       18.8%         % 65+ with clinical diagnosis of mobility impairments       B       2.4%       3.2%         % 65+ with self-reported self-care difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       7.5%         McCESS TO CARE       S       0.3%       7.9%         Medicare (65+ population)       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles <td< td=""><td>LIVING WITH DISABILITY</td><td></td><td></td><td></td></td<>	LIVING WITH DISABILITY			
% 65+ with self-reported vision difficulty       8.5%       5.2%         % 65+ with clinical diagnosis of blindness or visual impairment       B       0.5%       0.9%         % 65+ with self-reported cognition difficulty       5.6%       6.9%         % 65+ with self-reported ambulatory difficulty       11.5%       18.8%         % 65+ with clinical diagnosis of mobility impairments       B       2.4%       3.2%         % 65+ with self-reported self-care difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       B       0.3%       7.5%         Medicare (65+ population)       8.2%       11.3%         % Medicare managed care enrollees       6.3%       7.9%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles	% 65+ with self-reported hearing difficulty		18.1%	15.0%
% 65+ with clinical diagnosis of blindness or visual impairment       B       0.5%       0.9%         % 65+ with self-reported cognition difficulty       5.6%       6.9%         % 65+ with self-reported ambulatory difficulty       11.5%       18.8%         % 65+ with clinical diagnosis of mobility impairments       B       2.4%       3.2%         % 65+ with self-reported self-care difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       8.2%       11.3%         ACCESS TO CARE         Medicare (65+ population)         % Medicare managed care enrollees       6.3%       7.9%         % doully eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of nome health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafe	% 65+ with clinical diagnosis of deafness or hearing impairment		11.8%	14.4%
% 65+ with self-reported cognition difficulty       5.6%       6.9%         % 65+ with self-reported ambulatory difficulty       11.5%       18.8%         % 65+ with clinical diagnosis of mobility impairments       B       2.4%       3.2%         % 65+ with self-reported self-care difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       8.2%       11.3%         ACCESS TO CARE         Medicare (65+ population)       ***       ***         % Medicare managed care enrollees       6.3%       7.9%         % dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       1       7.4         # of nursing homes within 5 miles       1       7.4         # of normal phones within 5 miles       1       7.4         # of ocommunity health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       1	% 65+ with self-reported vision difficulty		8.5%	5.2%
% 65+ with self-reported ambulatory difficulty       11.5%       18.8%         % 65+ with clinical diagnosis of mobility impairments       B       2.4%       3.2%         % 65+ with self-reported self-care difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       8.2%       11.3%         ACCESS TO CARE         Medicare (65+ population)       ***       ***         % Medicare managed care enrollees       6.3%       7.9%         % dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% 65+ with clinical diagnosis of blindness or visual impairment	В	0.5%	0.9%
% 65+ with clinical diagnosis of mobility impairments       B       2.4%       3.2%         % 65+ with self-reported self-care difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       8.2%       11.3%         ACCESS TO CARE         Medicare (65+ population)         % Medicare managed care enrollees       6.3%       7.9%         % dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% 65+ with self-reported cognition difficulty		5.6%	6.9%
% 65+ with self-reported self-care difficulty       B       0.3%       5.6%         % 65+ with self-reported independent living difficulty       8.2%       11.3%         ACCESS TO CARE         Medicare (65+ population)       8.2%       7.9%         % Medicare managed care enrollees       6.3%       7.9%         % dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% 65+ with self-reported ambulatory difficulty		11.5%	18.8%
% 65+ with self-reported independent living difficulty       8.2%       11.3%         ACCESS TO CARE         Medicare (65+ population)         % Medicare managed care enrollees       6.3%       7.9%         % dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of nursing homes within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% 65+ with clinical diagnosis of mobility impairments	В	2.4%	3.2%
ACCESS TO CARE         Medicare (65+ population)         % Medicare managed care enrollees       6.3%       7.9%         % dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% 65+ with self-reported self-care difficulty	В	0.3%	5.6%
Medicare (65+ population)       6.3%       7.9%         % Medicare managed care enrollees       6.3%       7.9%         % dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% 65+ with self-reported independent living difficulty		8.2%	11.3%
% Medicare managed care enrollees       6.3%       7.9%         % dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	ACCESS TO CARE			
% dually eligible for Medicare and Medicaid       5.9%       7.5%         % 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	Medicare (65+ population)			
% 60+ with a regular doctor       97.2%       95.8%         % 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% Medicare managed care enrollees		6.3%	7.9%
% 60+ who did not see doctor when needed due to cost       4.9%       5.4%         # of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% dually eligible for Medicare and Medicaid		5.9%	7.5%
# of primary care providers within 5 miles       52       2,961         # of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% 60+ with a regular doctor		97.2%	95.8%
# of hospitals within 5 miles       0       26         # of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	% 60+ who did not see doctor when needed due to cost		4.9%	5.4%
# of nursing homes within 5 miles       1       74         # of home health agencies       5       49         # of community health centers       0       22         # of adult day health centers       0       21         # of memory cafes       0       12	# of primary care providers within 5 miles		52	2,961
# of home health agencies 5 49 # of community health centers 0 22 # of adult day health centers 0 21 # of memory cafes 0 12	# of hospitals within 5 miles		0	26
# of community health centers022# of adult day health centers021# of memory cafes012	# of nursing homes within 5 miles		1	74
# of adult day health centers  # of memory cafes  0 21  # of memory cafes	# of home health agencies		5	49
# of memory cafes 0 12	# of community health centers		0	22
·	# of adult day health centers		0	21
# of dementia-related support groups 0 14	# of memory cafes		0	12
	# of dementia-related support groups		0	14

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
SERVICE UTILIZATION			
Physician visits per year		6.8	6.3
Emergency room visits/1000 persons 65+ years per year	*	402	572
Part D monthly prescription fills per person per year		46.7	49.1
Home health visits per year		2.1	2.5
Durable medical equipment claims per year		1.7	2.0
Inpatient hospital stays/1000 persons 65+ years per year	*	185	237
Medicare inpatient hospital readmissions (as % of admissions)		11.7%	15.8%
# skilled nursing facility stays/1000 persons 65+ years per year		60	76
# skilled nursing home Medicare beds/1000 persons 65+ years		0	33
% 65+ getting Medicaid long term services and supports		3.6%	3.7%
COMMUNITY VARIABLES & CIVIC ENGAGEMENT			
AARP Age-Friendly efforts in community		Not yet	Yes
# of senior centers		0	44
Air pollution: annual # of unhealthy days for 65+ (county)		1	N/A
% of grandparents raising grandchildren		1.3%	0.8%
% of grandparents who live with grandchildren		3.7%	2.5%
# of assisted living sites		1	134
% of vacant homes in community		12.7%	16.0%
# of universities and community colleges		0	41
# of public libraries		1	234
# of YMCAs		0	12
% in county with access to broadband (all ages)		94.0%	93.0%
% 60+ who used Internet in last month		83.8%	77.6%
Voter participation rate in 2018 election (age 18+)		62.4%	54.7%
SAFETY & TRANSPORTATION			
Violent crime rate /100,000 persons		91	207
Homicide rate /100,000 persons (county)		2	1
# firearm fatalities (county)		196	586
Property crime rate /100,000 persons		1,688	2,012
% 65+ who own a motor vehicle		96.7%	91.0%
% 60+ who always drive wearing a seatbelt		79.8%	77.1%
# of fatal crashes involving adult age 60+/town		1	151
# of fatal crashes involving adult age 60+/county		31	151

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
ECONOMIC & HOUSING VARIABLES			
% 65+ with income below the poverty line past year		4.4%	5.4%
% 60+ receiving food stamps past year		1.8%	5.7%
% 65+ employed past year		26.6%	24.8%
Household income (65+ householder)			
% households with annual income < \$20,000		16.5%	18.2%
% households with annual income \$20,000-\$49,999		25.3%	36.5%
% households with annual income > \$50,000		58.1%	45.3%
% 60+ own home		83.3%	79.9%
% 60+ have mortgage on home		39.1%	35.3%
% 65+ households spend >35% of income on housing (renter)		7.4%	8.7%
% 65+ households spend >35% of income on housing (owner)		27.0%	21.2%
COST OF LIVING	\$ COUNTY ESTIMATE	\$ STATE ESTIMATE	RATIO (COUNTY/STATE)
Elder Economic Security Standard Index			
Single, homeowner without mortgage, good health	\$26,196	\$25,284	1.04
Single, renter, good health	\$27,264	\$26,400	1.03
Couple, homeowner without mortgage, good health	\$38,160	\$37,128	1.03
Couple, renter, good health	\$39,228	\$38,244	1.03

## TECHNICAL NOTES

\*See our technical report (online at https://healthyagingdatareports.org/) for more information on data sources, measures, methodology, and margin of errors. For most indicators the reported community and state values are both estimates derived from sample data. Thus, it is possible that some of the differences between state and community estimates may be due to chance associated with population sampling. We use the terms "better" and "worse" to highlight differences between community and state estimates that we are confident are not due to chance. "Better" is used where a higher/lower value has positive implications for the health of older residents. "Worse" is used where a higher/lower score has negative implications for the health of older people, and when the implication is unclear, we use an \*. We balance two goals. First, we aim to report data at very local levels because we believe change is often locally driven. Second, we vowed to protect the privacy of the people providing the information reported. Thus, given the constraints of the data analyzed we used a hierarchical approach to reporting. When possible we report estimates for 244 geographic units (i.e., every NH city/town and 5 Manchester neighborhoods, 4 Nashua neighborhoods). For example, the population characteristics were reported for all 244 units. For other data (i.e., highly prevalent chronic disease, health services utilization) we could report for 154 geographic units. For less prevalent conditions we report for 69 geographic units. For the BRFSS data we report for 28 geographic units, and for the lowest prevalence conditions (e.g., HIV) we report for 4 geographic units. The same estimate is reported for all cities/towns within aggregated geographic areas. Maps of the different geographic groupings and the rationale behind the groupings are in the Technical Report.

## Data Sources:

- Population Characteristics: The U.S. Census Bureau (American Community Survey 2012-2016).
- Wellness & Prevention: The Behavioral Risk Factor Surveillance System (2011-2016).
- Nutrition/Diet: BRFSS (2011-2016), CMS (2014-2015), and the U.S. Department of Agriculture Food Atlas (2017).
- Behavioral Health: BRFSS (2011-2016), CMS (2014-2015), CDC Wonder website (2014-2016).
- Chronic Disease: The Master Beneficiary Summary File ABCD/Other from CMS (2014-2015).
- Disability: CMS (2014-2015) for the clinical measures, and ACS (2012-2016) for the self-reported disability.
- Access to Care: BRFSS (2011-2016), CMS (2015), Medicare.gov (June-July 2018), the NH Division of Public Health Services (2018), National Adult Day Services Association (2018), memorycaredirectory.com (2018), and the Alzheimer's Association (July 2018).
- Service Utilization: CMS (2015), and Medicare Nursing Home Compare (December 2018).
- Community & Civic Engagement: AARP (2018 update; https://www.aarp.org/livable-communities/network-age-friendly-communities/info-2014/member-list.html), the Aging & Disability Resource Center, U.S. Environmental Protection Agency Air Compare (2016), assistedlivingfacilities.org, ACS (2012-2016), the NH Department of Business and Economic Affairs Division of Travel and Tourism Development (August 2018), NH YMCA (July 2018), the Federal Communications Commission (2016), BRFSS (2011-2016), and the NH Secretary of State.
- Safety & Transportation: U.S. Department of Justice Federal Bureau of Investigation (August 2017), the County Health Rankings (2018), BRFSS (2011-2016), ACS (2012-2016), and the National Highway Traffic Safety Administration (2011-2015).
- Economic & Housing, Cost of Living: ACS (2012-2016) and the Center for Social and Demographic Research on Aging at the University of Massachusetts Boston (August 2017).

<u>Healthy Aging Data Report Team.</u> Many people contributed to this research. The 2018 research team: Beth Dugan PhD, Frank Porell PhD, Nina Silverstein PhD, Chae Man Lee PhD, ShuangShuang Wang PhD, Bon Kim, Natalie Pitheckoff, Haowei Wang, Sae Hwang Han, Richard Chunga, & Shiva Prisad from the Gerontology Institute in the McCormack Graduate School of Policy and Global Studies at the University of Massachusetts Boston. The Tufts Health Plan Foundation supported the research and provided important guidance. Our Advisory Committees helped to make the Data Report best address the needs of New Hampshire. We thank JSI for their continued partnership. Questions? Beth.dugan@umb.edu Update: 05/2019