


Seymour (New Haven)

Seymour is a town in New Haven County with 2,357 residents age 65 or older. Compared to state average rates, older residents fared better on some healthy aging indicators with lower rates of asthma, cataract, and glaucoma. However, they had higher rates of high cholesterol, anemia, diabetes, heart attack, hypertension, hypothyroidism, ischemic heart disease, lung cancer, peripheral vascular disease, and opioid use disorder. They are less likely to take the health promotion steps of getting the recommended hours of sleep and getting a shingles vaccine. Community resources to support healthy aging include 19 primary care providers and a nursing home within 5 miles, 34 home health agencies, 11 hospice agencies, a senior center, and a public library.



POPULATION CHARACTERISTICS	Significantly different than STATE RATE	COMMUNITY ESTIMATE	STATE ESTIMATE
Total population all ages		16,522	3,581,504
Population 60 years or older as % of total population		20.7%	23.0%
Total population 60 years or older		3,419	823,529
Population 65 years or older as % of total population		14.3%	16.4%
Total population 65 years or older		2,357	587,580
% 65-74 years		51.8%	55.7%
% 75-84 years		33.7%	29.1%
% 85 years or older		14.5%	15.2%
% 65+ population who are female		63.6%	56.8%
% 85+ population who are female		84.8%	66.6%
Race and ethnicity of the population 65+			
% White	*	98.6%	88.4%
% African American	*	1.4%	6.8%
% Asian		0.0%	2.3%
% Other race		0.0%	2.6%
% Hispanic/Latino		3.3%	5.8%
Marital status of the population 65+			
% married	*	40.7%	53.8%
% divorced/separated		15.4%	14.9%
% widowed		32.7%	24.2%
% never married	*	11.3%	7.1%
Education of the population 65+			
% with less than high school education		10.9%	14.7%
% with high school or some college	*	75.8%	53.3%
% with college degree	*	13.2%	32.1%
% with graduate or professional degree	*	6.9%	16.8%
% of 65+ population who speak only English at home		89.7%	84.3%
% of 65+ population who are veterans of military service		14.2%	17.4%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE	COMMUNITY ESTIMATE	STATE ESTIMATE
POPULATION CHARACTERISTICS			
% of 60+ who are LGBT (county)		2.6%	2.5%
Median age of females		43.3	42.6
Median age of males		38.8	39.1
Life expectancy at birth (county)		80.1	80.9
Age-sex adjusted 1-year mortality rate		4.9%	4.1%
WELLNESS			
% 60+ getting the recommended hours of sleep	W	57.1%	65.2%
% 60+ doing any physical activity within last month		71.8%	75.0%
% 60+ met CDC guidelines for muscle-strengthening activity		27.4%	27.6%
% 60+ met CDC guidelines for aerobic physical activity		53.8%	58.0%
% 60+ with fair or poor health status		19.6%	17.6%
% 60+ with 15+ physically unhealthy days in last month		10.3%	12.4%
FALLS			
% 60+ who fell within last year		24.0%	26.3%
% 60+ who were injured in a fall within last year		8.1%	9.8%
% 65+ had hip fracture		3.8%	3.7%
PREVENTION			
% 60+ with physical exam/check-up in last year		89.5%	88.5%
% 60+ flu shot in last year		57.1%	57.5%
% 60+ with pneumonia vaccine		59.1%	63.9%
% 60+ with shingles vaccine	W	26.1%	33.5%
% 60+ women with a mammogram within last 2 years		77.2%	79.7%
% 60+ with colorectal cancer screening		74.5%	78.2%
% 60+ with HIV test		13.6%	16.1%
% 60+ met CDC preventive health screening goals		31.5%	39.6%
NUTRITION & DIET			
% 60+ with 5 or more servings of fruit or vegetables per day		18.5%	19.9%
% 65+ with poor supermarket access		60.1%	32.4%
% 60+ stressed about buying food in last month		8.4%	8.6%
% 60+ self-reported obese		29.4%	26.1%
% 65+ clinically diagnosed obesity		21.3%	22.5%
% 65+ with high cholesterol	W	81.0%	77.0%
% 60+ with cholesterol screening		98.0%	97.1%
ORAL HEALTH			
% 60+ with dental insurance		56.8%	59.2%
% 60+ with annual dental exam		77.0%	79.9%
# of dentists per 100,000 persons (all ages)		42.4	75.1
% 60+ with loss of 6 or more teeth		26.0%	23.8%
CHRONIC DISEASE			
% 65+ with Alzheimer's disease or related dementias		15.4%	14.4%
% 65+ with anemia	W	55.0%	50.6%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE	COMMUNITY ESTIMATE	STATE ESTIMATE
% 65+ with asthma	B	11.8%	14.1%
% 65+ with atrial fibrillation		17.5%	16.1%
% 65+ with autism spectrum disorder		0.09%	0.12%
% 65+ with benign prostatic hyperplasia (men)		41.1%	42.7%
% 65+ with breast cancer (women)		11.7%	11.4%
% 65+ with cataract	B	58.5%	64.8%
% 65+ with chronic kidney disease		31.0%	29.9%
% 65+ with chronic obstructive pulmonary disease		23.3%	21.0%
% 65+ with colon cancer		2.8%	2.7%
% 65+ with congestive heart failure		24.0%	22.6%
% 65+ with diabetes	W	38.8%	33.8%
% 65+ with endometrial cancer (women)		2.1%	2.0%
% 65+ with epilepsy		2.7%	2.9%
% 65+ with fibromyalgia, chronic, pain and fatigue		25.9%	26.6%
% 65+ with glaucoma	B	23.5%	28.3%
% 65+ ever had a heart attack	W	6.3%	4.5%
% 65+ with HIV/AIDS		0.21%	0.21%
% 65+ with hypertension	W	81.5%	76.2%
% 65+ with hypothyroidism	W	32.5%	25.1%
% 65+ with ischemic heart disease	W	43.8%	40.7%
% 65+ with leukemias and lymphomas		2.5%	2.7%
% 65+ with liver disease		10.6%	9.5%
% 65+ with lung cancer	W	2.6%	1.9%
% 65+ with migraine and other chronic headache		5.9%	5.2%
% 65+ with osteoarthritis or rheumatoid arthritis		55.7%	54.2%
% 65+ with osteoporosis		19.8%	20.2%
% 65+ with peripheral vascular disease	W	27.4%	19.9%
% 65+ with pressure ulcer or chronic ulcer		11.0%	9.2%
% 65+ with prostate cancer (men)		13.2%	13.1%
% 65+ with stroke		11.6%	11.9%
% 65+ with traumatic brain injury		1.0%	1.3%
% 65+ with 4+ (out of 15) chronic conditions	W	65.4%	61.8%
% 65+ with 0 chronic conditions		6.9%	7.2%
BEHAVIORAL HEALTH			
# of drug overdose deaths (all ages)		25	4,613
% 65+ with opioid use disorder	W	3.6%	2.2%
% 65+ with substance use disorder		7.7%	6.8%
% 60+ who used marijuana in last month		N/A	2.9%
% 60+ excessive drinking		7.5%	9.2%
% 65+ with tobacco use disorder		11.6%	10.1%
% 60+ current smokers		8.5%	7.7%
% 60+ ever used E-Cigarettes in last month		6.5%	6.3%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE	COMMUNITY ESTIMATE	STATE ESTIMATE
MENTAL HEALTH			
% 60+ who reported receiving adequate emotional support		79.4%	78.3%
% 60+ with 15+ days poor mental health in last month		6.6%	6.9%
% 65+ with depression		31.2%	30.3%
% 65+ with anxiety disorder		25.1%	25.5%
% 65+ with bipolar disorder		4.6%	3.8%
% 65+ with post-traumatic stress disorder		1.2%	1.2%
% 65+ with schizophrenia & other psychotic disorder		4.1%	4.6%
% 65+ with personality disorder		2.6%	2.5%
LIVING WITH DISABILITY			
% 65+ with self-reported hearing difficulty		15.3%	12.4%
% 65+ with clinical diagnosis of deafness or hearing impairment		14.0%	15.7%
% 65+ with self-reported vision difficulty		5.8%	4.8%
% 65+ with clinical diagnosis of blindness or visual impairment		0.9%	1.1%
% 65+ with self-reported cognition difficulty		4.8%	7.6%
% 65+ with self-reported ambulatory difficulty		22.9%	19.1%
% 65+ with clinical diagnosis of mobility impairment		4.6%	4.0%
% 65+ with self-reported self-care difficulty		7.8%	7.5%
% 65+ with self-reported independent living difficulty		19.0%	13.6%
CAREGIVING			
# of caregiver support groups		0	127
# of Memory Cafes		0	6
% of 60+ who provide care to a family/friend in last month		25.3%	21.7%
% of grandparents raising grandchildren		1.1%	0.8%
% of grandparents who live with grandchildren		2.9%	2.7%
ACCESS TO CARE			
% 65+ dually eligible for Medicare and Medicaid	*	24.6%	22.1%
% 65+ Medicare managed care enrollees	*	39.8%	29.9%
% 60+ with a regular doctor		96.0%	96.0%
% 60+ who did not see a doctor when needed due to cost		4.8%	4.5%
# of primary care providers within 5 miles		19	10,508
# of hospitals within 5 miles		0	71
# of home health agencies		34	3,124
# of nursing homes within 5 miles		1	419
# of community health centers		0	83
# of adult day health centers		0	55
# of hospice agencies		11	38
SERVICE UTILIZATION			
# physician visits per year		8.8	8.6
# emergency room visits/1000 persons 65+ years annually	*	761.5	636.7

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE	COMMUNITY ESTIMATE	STATE ESTIMATE
# Part D monthly prescription fills per person annually		51.9	50.3
# home health visits annually	*	5.5	4.1
# durable medical equipment claims annually		2.0	1.9
# inpatient hospital stays/1000 persons 65+ years annually		312.0	273.3
% Medicare inpatient hospital readmissions (as % of admissions)		14.9%	17.2%
# skilled nursing facility stays/1000 persons 65+ years annually	*	136.2	104.7
# skilled nursing home Medicare beds/1000 persons 65+ years		46.9	42.3
% 65+ getting Medicaid long term services and supports		5.3%	5.5%
% 65+ hospice users	*	3.7%	2.7%
% 65+ hospice users as % of decedents		43.3%	45.5%
Median hospice days per hospice user (65+, deceased)		9.0	10
Median hospice payment (Medicare + other) per hospice user		\$3,221.61	\$3,741.18
COMMUNITY			
Air pollution: annual # of unhealthy days for 65+ (county)		14	N/A
Age-friendly efforts in community		Not yet	Not yet
# of senior centers		1	165
# of universities and community colleges		0	64
# of public libraries		1	238
# of YMCAs		0	19
% in county with access to broadband (all ages)		99.5%	99.1%
% 60+ who used Internet in last month		74.0%	75.1%
Voter participation rate in 2016 election (age 18+)		80.6%	76.9%
SAFETY & CRIME			
Homicide rate/100,000 persons (county)		4.1	2.0
# firearm fatalities (all ages) (county)		258	932
# 65+ deaths by suicide (county)		21	26
TRANSPORTATION			
% 65+ who own a motor vehicle		88.6%	87.3%
% 60+ who always drive or ride wearing a seatbelt		91.2%	93.0%
% 60+ who drove under the influence of drinking in last month		N/A	2.2%
# of fatal crashes involving adult age 60+/town		1	342
# of fatal crashes involving adult age 60+/county		77	342
HOUSING			
% 65+ population who live alone		31.3%	28.4%
Average household size (all ages)		2.6	2.5
Median house value		\$246,600.00	\$272,700.00
% 60+ own home		77.6%	76.9%
% 60+ homeowners who have mortgage		46.6%	47.1%
% 60+ stressed about paying rent/mortgage in last month		20.0%	17.4%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE	COMMUNITY ESTIMATE	STATE ESTIMATE
% 65+ households (renter) spend >35% of income on housing		44.1%	44.0%
% 65+ households (owner) spend >35% of income on housing		31.9%	29.5%
% 65+ moved within same county in last year		4.3%	3.7%
% 65+ moved from different county in last year		2.5%	0.8%
% 65+ moved from different state in last year		0.4%	0.9%
# of assisted living sites		0	80
% of vacant homes in community		6.7%	9.6%
ECONOMIC			
% 60+ receiving food benefits in last year		8.5%	10.9%
% 65+ employed in last year		23.8%	24.8%
% 65+ with income below the poverty line in last year	*	3.2%	7.0%
Median household income		\$70,941.00	\$76,106.00
% 65+ households with annual income < \$20,000		15.0%	17.1%
% 65+ households with annual income \$20,000-\$49,999		42.6%	31.0%
% 65+ households with annual income \$50,000-\$99,999		25.7%	27.6%
% 65+ households with annual income \$100,000+		16.7%	24.4%
COST OF LIVING			
	RATIO OF COUNTY TO STATE	\$ COUNTY ESTIMATE	\$ STATE ESTIMATE
Elder Index			
Single, homeowner without mortgage, good health	1.02	\$27,204.00	\$26,796.00
Single, renter, good health	1.03	\$29,460.00	\$28,536.00
Couple, homeowner without mortgage, good health	1.02	\$38,736.00	\$37,920.00
Couple, renter, good health	1.03	\$40,992.00	\$39,660.00

TECHNICAL NOTES

*See our technical report (online at <https://healthyagingdatareports.org>) for more information on data sources, measures, geographic units, margins of error, and statistical methodology. For most indicators the community and state values are estimates derived from sample data. Thus, it is possible that some of the differences between state and community estimates may be due to chance associated with population sampling. We use the terms "Better" and "Worse" to highlight differences between community and state estimates that we are confident are not due to chance. "Better" is used where a higher/lower value has positive implications for the health of older residents. "Worse" is used where a higher/lower score has negative implications for the health of older people, and when the implication is unclear, we use an *.

We balance two goals. First, we aim to report data at very local levels because we believe change is often locally driven. Second, we vowed to protect the privacy of the people providing the information reported. Thus, given the constraints of the data analyzed we used a hierarchical approach to reporting.

Data Sources:

- Population Characteristics: The U.S. Census Bureau (American Community Survey 2014-2018), The Behavioral Risk Factor Surveillance System (2012-2018), Robert Wood Johnson Foundation (2020), The CMS Master Beneficiary Summary File ABCD/Other (2016-2017).
- Wellness, Falls, Prevention, Nutrition/Diet, Oral Health: BRFSS (2012-2018), CMS (2016-2017), the USDA Food Atlas (2017), CT Dept. of Public Health (DPH) (2020).
- Chronic Disease: CMS (2016-2017).
- Behavioral Health, Mental Health: CT DPH (2020), CMS (2016-2017), BRFSS (2012-2018), CDC Wonder (2014-2018).
- Living with Disability: CMS (2016-2017), ACS (2014-2018).
- Caregiving: CT Dept. of Aging (2020), memorycafedirectory.com (2020), BRFSS (2012-2018), ACS (2014-2018).
- Access to Care: CMS (2016-2017), BRFSS (2012-2018), Medicare.gov (Sep. 2020), Community Health Center Association of CT (2020), National Adult Day Services Association (2020).
- Service Utilization: CMS (2016-2017), Medicare.gov (Sep. 2020).
- Community: U.S. EPA Air Compare (2020), AARP (2020), CT Health and Human Services (2020), New England Commission of Higher Education (2020), CT State Library, Division of Library Development (2021), CT YMCA (2020), the FCC (2018), BRFSS (2012-2018), CT Secretary of State (2020).
- Safety & Crime: CDC Wonder (2014-2018).
- Transportation: ACS (2014-2018), BRFSS (2012-2018), the National Highway Traffic Safety Administration (2014-2018).
- Housing, Economic, Cost of Living: BRFSS (2012-2018), ACS (2014-2018), www.seniorcare.com/assisted-living/ (2020), Center for Social and Demographic Research on Aging, University of Massachusetts Boston (2019).

Acknowledgments: Many people contributed to the CT Healthy Aging Data Report research. The University of Massachusetts Boston Gerontology Institute 2021 research team: Beth Dugan PhD, Nina Silverstein PhD, Chae Man Lee PhD, Frank Porell PhD, ShuangShuang Wang PhD, Haowei Wang PhD, Xiao Joyce Wang PhD, Evan Chunga, Taylor Jansen, Shu Xu, Maki Karakida, Elizabeth Gallagher, Celeste Beaulieu, Emily Lim. The Tufts Health Plan Foundation supported the research and provided important guidance.

Questions? Beth.dugan@umb.edu