



This southwestern neighborhood of Nashua contains the zip code 03062 and is home to Lovewell's Pond Area. There are 4,555 residents age 65 or older. Compared to state average rates, older residents fared better on some healthy aging indicators with lower rates of traumatic brain injury. However, they had higher rates of high cholesterol, diabetes, stroke, hypertension, ischemic heart disease, congestive heart failure, osteoporosis, colon cancer, prostate cancer, anemia, chronic kidney disease, liver diseases, migraine, and mobility impairments. Community resources to support healthy aging include 178 primary care providers, 2 hospitals, and 3 nursing homes within 5 miles, 15 home health agencies, 3 assisted living sites, a YMCA, an adult day health center, and access to broadband.



POPULATION CHARACTERISTICS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
Total population all ages		27,331	1,327,503
Population 60 years or older as % of total population		23.6%	22.7%
Total population 60 years or older		6,463	301,630
Population 65 years or older as % of total population		16.7%	15.8%
Total population 65 years or older		4,555	210,385
% 65-74 years		56.1%	58.5%
% 75-84 years		29.0%	28.6%
% 85 years or older		15.0%	12.9%
Gender (65+ population)			
% female		55.7%	54.7%
Race/Ethnicity (65+ population)			
% White		91.7%	97.7%
% African American		2.0%	0.5%
% Asian		5.8%	0.9%
% Other		0.5%	0.9%
% Hispanic/Latino		1.3%	0.9%
Marital Status (65+ population)			
% married		58.2%	58.5%
% divorced/separated		12.6%	14.0%
% widowed		24.6%	22.9%
% never married		4.6%	4.6%
Education (65+ population)			
% with less than high school education		16.0%	12.3%
% with high school or some college		55.5%	57.1%
% with college degree		28.5%	30.6%
% of 65+ population living alone		24.1%	26.1%
% of 65+ population who speak only English at home		81.3%	91.3%
% of 65+ population who are veterans of military service		27.2%	24.8%
Age-sex adjusted 1-year mortality rate		4.2%	4.1%

% moved from different county in New Hampshire         1.           % moved from different state         2.           WELLNESS & PREVENTION           % 60+ with any physical activity within last month         72.           % 60+ met CDC guidelines for muscle-strengthening activity         53.           % 60+ met CDC guidelines for aerobic physical activities         17.           % 60+ gettiing recommended hours of sleep         62.           % 60+ injured in a fall within last 12 months         12.           % 65+ had hip fracture         3.           % 60+ with self-reported fair or poor health status         20.           % 60+ with 15+ physically unhealthy days last month         W           % 60+ with physical exam/check-up in past year         89.           % 60+ met CDC preventive health screening goals         44.           % 60+ met CDC preventive health screening goals         44.           % 60+ met CDC preventive health screening goals         44.           % 60+ with physical exam/check-up in past year         89.           % 60+ met CDC preventive health screening goals         44.           % 60+ met CDC preventive health screening goals         44.           % 60+ with cholesterol screening         75.           % 60+ with nown and active health screening goals         15.           % 60+ with 1	GING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
% moved from different county in New Hampshire         1.           % moved from different state         2.           WELLNESS & PREVENTION           % 60+ with any physical activity within last month         72.           % 60+ met CDC guidelines for muscle-strengthening activity         53.           % 60+ met CDC guidelines for aerobic physical activities         17.           % 60+ getting recommended hours of sleep         62.           % 60+ getting recommended hours of sleep         62.           % 60+ injured in a fall within last 12 months         12.           % 65+ had hip fracture         3.           % 65+ had hip fracture         3.           % 60+ with self-reported fair or poor health status         20.           % 60+ with physicall vunhealthy days last month         W         19.           % 60+ with physical exam/check-up in past year         89.           % 60+ met CDC preventive health screening goals         44.           % 60+ met CDC preventive health screening goals         44.           % 60+ with physical exam/check-up in past year         59.           % 65+ with pneumonia vaccine         81.           % 60+ met CDC preventive health screening goals         44.           % 60+ with cholesterol screening         75.           % 60+ with notestral cancer screening<	gration (65+ population) in the past 12 montl	hs		
% moved from different state         2.           WELLNESS & PREVENTION           % 60+ with any physical activity within last month         72.           % 60+ met CDC guidelines for muscle-strengthening activity         53.           % 60+ met CDC guidelines for aerobic physical activities         17.           % 60+ getting recommended hours of sleep         62.           % 60+ getting recommended hours of sleep         62.           % 60+ injured in a fall within last 12 months         12.           % 65+ had hip fracture         3.           % 60+ with self-reported fair or poor health status         20.           % 60+ with self-reported fair or poor health status         20.           % 60+ with physicall exam/check-up in past year         89.           % 60+ with physical exam/check-up in past year         89.           % 60+ met CDC preventive health screening goals         44.           % 60+ flu shot past year         59.           % 65+ with pneumonia vaccine         81.           % 60+ with colesterol screening         93.           % 60+ with colesterol screening         75.           % 60+ with loss of 6 or more teeth         28.           % 60+ with loss of 6 or more teeth         28.           % 60+ with sorn more servings of fruit or vegetables per day         18.      <	thin same county		5.7%	3.6%
WELLNESS & PREVENTION         % 60+ with any physical activity within last month       72.         % 60+ met CDC guidelines for muscle-strengthening activity       23.         % 60+ met CDC guidelines for aerobic physical activities       17.         % 60+ met CDC guidelines for both types of physical activities       17.         % 60+ getting recommended hours of sleep       62.         % 60+ getting recommended hours of sleep       62.         % 60+ injured in a fall within last 12 months       12.         % 65+ had hip fracture       3.         % 60+ with self-reported fair or poor health status       20.         % 60+ with 15+ physically unhealthy days last month       W       19.         % 60+ with physical exam/check-up in past year       89.         % 60+ met CDC preventive health screening goals       44.         % 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 65+ with cholesterol screening       93.         % 60+ with colorectal cancer screening       75.         % 60+ with lIV test       13.         % 60+ with libus of 6 or more teeth       28.         % 60+ with specifically depressed of fruit or vegetables per day       18.         % 60+ with 5 or more servings of fruit or vegetables per day       18.	om different county in New Hampshire		1.1%	1.0%
% 60+ with any physical activity within last month 72.   % 60+ met CDC guidelines for muscle-strengthening activity 23.   % 60+ met CDC guidelines for aerobic physical activity 55.   % 60+ met CDC guidelines for both types of physical activities 17.   % 60+ getting recommended hours of sleep 62.   % 60+ getting recommended hours of sleep 62.   % 60+ injured in a fall within last 12 months 12.   % 65+ had hip fracture 3.   % 60+ with self-reported fair or poor health status 20.   % 60+ with 15+ physically unhealthy days last month W 19.   % 60+ with physical exam/check-up in past year 89.   % 60+ met CDC preventive health screening goals 44.   % 60+ flu shot past year 59.   % 65+ with pneumonia vaccine 81.   % 60+ with cholesterol screening 93.   % 60+ women with a mammogram within last 2 years 77.   % 60+ with colorectal cancer screening 75.   % 60+ with HIV test 13.   % 60+ with loss of 6 or more teeth 28.   % 60+ with sper 100,000 persons (all ages) (county)   NUTRITION/DIET   % 60+ with 5 or more servings of fruit or vegetables per day 18.   % 60+ with jd agnosed obese 16.   % 65+ with high cholesterol W 77.   % 60+ excessive drinking 7.	om different state		2.3%	1.7%
% 60+ met CDC guidelines for muscle-strengthening activity 23.   % 60+ met CDC guidelines for aerobic physical activity 55.   % 60+ met CDC guidelines for both types of physical activities 17.   % 60+ getting recommended hours of sleep 62.   % 60+ injured in a fall within last 12 months 12.   % 65+ had hip fracture 3.   % 60+ with self-reported fair or poor health status 20.   % 60+ with 15+ physically unhealthy days last month W 19.   % 60+ with physical exam/check-up in past year 89.   % 60+ met CDC preventive health screening goals 44.   % 60+ flu shot past year 59.   % 65+ with pneumonia vaccine 81.   % 60+ with colorectal screening 93.   % 60+ women with a mammogram within last 2 years 77.   % 60+ with lIV test 13.   % 60+ with hIIV test 13.   % 60+ with loss of 6 or more teeth 28.   % 60+ with annual dental exam 70.   # of dentists per 100,000 persons (all ages) (county)   NUTRITION/DIET   % 60+ with 5 or more servings of fruit or vegetables per day 18.   % 60+ self-reported obese 26.   % 65+ with high cholesterol W 77.   % 60+ excessive drinking 7.	& PREVENTION			
% 60+ met CDC guidelines for aerobic physical activity       55.         % 60+ met CDC guidelines for both types of physical activities       17.         % 60+ getting recommended hours of sleep       62.         % 60+ injured in a fall within last 12 months       12.         % 65+ had hip fracture       3.         % 60+ with self-reported fair or poor health status       20.         % 60+ with 15+ physically unhealthy days last month       W         % 60+ with physical exam/check-up in past year       89.         % 60+ met CDC preventive health screening goals       44.         % 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ women with a mammogram within last 2 years       77.         % 60+ with clorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ with loss of 6 or more teeth       28.         % 60+ with so of 6 or more teeth       28.         % 60+ with 5 or more servings of fruit or vegetables per day       18.         % 60+ with 5 or more servings of fruit or vegetables per day       18.         % 60+ self-reported obese       26.         % 65+ with high cholesterol       W       77.         % 60+ excessive drinkin	physical activity within last month		72.6%	74.5%
% 60+ met CDC guidelines for both types of physical activities       17.         % 60+ getting recommended hours of sleep       62.         % 60+ injured in a fall within last 12 months       12.         % 65+ had hip fracture       3.         % 60+ with self-reported fair or poor health status       20.         % 60+ with 15+ physically unhealthy days last month       W         % 60+ with physical exam/check-up in past year       89.         % 60+ met CDC preventive health screening goals       44.         % 60+ met CDC preventive health screening goals       44.         % 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ with colorectal cancer screening       75.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET       26.         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W       77.     <	C guidelines for muscle-strengthening activity	ty	23.1%	26.0%
% 60+ getting recommended hours of sleep       62         % 60+ injured in a fall within last 12 months       12         % 65+ had hip fracture       3         % 60+ with self-reported fair or poor health status       20         % 60+ with 15+ physically unhealthy days last month       W       19         % 60+ with physical exam/check-up in past year       89         % 60+ met CDC preventive health screening goals       44         % 60+ flu shot past year       59         % 65+ with pneumonia vaccine       81         % 60+ with cholesterol screening       93         % 60+ with colorectal cancer screening       75         % 60+ with nllV test       13         % 60+ with lIV test       13         % 60+ current smokers       11         Oral Health       28         % 60+ with loss of 6 or more teeth       28         % 60+ with annual dental exam       70         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET       26         % 60+ self-reported obese       26         % 65+ clinically diagnosed obese       16         % 65+ with high cholesterol       W       77         % 60+ excessive drinking       7	C guidelines for aerobic physical activity		55.9%	58.6%
% 60+ injured in a fall within last 12 months       12.         % 65+ had hip fracture       3.         % 60+ with self-reported fair or poor health status       20.         % 60+ with 15+ physically unhealthy days last month       W         % 60+ with physical exam/check-up in past year       89.         % 60+ met CDC preventive health screening goals       44.         % 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with loss of 6 or more teeth       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W       77.         % 60+ excessive drinking       7.	C guidelines for both types of physical activit	ties	17.4%	19.9%
% 65+ had hip fracture       3.         % 60+ with self-reported fair or poor health status       20.         % 60+ with 15+ physically unhealthy days last month       W       19.         % 60+ with physical exam/check-up in past year       89.         % 60+ met CDC preventive health screening goals       44.         % 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ women with a mammogram within last 2 years       77.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with loss of 6 or more teeth       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET         % 60+ with 5 or more servings of fruit or vegetables per day       18.         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W       77.         % 60+ excessive drinking       7.	recommended hours of sleep		62.1%	66.4%
% 60+ with self-reported fair or poor health status       20.         % 60+ with 15+ physically unhealthy days last month       W         % 60+ with physical exam/check-up in past year       89.         % 60+ met CDC preventive health screening goals       44.         % 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ women with a mammogram within last 2 years       77.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with loss of 6 or more teeth       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W       77.         % 60+ excessive drinking       7.	n a fall within last 12 months		12.5%	10.4%
% 60+ with 15+ physically unhealthy days last monthW19.% 60+ with physical exam/check-up in past year89.% 60+ met CDC preventive health screening goals44.% 60+ flu shot past year59.% 65+ with pneumonia vaccine81.% 60+ with cholesterol screening93.% 60+ women with a mammogram within last 2 years77.% 60+ with colorectal cancer screening75.% 60+ with HIV test13.% 60+ current smokers11.Oral Health28.% 60+ with loss of 6 or more teeth28.% 60+ with annual dental exam70.# of dentists per 100,000 persons (all ages) (county)NUTRITION/DIET% 60+ with 5 or more servings of fruit or vegetables per day18.% 60+ self-reported obese26.% 65+ clinically diagnosed obese16.% 65+ with high cholesterolW77.% 60+ excessive drinking7.	fracture		3.2%	3.3%
% 60+ with physical exam/check-up in past year       89.         % 60+ met CDC preventive health screening goals       44.         % 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ women with a mammogram within last 2 years       77.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with loss of 6 or more teeth       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET         % 60+ with 5 or more servings of fruit or vegetables per day       18.         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W       77.         % 60+ excessive drinking       7.	f-reported fair or poor health status		20.9%	16.5%
% 60+ met CDC preventive health screening goals       44.         % 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ women with a mammogram within last 2 years       77.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with loss of 6 or more teeth       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W       77.         % 60+ excessive drinking       7.	physically unhealthy days last month	W	19.7%	12.5%
% 60+ flu shot past year       59.         % 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ women with a mammogram within last 2 years       77.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W       77.         % 60+ excessive drinking       7.	sical exam/check-up in past year		89.0%	86.5%
% 65+ with pneumonia vaccine       81.         % 60+ with cholesterol screening       93.         % 60+ women with a mammogram within last 2 years       77.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with loss of 6 or more teeth       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET         % 60+ with 5 or more servings of fruit or vegetables per day       18.         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W         % 60+ excessive drinking       7.	C preventive health screening goals		44.4%	40.3%
% 60+ with cholesterol screening       93.         % 60+ women with a mammogram within last 2 years       77.         % 60+ with colorectal cancer screening       75.         % 60+ with HIV test       13.         % 60+ current smokers       11.         Oral Health       28.         % 60+ with loss of 6 or more teeth       28.         % 60+ with annual dental exam       70.         # of dentists per 100,000 persons (all ages) (county)         NUTRITION/DIET         % 60+ with 5 or more servings of fruit or vegetables per day       18.         % 60+ self-reported obese       26.         % 65+ clinically diagnosed obese       16.         % 65+ with high cholesterol       W         % 60+ excessive drinking       7.	past year		59.8%	59.3%
% 60+ women with a mammogram within last 2 years  77. % 60+ with colorectal cancer screening 75. % 60+ with HIV test 13. % 60+ current smokers 11. Oral Health  % 60+ with loss of 6 or more teeth 28. % 60+ with annual dental exam 70. # of dentists per 100,000 persons (all ages) (county)  NUTRITION/DIET  % 60+ with 5 or more servings of fruit or vegetables per day 18. % 60+ self-reported obese 26. % 65+ clinically diagnosed obese 16. % 65+ with high cholesterol W 77. % 60+ excessive drinking	eumonia vaccine		81.5%	77.8%
% 60+ with colorectal cancer screening75.% 60+ with HIV test13.% 60+ current smokers11.Oral Health28.% 60+ with loss of 6 or more teeth28.% 60+ with annual dental exam70.# of dentists per 100,000 persons (all ages) (county)NUTRITION/DIET% 60+ with 5 or more servings of fruit or vegetables per day18.% 60+ self-reported obese26.% 65+ clinically diagnosed obese16.% 65+ with high cholesterolW77.% 60+ excessive drinking7.	plesterol screening		93.8%	95.3%
% 60+ with HIV test  % 60+ current smokers  11.  Oral Health  % 60+ with loss of 6 or more teeth  % 60+ with annual dental exam  # of dentists per 100,000 persons (all ages) (county)  NUTRITION/DIET  % 60+ with 5 or more servings of fruit or vegetables per day  % 60+ self-reported obese  26.  % 65+ clinically diagnosed obese  16.  % 65+ with high cholesterol  W 77.  % 60+ excessive drinking  7.	with a mammogram within last 2 years		77.9%	79.3%
% 60+ current smokers  Oral Health  % 60+ with loss of 6 or more teeth  % 60+ with annual dental exam  # of dentists per 100,000 persons (all ages) (county)  NUTRITION/DIET  % 60+ with 5 or more servings of fruit or vegetables per day  18.  % 60+ self-reported obese  26.  % 65+ clinically diagnosed obese  16.  % 65+ with high cholesterol  W 77.  % 60+ excessive drinking	orectal cancer screening		75.8%	77.0%
Oral Health  % 60+ with loss of 6 or more teeth  % 60+ with annual dental exam  # of dentists per 100,000 persons (all ages) (county)  NUTRITION/DIET  % 60+ with 5 or more servings of fruit or vegetables per day  18.  % 60+ self-reported obese  26.  % 65+ clinically diagnosed obese  16.  % 65+ with high cholesterol  W 77.  % 60+ excessive drinking	/ test		13.6%	13.5%
% 60+ with loss of 6 or more teeth28.% 60+ with annual dental exam70.# of dentists per 100,000 persons (all ages) (county)NUTRITION/DIET% 60+ with 5 or more servings of fruit or vegetables per day18.% 60+ self-reported obese26.% 65+ clinically diagnosed obese16.% 65+ with high cholesterolW77.% 60+ excessive drinking7.	smokers		11.6%	8.1%
<ul> <li>% 60+ with annual dental exam</li> <li># of dentists per 100,000 persons (all ages) (county)</li> <li>NUTRITION/DIET</li> <li>% 60+ with 5 or more servings of fruit or vegetables per day</li> <li>% 60+ self-reported obese</li> <li>% 65+ clinically diagnosed obese</li> <li>% 65+ with high cholesterol</li> <li>% 60+ excessive drinking</li> <li>7.</li> </ul>				
# of dentists per 100,000 persons (all ages) (county)  NUTRITION/DIET  % 60+ with 5 or more servings of fruit or vegetables per day  % 60+ self-reported obese  26.  % 65+ clinically diagnosed obese  16.  % 65+ with high cholesterol  W 77.  % 60+ excessive drinking	oss of 6 or more teeth		28.4%	29.0%
NUTRITION/DIET  % 60+ with 5 or more servings of fruit or vegetables per day  % 60+ self-reported obese  % 65+ clinically diagnosed obese  % 65+ with high cholesterol  % 60+ excessive drinking  7	annual dental exam		70.6%	75.7%
% 60+ with 5 or more servings of fruit or vegetables per day18.% 60+ self-reported obese26.% 65+ clinically diagnosed obese16.% 65+ with high cholesterolW% 60+ excessive drinking7.	per 100,000 persons (all ages) (county)		77	72
% 60+ self-reported obese26.% 65+ clinically diagnosed obese16.% 65+ with high cholesterolW% 60+ excessive drinking7.	DIET			
% 65+ clinically diagnosed obese16.% 65+ with high cholesterolW% 60+ excessive drinking7.	r more servings of fruit or vegetables per da	у	18.9%	20.2%
% 65+ with high cholesterol W 77. % 60+ excessive drinking 7.	orted obese		26.0%	27.2%
% 60+ excessive drinking 7.	diagnosed obese		16.8%	16.7%
	h cholesterol	W	77.3%	72.2%
% 65+ with poor supermarket access 89.	ve drinking		7.4%	9.2%
	or supermarket access		89.5%	28.4%

BEHAVIORAL HEALTH         6.6+ with 16-br days poor mental health last month         9.2%         6.98           665+ with depression         30.4%         28.8%           665- with anxiety disorders         23.4%         21.9%           655- with bipolar disorders         2.7%         3.1%           655- with schizophrenia & other psychotic disorders         1.3%         1.4%           656- with personality disorders         0.8%         1.1%           656- with schizophrenia & other psychotic disorders         0.8%         1.1%           656- with schizophrenia & other psychotic disorders         0.8%         1.1%           656- with schizophrenia & other psychotic disorders         0.8%         1.1%           656- with schizophrenia & other psychotic disorders         0.8%         1.1%           656- with schizophrenia & other psychotic disorders         0.8%         1.1%           657- with biportal giscapes of control psychotic disorders         0.8%         1.1%           657- with biportal (all ages) (county)         491         1.279           658- with tother (all ages) (county)         491         1.279           659- with biportal (all ages) (county)         491         1.279           659- with charter (all ages) (county)         492         1.20           659- with charter (al	HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
% 65+ with depression       30.4%       28.8%         % 65+ with anxiety disorders       23.4%       21.9%         % 65+ with post-traumatic stress disorder       1.3%       3.1%         % 65+ with post-traumatic stress disorders       4.8%       4.9%         % 65+ with post-traumatic stress disorders       4.8%       4.9%         % 65+ with schizophrenia & other psychotic disorders       1.8%       1.1%         # opioid deaths (all ages) (county)       491       1.279         % 65+ with substance use disorders (drug use +/or alcohol abuse)       5.3%       5.5%         65+ with babacce use disorders       10.6%       5.5%         65+ with babacce use disorders       12.0%       12.0%         K 65+ with babacce use disorders       W       30.6%       28.2%         K 65+ with babacce use disorders       W       30.6%       28.2%         K 65+ with databetes       W       30.6%       28.2%         K 65+ with discherent disease or related dementias       12.0%       12.0%         K 65+ with strobacce obstructive pulmonary disease       W       33.6%       28.2%         K 65+ with strobacce obstructive pulmonary disease       W       33.3%       30.5%         K 65+ with bypertension       W       73.5%       70.2%	BEHAVIORAL HEALTH			
% 65+ with ippoard isorders         23.4%         21.9%           % 65+ with ippoard isorders         2.7%         3.1%           % 65+ with pipoard isorders         1.3%         1.4%           % 65+ with personality disorders         0.8%         1.1%           % 65+ with personality disorders         0.8%         1.1%           % 65+ with personality disorders         0.8%         1.1%           % 65+ with personality disorders (drug use +/or alcohol abuse)         5.3%         5.5%           % 65+ with substance use disorders (drug use +/or alcohol abuse)         5.3%         5.5%           % 65+ with substance use disorders (drug use +/or alcohol abuse)         5.3%         5.5%           % 65+ with substance use disorders         10.0%         10.4%           % 65+ with disobacc use disorders         W         30.6%         28.2%           % 65+ with disobacc use disorders         W         30.6%         28.2%           % 65+ with disobacc use disorders         W         30.6%         28.2%           % 65+ with disobacc use disorders         W         30.6%         28.2%           % 65+ with disobacc use disorders         W         12.3%         10.8%           % 65+ with disobacc use disorders         W         13.0%         20.2% <t< td=""><td>% 60+ with 15+ days poor mental health last month</td><td></td><td>9.2%</td><td>6.9%</td></t<>	% 60+ with 15+ days poor mental health last month		9.2%	6.9%
% 65+ with bipolar disorders         2.7%         3.1%           % 65+ with post-traumatic stress disorder         1.3%         1.4%           % 65+ with personality disorders         4.8%         4.9%           % 65+ with personality disorders         0.8%         1.1%           % 65+ with personality disorders         0.8%         1.1%           w opioid deaths (all ages) (county)         491         1.279           % 65+ with substance use disorders (drug use +/or alcohol abuse)         5.3%         5.5%           % 65+ with tobacco use disorders         10.6%         10.4%           CHRONIC DISEASE           % 65+ with diabetes         W         30.6%         28.2%           % 65+ with stroke         W         12.3%         10.8%           % 65+ with stroke         W         73.5%         70.2%           % 65+ with atheriension         W         73.5%         70.2%           % 65+ with personality disease         W         38.3%         34.3%           % 65+ with in schemic loart failure	% 65+ with depression		30.4%	28.8%
% 65+ with post-traumatic stress disorder       1.3%       1.4%         % 65+ with schizophrenia & other psychotic disorders       4.8%       4.9%         % 65+ with personality disorders       0.8%       1.1%         * opioid deaths (all ages) (county)       491       1.279         % 65+ with substance use disorders (drug use +/or alcohol abuse)       5.3%       5.5%         % 65+ with tobacco use disorders       10.6%       10.4%         CHRONIC DISEASE         % 65+ with Alzheimer's disease or related dementias       12.0%       12.0%         65+ with stroke       W       30.6%       28.2%         65+ with obstructive pulmonary disease       W       13.3%       20.5%         % 65+ with hypertension       W       73.5%       70.2%         % 65+ with popertension       W       33.3%       34.3%         % 65+ with schemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with atrial fibrillation       15.8%       14.7%         % 65+ with osteoporosis       W       22.5%       14.7%         % 65+ with osteoporosis       W       22.5%       15.7%       14.7%         % 65+ with losteoporosis<	% 65+ with anxiety disorders		23.4%	21.9%
% 65+ with schizophrenia & other psychotic disorders       4.8%       4.9%         % 65+ with personality disorders       0.8%       1.1%         # opioid deaths (all ages) (county)       491       1,279         % 65+ with substance use disorders (drug use +/or alcohol abuse)       5.3%       5.5%         65+ with tobacco use disorders       10.4%         CHRONIC DISEASE         8 65+ with Alzheimer's disease or related dementias       12.0%       12.0%         65+ with stroke       W       30.6%       28.2%         65+ with stroke       W       12.3%       10.8%         65+ with stroke in the constructive pulmonary disease       19.3%       20.5%         65+ with asthma       12.9%       13.0%         65+ with asthma       12.9%       13.0%         65+ with appertancion       W       73.5%       70.2%         65+ with appertancion       W       38.3%       34.3%         65+ with congestive heart disease       W       38.3%       34.3%         65+ with congestive heart failure       W       19.3%       17.7%         65+ with peripheral vascular disease       W       22.5%       17.4%         65+ with osteoporosis       W       22.5%       17.4%	% 65+ with bipolar disorders		2.7%	3.1%
% 65+ with personality disorders       0.8%       1.1%         # opioid deaths (all ages) (county)       491       1,279         % 65+ with substance use disorders       10.6%       5.3%       5.5%         % 65+ with tubstacco use disorders       10.6%       10.4%         CHRONIC DISEASE         % 65+ with Alzheimer's disease or related dementias       12.0%       12.0%         % 65+ with diabetes       W       30.6%       28.2%         % 65+ with stroke       W       12.3%       10.8%         % 65+ with chronic obstructive pulmonary disease       19.3%       20.5%         % 65+ with asthma       12.9%       13.0%         % 65+ with pypertension       W       73.5%       70.2%         % 65+ with pypertension       W       38.3%       34.3%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with osteoparthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoparthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with lung cancer       W       22.5%       17.4%         % 65+ with colon cancer       W       3.1%	% 65+ with post-traumatic stress disorder		1.3%	1.4%
# opioid deaths (all ages) (county)  % 65+ with substance use disorders (drug use +/or alcohol abuse)  % 65+ with tobacco use disorders  **CHRONIC DISEASE**  % 65+ with Alzheimer's disease or related dementias  % 65+ with diabetes  % 65+ with diabetes  % 65+ with chronic obstructive pulmonary disease  % 65+ with stroke  % 65+ with harbain  % 65+ with osteoarthritis/rheumatoid arthritis  % 65+ with osteoarthritis/rheumatoid arthritis  % 65+ with lung cancer  % 65+ with lung cancer  % 65+ women with breast cancer  % 65+ women with prostate cancer  % 65+ women with prostate cancer  % 65+ women with prostate cancer  % 65+ with harbain prostatic hyperplasia  % 65+ with harbain prostatic hyperplasia  % 65+ with harbain  % 65+ with harbain prostatic hyperplasia  % 65+ with hypothyroidism  % 65- with hypothyroidism  % 65- with hypothyroidism  % 65- with hypothyroidism  % 65- with hypothyroid	% 65+ with schizophrenia & other psychotic disorders		4.8%	4.9%
% 65+ with substance use disorders       5.3%       5.5%         % 65+ with tobacco use disorders       10.6%       10.4%         CHRONIC DISEASE         % 65+ with Alzheimer's disease or related dementias       12.0%       30.6%       28.2%         % 65+ with diabetes       W       30.6%       28.2%         % 65+ with stroke       W       12.3%       10.8%         % 65+ with chronic obstructive pulmonary disease       19.3%       20.5%         % 65+ with asthma       12.9%       13.0%         % 65+ with hypertension       W       73.5%       70.2%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with natrial fibrillation       15.8%       14.4%         % 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with lung cancer       19.%       16.6%         % 65+ with lung cancer       W       3.1%       2.4%         % 65+ with prostate cancer       W       3.1%       2.4%         % 65+ women with prostate cancer       W       1.9%       1.7% <td>% 65+ with personality disorders</td> <td></td> <td>0.8%</td> <td>1.1%</td>	% 65+ with personality disorders		0.8%	1.1%
% 65+ with tobacco use disorders       10.6%       10.4%         CHRONIC DISEASE       8 65+ with Alzheimer's disease or related dementias       12.0%       12.0%         % 65+ with Alzheimer's disease or related dementias       12.0%       28.2%         % 65+ with diabetes       W       30.6%       28.2%         % 65+ with stroke       W       12.3%       10.8%         % 65+ with chronic obstructive pulmonary disease       19.3%       20.5%         % 65+ with asthma       12.9%       13.0%         % 65+ with asthma       W       73.5%       70.2%         % 65+ with pypertension       W       73.5%       70.2%         % 65+ with pripheral vascular disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with peripheral vascular disease       I5.5%       14.7%         % 65+ with peripheral vascular disease       I5.5%       14.7%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       W       3.1%       2.4%         % 65+ wom	# opioid deaths (all ages) (county)		491	1,279
CHRONIC DISEASE           % 65+ with Alzheimer's disease or related dementias         12.0%         12.0%           % 65+ with diabetes         W         30.6%         28.2%           % 65+ with stroke         W         12.3%         10.8%           % 65+ with othronic obstructive pulmonary disease         19.3%         20.5%           % 65+ with asthma         12.9%         13.0%           % 65+ with hypertension         W         73.5%         70.2%           % 65+ with hypertension         W         38.3%         34.3%           % 65+ with pertension eart disease         W         38.3%         34.3%           % 65+ with schemic heart disease         W         38.3%         34.3%           % 65+ with congestive heart failure         W         19.8%         17.7%           % 65+ with peripheral vascular disease         15.5%         14.7%           % 65+ with osteoarthritis/rheumatoid arthritis         49.4%         49.1%           % 65+ with osteoporosis         W         22.5%         17.4%           % 65+ with leukemias and lymphomas         2.4%         2.0%           % 65+ with urg cancer         W         3.1%         2.4%           % 65+ women with prostate cancer         W         1.9%	% 65+ with substance use disorders (drug use +/or alcohol abuse)		5.3%	5.5%
% 65+ with Alzheimer's disease or related dementias       12.0%       12.0%         % 65+ with diabetes       W       30.6%       28.2%         % 65+ with stroke       W       12.3%       10.8%         % 65+ with chronic obstructive pulmonary disease       19.3%       20.5%         % 65+ with asthma       12.9%       13.0%         % 65+ with hypertension       W       73.5%       70.2%         % 65+ ever had a heart attack       4.5%       4.5%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with atrial fibrillation       15.8%       14.4%         % 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       W       3.1%       2.4%         % 65+ with prostate cancer       W       3.1%       2.4%         % 65+ women with prostate cancer       W       1.9%       1.7%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with benign prostatic hyperplasia	% 65+ with tobacco use disorders		10.6%	10.4%
% 65+ with diabetes       W       30.6%       28.2%         % 65+ with stroke       W       12.3%       10.8%         % 65+ with chronic obstructive pulmonary disease       19.3%       20.5%         % 65+ with asthma       12.9%       13.0%         % 65+ with hypertension       W       73.5%       70.2%         % 65+ ever had a heart attack       4.5%       4.5%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with peripheral vascular disease       W       19.8%       17.7%         % 65+ with peripheral vascular disease       W       22.5%       14.7%         % 65+ with osteoparthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with lug cancer       W       22.5%       17.4%         % 65+ with lug cancer       W       3.1%       2.4%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ with prostate cancer       W       3.1%       2.4%         % 65+ women with prostate cancer       W       1.9%       1.7%         % 65+ men with prostate cancer       W       14.4%       11.5% <t< td=""><td>CHRONIC DISEASE</td><td></td><td></td><td></td></t<>	CHRONIC DISEASE			
% 65+ with stroke       W       12.3%       10.8%         % 65+ with chronic obstructive pulmonary disease       19.3%       20.5%         % 65+ with asthma       12.9%       13.0%         % 65+ with hypertension       W       73.5%       70.2%         % 65+ ever had a heart attack       4.5%       4.5%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with atrial fibrillation       15.8%       14.4%         % 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with lung cancer       W       22.5%       17.4%         % 65+ with lung cancer       W       3.1%       2.4%         % 65+ with lung cancer       W       3.1%       2.4%         % 65+ women with preast cancer       W       3.1%       2.4%         % 65+ women with prostate cancer       W       1.1.5%         % 65+ women with prostatic hyperplasia       39.0%       36.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with pothyroidism       21.9%       20.8%	% 65+ with Alzheimer's disease or related dementias		12.0%	12.0%
% 65+ with chronic obstructive pulmonary disease       19.3%       20.5%         % 65+ with asthma       12.9%       13.0%         % 65+ with hypertension       W       73.5%       70.2%         % 65+ ever had a heart attack       4.5%       4.5%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with atrial fibrillation       15.8%       14.4%         % 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ women with breast cancer       W       3.1%       2.4%         % 65+ women with prostate cancer       W       14.4%       11.5%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with beingn prostatic hyperplasia       39.0%       36.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with chronic kidney disease       W	% 65+ with diabetes	W	30.6%	28.2%
% 65+ with asthma       12.9%       13.0%         % 65+ with hypertension       W       73.5%       70.2%         % 65+ ever had a heart attack       4.5%       4.5%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with atrial fibrillation       15.8%       14.4%         % 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       W       3.1%       2.4%         % 65+ women with breast cancer       W       3.1%       2.4%         % 65+ women with endometrial cancer       W       1.9%       1.7%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with nemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W	% 65+ with stroke	W	12.3%	10.8%
% 65+ with hypertension       W       73.5%       70.2%         % 65+ ever had a heart attack       4.5%       4.5%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with attrial fibrillation       15.8%       14.4%         % 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with lung cancer       W       2.4%       2.0%         % 65+ with lung cancer       W       3.1%       2.4%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with preast cancer       W       3.1%       2.4%         % 65+ women with prostate cancer       W       14.4%       11.5%         % 65+ men with prostatic hyperplasia       39.0%       36.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with nemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       8.8%       6.9%         % 65+ with liver diseases <td>% 65+ with chronic obstructive pulmonary disease</td> <td></td> <td>19.3%</td> <td>20.5%</td>	% 65+ with chronic obstructive pulmonary disease		19.3%	20.5%
% 65+ ever had a heart attack       4.5%       4.5%         % 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with ischemic heart disease       W       19.8%       17.7%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with atrial fibrillation       15.6%       14.4%         % 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoparthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoparosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       W       3.1%       2.4%         % 65+ women with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W	% 65+ with asthma		12.9%	13.0%
% 65+ with ischemic heart disease       W       38.3%       34.3%         % 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with atrial fibrillation       15.8%       14.4%         % 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       W       3.1%       2.4%         % 65+ women with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with hypertension	W	73.5%	70.2%
% 65+ with congestive heart failure       W       19.8%       17.7%         % 65+ with atrial fibrillation       15.8%       14.4%         % 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with preast cancer       10.2%       9.8%         % 65+ women with prostate cancer       W       14.4%       11.5%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ ever had a heart attack		4.5%	4.5%
% 65+ with atrial fibrillation       15.8%       14.4%         % 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       W       3.1%       2.4%         % 65+ women with endometrial cancer       10.2%       9.8%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with ischemic heart disease	W	38.3%	34.3%
% 65+ with peripheral vascular disease       15.5%       14.7%         % 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       W       3.1%       2.4%         % 65+ women with endometrial cancer       10.2%       9.8%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with hypothyroidism       0.04%       0.05%         % 65+ with nypothyroidism       21.9%       20.8%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with congestive heart failure	W	19.8%	17.7%
% 65+ with osteoarthritis/rheumatoid arthritis       49.4%       49.1%         % 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       W       3.1%       2.4%         % 65+ women with endometrial cancer       1.9%       1.7%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with atrial fibrillation		15.8%	14.4%
% 65+ with osteoporosis       W       22.5%       17.4%         % 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       W       3.1%       2.4%         % 65+ women with endometrial cancer       10.2%       9.8%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with peripheral vascular disease		15.5%	14.7%
% 65+ with leukemias and lymphomas       2.4%       2.0%         % 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       10.2%       9.8%         % 65+ women with endometrial cancer       1.9%       1.7%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with osteoarthritis/rheumatoid arthritis		49.4%	49.1%
% 65+ with lung cancer       1.9%       1.6%         % 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       10.2%       9.8%         % 65+ women with endometrial cancer       1.9%       1.7%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with osteoporosis	W	22.5%	17.4%
% 65+ with colon cancer       W       3.1%       2.4%         % 65+ women with breast cancer       10.2%       9.8%         % 65+ women with endometrial cancer       1.9%       1.7%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with leukemias and lymphomas		2.4%	2.0%
% 65+ women with breast cancer       10.2%       9.8%         % 65+ women with endometrial cancer       1.9%       1.7%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with lung cancer		1.9%	1.6%
% 65+ women with endometrial cancer       1.9%       1.7%         % 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with colon cancer	W	3.1%	2.4%
% 65+ men with prostate cancer       W       14.4%       11.5%         % 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ women with breast cancer		10.2%	9.8%
% 65+ with benign prostatic hyperplasia       39.0%       36.8%         % 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ women with endometrial cancer		1.9%	1.7%
% 65+ with HIV/AIDS       0.04%       0.05%         % 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ men with prostate cancer	W	14.4%	11.5%
% 65+ with hypothyroidism       21.9%       20.8%         % 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with benign prostatic hyperplasia		39.0%	36.8%
% 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%	% 65+ with HIV/AIDS		0.04%	0.05%
% 65+ with anemia       W       44.1%       37.3%         % 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%			21.9%	
% 65+ with chronic kidney disease       W       28.3%       22.3%         % 65+ with liver diseases       W       8.2%       6.9%		W		
% 65+ with liver diseases W 8.2% 6.9%		W		
		W		
	% 65+ with fibromyalgia, chronic pain and fatigue		19.5%	18.6%

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
% 65+ with migraine and other chronic headache	W	5.0%	4.0%
% 65+ with epilepsy		2.7%	2.1%
% 65+ with traumatic brain injury	В	0.7%	1.1%
% 65+ with autism spectrum disorders		N/A	0.03%
% 65+ with glaucoma		21.8%	22.9%
% 65+ with cataract		62.3%	61.2%
% 65+ with pressure ulcer or chronic ulcer		6.9%	7.1%
% 65+ with 4+ (out of 15) chronic conditions	W	58.5%	54.4%
% 65+ with 0 chronic conditions	W	8.0%	10.3%
LIVING WITH DISABILITY			
% 65+ with self-reported hearing difficulty		15.4%	15.0%
% 65+ with clinical diagnosis of deafness or hearing impairment		13.6%	14.4%
% 65+ with self-reported vision difficulty		5.5%	5.2%
% 65+ with clinical diagnosis of blindness or visual impairment		1.2%	0.9%
% 65+ with self-reported cognition difficulty		7.7%	6.9%
% 65+ with self-reported ambulatory difficulty		17.0%	18.8%
% 65+ with clinical diagnosis of mobility impairments	W	4.5%	3.2%
% 65+ with self-reported self-care difficulty		9.0%	5.6%
% 65+ with self-reported independent living difficulty	W	15.0%	11.3%
ACCESS TO CARE			
Medicare (65+ population)			
% Medicare managed care enrollees	*	11.9%	7.9%
% dually eligible for Medicare and Medicaid	*	5.2%	7.5%
% 60+ with a regular doctor		95.9%	95.8%
% 60+ who did not see doctor when needed due to cost		7.8%	5.4%
# of primary care providers within 5 miles		178	2,961
# of hospitals within 5 miles		2	26
# of nursing homes within 5 miles		3	74
# of home health agencies		15	49
# of community health centers		0	22
# of adult day health centers		1	21
# of memory cafes		0	12
# of dementia-related support groups		0	14

Part D monthly prescription fills per person per year         51.2         4           Home health visits per year         2.6         2.6           Durable medical equipment claims per year         2.1         2.1           Inpatient hospital stays/1000 persons 65+ years per year         2.72         3           Medicare inpatient hospital readmissions (as % of admissions)         19.4%         15.           # skilled nursing facility stays/1000 persons 65+ years per year         74         4           # skilled nursing home Medicare beds/1000 persons 65+ years per year         63         6           % 65+ getting Medicaid long term services and supports         2.8%         3           COMMUNITY VARIABLES & CIVIC ENGAGEMENT         3         3           COMMUNITY VARIABLES & CIVIC ENGAGEMENT         3         3           ARP Age-Friendly efforts in community         No tyet         5           # of senior centers         0         0           Air pollution: annual # of unhealthy days for 65+ (county)         1         1           % of grandparents raising grandchildren         1.3%         0           % of vacant homes in community         2.9%         2           # of assisted living sites         3         1           % of vacant homes in community colleges         0         1	HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
Part	SERVICE UTILIZATION			
Part D monthly prescription fills per person per year   51.2   4	Physician visits per year	*	7.9	6.3
Not pet   Not pet   Pet   Not pet   Pet   Not pet   No	Emergency room visits/1000 persons 65+ years per year	*	628	572
Durable medical equipment claims per year         2.1           Inpatient hospital stays/1000 persons 65+ years per year         272           Medicare inpatient hospital readmissions (as % of admissions)         19.4%         15.           # skilled nursing facility stays/1000 persons 65+ years per year         74           # skilled nursing home Medicare beds/1000 persons 65+ years         63           % 65+ getting Medicaid long term services and supports         2.8%         3.           COMMUNITY VARIABLES & CIVIC ENGAGEMENT         AARP Age-Friendly efforts in community         Not yet         1           # of senior centers         0         0         1         1           AARP Age-Friendly efforts in community         1 <td>Part D monthly prescription fills per person per year</td> <td>*</td> <td>51.2</td> <td>49.1</td>	Part D monthly prescription fills per person per year	*	51.2	49.1
Inpatient hospital stays/1000 persons 65+ years per year	Home health visits per year		2.6	2.5
Medicare inpatient hospital readmissions (as % of admissions)	Durable medical equipment claims per year		2.1	2.0
# skilled nursing facility stays/1000 persons 65+ years per year # skilled nursing facility stays/1000 persons 65+ years per year # skilled nursing facility stays/1000 persons 65+ years 63 % 65+ getting Medicaid long term services and supports	Inpatient hospital stays/1000 persons 65+ years per year	*	272	237
# skilled nursing home Medicare beds/1000 persons 65+ years  % 65+ getting Medicaid long term services and supports  * 2.8% 3.  **COMMUNITY VARIABLES & CIVIC ENGAGEMENT**  AARP Age-Friendly efforts in community  **Not yet**  # of senior centers  0  Air pollution: annual # of unhealthy days for 65+ (county)  1  % of grandparents raising grandchildren  1.3%  0.  % of grandparents who live with grandchildren  2.9%  2.1%  # of assisted living sites  3  % of vacant homes in community  # of public libraries  0  # of public libraries  0  # of YMCAS  1  % in county with access to broadband (all ages)  % 60+ who used Internet in last month  71.0%  77.  Voter participation rate in 2018 election (age 18+)  **SAFETY & TRANSPORTATION**  Violent crime rate /100,000 persons  224  Homicide rate /100,000 persons (county)  # firearm fatalities (county)  Property crime rate /100,000 persons  2.075  2,  % 65+ who own a motor vehicle  88.8%  91.  % 60+ who always drive wearing a seatbelt  81.1%  77.  # of fatal crashes involving adult age 60+/town  3	Medicare inpatient hospital readmissions (as % of admissions)	*	19.4%	15.8%
% 65+ getting Medicaid long term services and supports       2.8%       3.         COMMUNITY VARIABLES & CIVIC ENGAGEMENT         AARP Age-Friendly efforts in community       Not yet         # of senior centers       0         Air pollution: annual # of unhealthy days for 65+ (county)       1         % of grandparents raising grandchildren       1.3%       0.         % of grandparents who live with grandchildren       2.9%       2.         # of assisted living sites       3       3         % of vacant homes in community       2.1%       16.         # of universities and community colleges       0       6.         # of public libraries       0       6.         # of YMCAs       1       6.         % in county with access to broadband (all ages)       94.0%       93.         % 60+ who used Internet in last month       71.0%       77.         Voter participation rate in 2018 election (age 18+)       45.8%       54.         SAFETY & TRANSPORTATION       2       54.         Violent crime rate /100,000 persons       224       54.         Homicide rate /100,000 persons (county)       2       65.         Property crime rate /100,000 persons       2,075       2,075         % 65+ who own a motor vehicle <t< td=""><td># skilled nursing facility stays/1000 persons 65+ years per year</td><td></td><td>74</td><td>76</td></t<>	# skilled nursing facility stays/1000 persons 65+ years per year		74	76
COMMUNITY VARIABLES & CIVIC ENGAGEMENT           AARP Age-Friendly efforts in community         Not yet           # of senior centers         0           Air pollution: annual # of unhealthy days for 65+ (county)         1           % of grandparents raising grandchildren         1.3%         0.           % of grandparents who live with grandchildren         2.9%         2.           # of assisted living sites         3         3           % of vacant homes in community         2.1%         16.           # of universities and community colleges         0         2           # of public libraries         0         3           % in county with access to broadband (all ages)         94.0%         93.           % 60+ who used Internet in last month         71.0%         77.           Voter participation rate in 2018 election (age 18+)         45.8%         54.           SAFETY & TRANSPORTATION         224         4           Violent crime rate /100,000 persons (county)         2         4           # firearm fatalities (county)         196         54.           Property crime rate /100,000 persons         2,075         2,075           % 65+ who own a motor vehicle         88.8%         91.           % 60+ who always drive wearing a seatbelt	# skilled nursing home Medicare beds/1000 persons 65+ years		63	33
AARP Age-Friendly efforts in community         Not yet           # of senior centers         0           Air pollution: annual # of unhealthy days for 65+ (county)         1           % of grandparents raising grandchildren         1.3%         0           % of grandparents who live with grandchildren         2.9%         2           # of assisted living sites         3         3           % of vacant homes in community         2.1%         16           # of universities and community colleges         0         2           # of public libraries         0         2           # of YMCAs         1         3           % in county with access to broadband (all ages)         94.0%         93           % 60+ who used Internet in last month         71.0%         77           Voter participation rate in 2018 election (age 18+)         45.8%         54           SAFETY & TRANSPORTATION         224         3           Violent crime rate /100,000 persons         224         3           Homicide rate /100,000 persons (county)         2         4           # firearm fatalities (county)         196         5           Property crime rate /100,000 persons         2,075         2,075           % 65+ who own a motor vehicle         88.8%	% 65+ getting Medicaid long term services and supports	*	2.8%	3.7%
# of senior centers 0 Air pollution: annual # of unhealthy days for 65+ (county) 1 % of grandparents raising grandchildren 1.3% 0. % of grandparents who live with grandchildren 2.9% 2. # of assisted living sites 3 % of vacant homes in community 2.1% 16. # of universities and community colleges 0 # of public libraries 0 # of YMCAs 1 % in county with access to broadband (all ages) 94.0% 93. % 60+ who used Internet in last month 71.0% 77. Voter participation rate in 2018 election (age 18+) 45.8% 54.  SAFETY & TRANSPORTATION Violent crime rate /100,000 persons (county) 196 Property crime rate /100,000 persons 2.24 Homicide rate /100,000 persons (county) 196 Property crime rate /100,000 persons 2.075 2. % 65+ who own a motor vehicle 88.8% 91. % 60+ who always drive wearing a seatbelt 81.1% 77. # of fatal crashes involving adult age 60+/town 3	COMMUNITY VARIABLES & CIVIC ENGAGEMENT			
Air pollution: annual # of unhealthy days for 65+ (county)       1         % of grandparents raising grandchildren       1.3%       0.         % of grandparents who live with grandchildren       2.9%       2.         # of assisted living sites       3         % of vacant homes in community       2.1%       16.         # of universities and community colleges       0         # of public libraries       0       1         % in county with access to broadband (all ages)       94.0%       93.         % 60+ who used Internet in last month       71.0%       77.         Voter participation rate in 2018 election (age 18+)       45.8%       54.         SAFETY & TRANSPORTATION       2       45.8%       54.         Violent crime rate /100,000 persons (county)       2       2         # firearm fatalities (county)       196       76.         Property crime rate /100,000 persons       2,075       2,075         % 65+ who own a motor vehicle       88.8%       91.         % 60+ who always drive wearing a seatbelt       81.1%       77.         # of fatal crashes involving adult age 60+/town       3	AARP Age-Friendly efforts in community		Not yet	Yes
% of grandparents raising grandchildren       1.3%       0.         % of grandparents who live with grandchildren       2.9%       2.         # of assisted living sites       3         % of vacant homes in community       2.1%       16.         # of universities and community colleges       0         # of public libraries       0          # of YMCAs       1         % in county with access to broadband (all ages)       94.0%       93.         % 60+ who used Internet in last month       71.0%       77.         Voter participation rate in 2018 election (age 18+)       45.8%       54.         SAFETY & TRANSPORTATION         Violent crime rate /100,000 persons       224          Homicide rate /100,000 persons (county)       2          # firearm fatalities (county)       196          Property crime rate /100,000 persons       2,075       2,075         % 65+ who own a motor vehicle       88.8%       91.         % 60+ who always drive wearing a seatbelt       81.1%       77.         # of fatal crashes involving adult age 60+/town       3	# of senior centers		0	44
% of grandparents who live with grandchildren       2.9%       2.         # of assisted living sites       3         % of vacant homes in community       2.1%       16.         # of universities and community colleges       0         # of public libraries       0          # of YMCAs       1          % in county with access to broadband (all ages)       94.0%       93.         % 60+ who used Internet in last month       71.0%       77.         Voter participation rate in 2018 election (age 18+)       45.8%       54.         SAFETY & TRANSPORTATION         Violent crime rate /100,000 persons       224          Homicide rate /100,000 persons (county)       2          # firearm fatalities (county)       196          Property crime rate /100,000 persons       2,075       2,075         % 65+ who own a motor vehicle       88.8%       91         % 60+ who always drive wearing a seatbelt       81.1%       77         # of fatal crashes involving adult age 60+/town       3	Air pollution: annual # of unhealthy days for 65+ (county)		1	N/A
# of assisted living sites 3 % of vacant homes in community 2.1% 16. # of universities and community colleges 0 # of public libraries 0 # of YMCAs 1 % in county with access to broadband (all ages) 94.0% 93. % 60+ who used Internet in last month 71.0% 77. Voter participation rate in 2018 election (age 18+) 45.8% 54.  SAFETY & TRANSPORTATION Violent crime rate /100,000 persons 224 Homicide rate /100,000 persons (county) 2 # firearm fatalities (county) 196 Property crime rate /100,000 persons 2,075 2,% 65+ who own a motor vehicle 88.8% 91. % 60+ who always drive wearing a seatbelt 81.1% 77. # of fatal crashes involving adult age 60+/town 3	% of grandparents raising grandchildren		1.3%	0.8%
% of vacant homes in community       2.1%       16.         # of universities and community colleges       0         # of public libraries       0          # of YMCAs       1          % in county with access to broadband (all ages)       94.0%       93.         % 60+ who used Internet in last month       71.0%       77.         Voter participation rate in 2018 election (age 18+)       45.8%       54.         SAFETY & TRANSPORTATION       2          Violent crime rate /100,000 persons       224          Homicide rate /100,000 persons (county)       2          # firearm fatalities (county)       196         Property crime rate /100,000 persons       2,075       2,         % 65+ who own a motor vehicle       88.8%       91.         % 60+ who always drive wearing a seatbelt       81.1%       77.         # of fatal crashes involving adult age 60+/town       3	% of grandparents who live with grandchildren		2.9%	2.5%
# of universities and community colleges 0  # of public libraries 0  # of YMCAs 1  % in county with access to broadband (all ages) 94.0% 93. % 60+ who used Internet in last month 71.0% 77. Voter participation rate in 2018 election (age 18+) 45.8% 54.  SAFETY & TRANSPORTATION  Violent crime rate /100,000 persons 224  Homicide rate /100,000 persons (county) 2  # firearm fatalities (county) 196  Property crime rate /100,000 persons 2,075 2, % 65+ who own a motor vehicle 88.8% 91. % 60+ who always drive wearing a seatbelt 81.1% 77. # of fatal crashes involving adult age 60+/town 3	# of assisted living sites		3	134
# of public libraries 0 # of YMCAs 1 % in county with access to broadband (all ages) 94.0% 93. % 60+ who used Internet in last month 71.0% 77. Voter participation rate in 2018 election (age 18+) 45.8% 54.  SAFETY & TRANSPORTATION  Violent crime rate /100,000 persons 224  Homicide rate /100,000 persons (county) 2 # firearm fatalities (county) 196  Property crime rate /100,000 persons 2,075 2, % 65+ who own a motor vehicle 88.8% 91. % 60+ who always drive wearing a seatbelt 81.1% 77. # of fatal crashes involving adult age 60+/town 3	% of vacant homes in community		2.1%	16.0%
# of YMCAs 1 % in county with access to broadband (all ages) 94.0% 93. % 60+ who used Internet in last month 71.0% 77. Voter participation rate in 2018 election (age 18+) 45.8% 54.  SAFETY & TRANSPORTATION  Violent crime rate /100,000 persons 224 Homicide rate /100,000 persons (county) 2 # firearm fatalities (county) 196  Property crime rate /100,000 persons 2,075 2, % 65+ who own a motor vehicle 88.8% 91. % 60+ who always drive wearing a seatbelt 81.1% 77. # of fatal crashes involving adult age 60+/town 3	# of universities and community colleges		0	41
% in county with access to broadband (all ages)       94.0%       93.         % 60+ who used Internet in last month       71.0%       77.         Voter participation rate in 2018 election (age 18+)       45.8%       54.         SAFETY & TRANSPORTATION         Violent crime rate /100,000 persons       224       224         Homicide rate /100,000 persons (county)       2       2         # firearm fatalities (county)       196       2         Property crime rate /100,000 persons       2,075       2,         % 65+ who own a motor vehicle       88.8%       91.         % 60+ who always drive wearing a seatbelt       81.1%       77.         # of fatal crashes involving adult age 60+/town       3	# of public libraries		0	234
% 60+ who used Internet in last month       71.0%       77.0%         Voter participation rate in 2018 election (age 18+)       45.8%       54.0         SAFETY & TRANSPORTATION         Violent crime rate /100,000 persons       224       224         Homicide rate /100,000 persons (county)       2       2         # firearm fatalities (county)       196       2         Property crime rate /100,000 persons       2,075       2,         % 65+ who own a motor vehicle       88.8%       91.0         % 60+ who always drive wearing a seatbelt       81.1%       77.0         # of fatal crashes involving adult age 60+/town       3	# of YMCAs		1	12
Voter participation rate in 2018 election (age 18+)       45.8%       54.         SAFETY & TRANSPORTATION         Violent crime rate /100,000 persons       224       224         Homicide rate /100,000 persons (county)       2         # firearm fatalities (county)       196         Property crime rate /100,000 persons       2,075       2,         % 65+ who own a motor vehicle       88.8%       91.         % 60+ who always drive wearing a seatbelt       81.1%       77.         # of fatal crashes involving adult age 60+/town       3	% in county with access to broadband (all ages)		94.0%	93.0%
SAFETY & TRANSPORTATION  Violent crime rate /100,000 persons 224  Homicide rate /100,000 persons (county) 2  # firearm fatalities (county) 196  Property crime rate /100,000 persons 2,075 2, % 65+ who own a motor vehicle 88.8% 91. % 60+ who always drive wearing a seatbelt 81.1% 77. # of fatal crashes involving adult age 60+/town 3	% 60+ who used Internet in last month		71.0%	77.6%
Violent crime rate /100,000 persons224Homicide rate /100,000 persons (county)2# firearm fatalities (county)196Property crime rate /100,000 persons2,0752,% 65+ who own a motor vehicle88.8%91.% 60+ who always drive wearing a seatbelt81.1%77.# of fatal crashes involving adult age 60+/town3	Voter participation rate in 2018 election (age 18+)		45.8%	54.7%
Homicide rate /100,000 persons (county)  # firearm fatalities (county)  Property crime rate /100,000 persons  2,075  2,075  2,075  65+ who own a motor vehicle  88.8%  91.  % 60+ who always drive wearing a seatbelt  # of fatal crashes involving adult age 60+/town  3	SAFETY & TRANSPORTATION			
# firearm fatalities (county)  Property crime rate /100,000 persons  2,075  2,075  65+ who own a motor vehicle  88.8%  91.  60+ who always drive wearing a seatbelt  # of fatal crashes involving adult age 60+/town  3	Violent crime rate /100,000 persons		224	207
Property crime rate /100,000 persons  2,075  2,075  88.8%  91.  60+ who always drive wearing a seatbelt  # of fatal crashes involving adult age 60+/town  3	Homicide rate /100,000 persons (county)		2	1
% 65+ who own a motor vehicle  % 60+ who always drive wearing a seatbelt  # of fatal crashes involving adult age 60+/town  88.8%  91.  77.	# firearm fatalities (county)		196	586
% 60+ who always drive wearing a seatbelt 81.1% 77.  # of fatal crashes involving adult age 60+/town 3	Property crime rate /100,000 persons		2,075	2,012
# of fatal crashes involving adult age 60+/town 3	% 65+ who own a motor vehicle		88.8%	91.0%
	% 60+ who always drive wearing a seatbelt		81.1%	77.1%
# of fatal crashes involving adult age 60+/county 31	# of fatal crashes involving adult age 60+/town		3	151
	# of fatal crashes involving adult age 60+/county		31	151

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	STATE ESTIMATE
ECONOMIC & HOUSING VARIABLES	STATE NATE	20111117112	2011111112
% 65+ with income below the poverty line past year		4.5%	5.4%
% 60+ receiving food stamps past year		3.9%	5.7%
% 65+ employed past year		23.0%	24.8%
Household income (65+ householder)			
% households with annual income < \$20,000		14.9%	18.2%
% households with annual income \$20,000-\$49,999		31.9%	36.5%
% households with annual income > \$50,000		53.2%	45.3%
% 60+ own home		82.5%	79.9%
% 60+ have mortgage on home		37.7%	35.3%
% 65+ households spend >35% of income on housing (renter)		7.9%	8.7%
% 65+ households spend >35% of income on housing (owner)		23.3%	21.2%
COST OF LIVING	\$ COUNTY ESTIMATE	\$ STATE ESTIMATE	RATIO (COUNTY/STATE)
Elder Economic Security Standard Index			
Single, homeowner without mortgage, good health	\$26,196	\$25,284	1.04
Single, renter, good health	\$27,264	\$26,400	1.03
Couple, homeowner without mortgage, good health	\$38,160	\$37,128	1.03
Couple, renter, good health	\$39,228	\$38,244	1.03

## TECHNICAL NOTES

\*See our technical report (online at https://healthyagingdatareports.org/) for more information on data sources, measures, methodology, and margin of errors. For most indicators the reported community and state values are both estimates derived from sample data. Thus, it is possible that some of the differences between state and community estimates may be due to chance associated with population sampling. We use the terms "better" and "worse" to highlight differences between community and state estimates that we are confident are not due to chance. "Better" is used where a higher/lower value has positive implications for the health of older residents. "Worse" is used where a higher/lower score has negative implications for the health of older people, and when the implication is unclear, we use an \*. We balance two goals. First, we aim to report data at very local levels because we believe change is often locally driven. Second, we vowed to protect the privacy of the people providing the information reported. Thus, given the constraints of the data analyzed we used a hierarchical approach to reporting. When possible we report estimates for 244 geographic units (i.e., every NH city/town and 5 Manchester neighborhoods, 4 Nashua neighborhoods). For example, the population characteristics were reported for all 244 units. For other data (i.e., highly prevalent chronic disease, health services utilization) we could report for 154 geographic units. For less prevalent conditions we report for 69 geographic units. For the BRFSS data we report for 28 geographic units, and for the lowest prevalence conditions (e.g., HIV) we report for 4 geographic units. The same estimate is reported for all cities/towns within aggregated geographic areas. Maps of the different geographic groupings and the rationale behind the groupings are in the Technical Report.

## Data Sources:

- Population Characteristics: The U.S. Census Bureau (American Community Survey 2012-2016).
- Wellness & Prevention: The Behavioral Risk Factor Surveillance System (2011-2016).
- Nutrition/Diet: BRFSS (2011-2016), CMS (2014-2015), and the U.S. Department of Agriculture Food Atlas (2017).
- Behavioral Health: BRFSS (2011-2016), CMS (2014-2015), CDC Wonder website (2014-2016).
- Chronic Disease: The Master Beneficiary Summary File ABCD/Other from CMS (2014-2015).
- Disability: CMS (2014-2015) for the clinical measures, and ACS (2012-2016) for the self-reported disability.
- Access to Care: BRFSS (2011-2016), CMS (2015), Medicare.gov (June-July 2018), the NH Division of Public Health Services (2018), National Adult Day Services Association (2018), memorycaredirectory.com (2018), and the Alzheimer's Association (July 2018).
- Service Utilization: CMS (2015), and Medicare Nursing Home Compare (December 2018).
- Community & Civic Engagement: AARP (2018 update; https://www.aarp.org/livable-communities/network-age-friendly-communities/info-2014/member-list.html), the Aging & Disability Resource Center, U.S. Environmental Protection Agency Air Compare (2016), assistedlivingfacilities.org, ACS (2012-2016), the NH Department of Business and Economic Affairs Division of Travel and Tourism Development (August 2018), NH YMCA (July 2018), the Federal Communications Commission (2016), BRFSS (2011-2016), and the NH Secretary of State.
- Safety & Transportation: U.S. Department of Justice Federal Bureau of Investigation (August 2017), the County Health Rankings (2018), BRFSS (2011-2016). ACS (2012-2016), and the National Highway Traffic Safety Administration (2011-2015).
- Economic & Housing, Cost of Living: ACS (2012-2016) and the Center for Social and Demographic Research on Aging at the University of Massachusetts Boston (August 2017).

<u>Healthy Aging Data Report Team.</u> Many people contributed to this research. The 2018 research team: Beth Dugan PhD, Frank Porell PhD, Nina Silverstein PhD, Chae Man Lee PhD, ShuangShuang Wang PhD, Bon Kim, Natalie Pitheckoff, Haowei Wang, Sae Hwang Han, Richard Chunga, & Shiva Prisad from the Gerontology Institute in the McCormack Graduate School of Policy and Global Studies at the University of Massachusetts Boston. The Tufts Health Plan Foundation supported the research and provided important guidance. Our Advisory Committees helped to make the Data Report best address the needs of New Hampshire. We thank JSI for their continued partnership. Questions? Beth.dugan@umb.edu Update: 05/2019