

## Harrisville (Cheshire)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>POPULATION CHARACTERISTICS</b>					
Age-sex adjusted 1-year mortality rate		3.9%	[ 2.18% - 5.61% ]	4.1%	[ 4.02% - 4.19% ]
<b>WELLNESS &amp; PREVENTION</b>					
% 60+ with any physical activity within last month		77.1%	[ 71.88% - 82.37% ]	74.5%	[ 73.36% - 75.59% ]
% 60+ met CDC guidelines for muscle-strengthening activity		25.6%	[ 20.21% - 30.99% ]	26.0%	[ 24.93% - 27.14% ]
% 60+ met CDC guidelines for aerobic physical activity		62.7%	[ 56.76% - 68.67% ]	58.6%	[ 57.33% - 59.82% ]
% 60+ met CDC guidelines for both types of physical activities		21.0%	[ 16.05% - 26.00% ]	19.9%	[ 18.92% - 20.93% ]
% 60+ getting recommended hours of sleep		65.4%	[ 59.50% - 71.24% ]	66.4%	[ 65.16% - 67.60% ]
% 60+ injured in a fall within last 12 months		8.0%	[ 4.71% - 11.25% ]	10.4%	[ 9.65% - 11.16% ]
% 65+ had hip fracture		3.2%	[ 2.50% - 3.86% ]	3.3%	[ 3.19% - 3.34% ]
% 60+ with self-reported fair or poor health status		18.1%	[ 13.14% - 23.05% ]	16.5%	[ 15.54% - 17.40% ]
% 60+ with 15+ physically unhealthy days last month		13.1%	[ 8.54% - 17.68% ]	12.5%	[ 11.69% - 13.37% ]
% 60+ with physical exam/check-up in past year	W	79.2%	[ 74.09% - 84.34% ]	86.5%	[ 85.66% - 87.39% ]
% 60+ met CDC preventive health screening goals		39.6%	[ 32.26% - 46.93% ]	40.3%	[ 38.77% - 41.81% ]
% 60+ flu shot past year		58.1%	[ 51.87% - 64.30% ]	59.3%	[ 58.06% - 60.63% ]
% 65+ with pneumonia vaccine		74.2%	[ 67.79% - 80.57% ]	77.8%	[ 76.56% - 79.12% ]
% 60+ with cholesterol screening		95.0%	[ 92.51% - 97.48% ]	95.3%	[ 94.78% - 95.82% ]
% 60+ women with a mammogram within last 2 years		75.0%	[ 68.54% - 81.41% ]	79.3%	[ 77.96% - 80.69% ]
% 60+ with colorectal cancer screening		71.4%	[ 65.66% - 77.21% ]	77.0%	[ 75.92% - 78.16% ]
% 60+ with HIV test		16.7%	[ 11.75% - 21.63% ]	13.5%	[ 12.50% - 14.41% ]
% 60+ current smokers		7.2%	[ 4.18% - 10.20% ]	8.1%	[ 7.38% - 8.79% ]
<b>Oral Health</b>					
% 60+ with loss of 6 or more teeth		29.6%	[ 24.15% - 35.05% ]	29.0%	[ 27.79% - 30.12% ]
% 60+ with annual dental exam	W	66.1%	[ 60.24% - 71.93% ]	75.7%	[ 74.65% - 76.84% ]
<b>NUTRITION/DIET</b>					
% 60+ with 5 or more servings of fruit or vegetables per day		22.2%	[ 17.09% - 27.23% ]	20.2%	[ 19.23% - 21.21% ]
% 60+ self-reported obese		31.4%	[ 25.24% - 37.53% ]	27.2%	[ 26.03% - 28.35% ]
% 65+ clinically diagnosed obese		16.9%	[ 13.34% - 20.42% ]	16.7%	[ 16.56% - 16.94% ]
% 65+ with high cholesterol	B	61.5%	[ 57.10% - 65.94% ]	72.2%	[ 72.01% - 72.44% ]
% 60+ excessive drinking		10.1%	[ 6.62% - 13.64% ]	9.2%	[ 8.45% - 9.94% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>BEHAVIORAL HEALTH</b>					
% 60+ with 15+ days poor mental health last month		9.9%	[ 5.90% - 13.95% ]	6.9%	[ 6.29% - 7.61% ]
% 65+ with depression	B	21.1%	[ 17.53% - 24.76% ]	28.8%	[ 28.59% - 29.01% ]
% 65+ with anxiety disorders	B	15.3%	[ 11.88% - 18.65% ]	21.9%	[ 21.74% - 22.15% ]
% 65+ with bipolar disorders	B	1.6%	[ 1.00% - 2.16% ]	3.1%	[ 2.97% - 3.14% ]
% 65+ with post-traumatic stress disorder		1.4%	[ 0.85% - 2.02% ]	1.4%	[ 1.35% - 1.48% ]
% 65+ with schizophrenia & other psychotic disorders	B	2.5%	[ 1.83% - 3.08% ]	4.9%	[ 4.81% - 5.02% ]
% 65+ with personality disorders		0.7%	[ 0.32% - 1.12% ]	1.1%	[ 1.00% - 1.11% ]
% 65+ with substance use disorders (drug use +/- alcohol abuse)		4.5%	[ 2.49% - 6.44% ]	5.5%	[ 5.41% - 5.64% ]
% 65+ with tobacco use disorders	B	6.8%	[ 4.27% - 9.34% ]	10.4%	[ 10.23% - 10.54% ]
<b>CHRONIC DISEASE</b>					
% 65+ with Alzheimer's disease or related dementias	W	16.7%	[ 13.31% - 20.00% ]	12.0%	[ 11.89% - 12.19% ]
% 65+ with diabetes	B	20.9%	[ 17.11% - 24.74% ]	28.2%	[ 27.97% - 28.41% ]
% 65+ with stroke	B	7.1%	[ 4.84% - 9.27% ]	10.8%	[ 10.64% - 10.92% ]
% 65+ with chronic obstructive pulmonary disease	B	15.0%	[ 11.87% - 18.10% ]	20.5%	[ 20.36% - 20.73% ]
% 65+ with asthma		10.6%	[ 7.85% - 13.30% ]	13.0%	[ 12.89% - 13.21% ]
% 65+ with hypertension	B	58.3%	[ 53.87% - 62.82% ]	70.2%	[ 70.02% - 70.46% ]
% 65+ ever had a heart attack		4.6%	[ 2.76% - 6.49% ]	4.5%	[ 4.37% - 4.56% ]
% 65+ with ischemic heart disease	B	28.4%	[ 24.15% - 32.58% ]	34.3%	[ 34.12% - 34.58% ]
% 65+ with congestive heart failure		18.2%	[ 14.69% - 21.69% ]	17.7%	[ 17.57% - 17.93% ]
% 65+ with atrial fibrillation		14.0%	[ 10.99% - 17.04% ]	14.4%	[ 14.28% - 14.60% ]
% 65+ with peripheral vascular disease	B	9.5%	[ 6.87% - 12.16% ]	14.7%	[ 14.51% - 14.84% ]
% 65+ with osteoarthritis/rheumatoid arthritis		47.9%	[ 43.11% - 52.74% ]	49.1%	[ 48.82% - 49.32% ]
% 65+ with osteoporosis		15.2%	[ 12.13% - 18.32% ]	17.4%	[ 17.22% - 17.57% ]
% 65+ with leukemias and lymphomas		1.9%	[ 1.28% - 2.49% ]	2.0%	[ 1.91% - 2.05% ]
% 65+ with lung cancer	B	1.1%	[ 0.65% - 1.47% ]	1.6%	[ 1.54% - 1.66% ]
% 65+ with colon cancer	B	1.8%	[ 1.28% - 2.34% ]	2.4%	[ 2.37% - 2.51% ]
% 65+ women with breast cancer		8.5%	[ 5.12% - 11.83% ]	9.8%	[ 9.59% - 9.96% ]
% 65+ women with endometrial cancer		1.6%	[ 0.87% - 2.30% ]	1.7%	[ 1.60% - 1.76% ]
% 65+ men with prostate cancer		10.1%	[ 6.25% - 14.01% ]	11.5%	[ 11.24% - 11.68% ]
% 65+ with benign prostatic hyperplasia		30.9%	[ 24.97% - 36.84% ]	36.8%	[ 36.47% - 37.14% ]
% 65+ with HIV/AIDS		0.04%	[ 0.02% - 0.07% ]	0.05%	[ 0.04% - 0.06% ]
% 65+ with hypothyroidism	B	17.2%	[ 13.90% - 20.60% ]	20.8%	[ 20.62% - 20.99% ]
% 65+ with anemia	B	31.7%	[ 27.56% - 35.80% ]	37.3%	[ 37.12% - 37.57% ]
% 65+ with chronic kidney disease	B	14.7%	[ 11.42% - 17.89% ]	22.3%	[ 22.14% - 22.54% ]
% 65+ with liver diseases		6.2%	[ 3.86% - 8.45% ]	6.9%	[ 6.75% - 6.99% ]
% 65+ with fibromyalgia, chronic pain and fatigue	B	14.9%	[ 11.61% - 18.24% ]	18.6%	[ 18.42% - 18.80% ]
% 65+ with migraine and other chronic headache	B	3.0%	[ 2.31% - 3.78% ]	4.0%	[ 3.95% - 4.15% ]
% 65+ with epilepsy	B	1.1%	[ 0.68% - 1.57% ]	2.1%	[ 2.00% - 2.14% ]
% 65+ with traumatic brain injury	B	0.6%	[ 0.28% - 0.95% ]	1.1%	[ 1.06% - 1.16% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
% 65+ with autism spectrum disorders			N/A	0.03%	[ 0.02% - 0.04% ]
% 65+ with glaucoma		23.4%	[ 19.61% - 27.15% ]	22.9%	[ 22.74% - 23.13% ]
% 65+ with cataract		64.7%	[ 60.29% - 69.09% ]	61.2%	[ 61.00% - 61.47% ]
% 65+ with pressure ulcer or chronic ulcer		6.5%	[ 4.40% - 8.70% ]	7.1%	[ 6.99% - 7.24% ]
% 65+ with 4+ (out of 15) chronic conditions	B	42.8%	[ 38.37% - 47.22% ]	54.4%	[ 54.19% - 54.66% ]
% 65+ with 0 chronic conditions		12.5%	[ 9.43% - 15.63% ]	10.3%	[ 10.12% - 10.42% ]
<b>LIVING WITH DISABILITY</b>					
% 65+ with clinical diagnosis of deafness or hearing impairment		12.7%	[ 9.64% - 15.69% ]	14.4%	[ 14.23% - 14.56% ]
% 65+ with clinical diagnosis of blindness or visual impairment		0.7%	[ 0.32% - 0.98% ]	0.9%	[ 0.81% - 0.90% ]
% 65+ with clinical diagnosis of mobility impairments		2.5%	[ 1.87% - 3.15% ]	3.2%	[ 3.14% - 3.31% ]
<b>ACCESS TO CARE</b>					
Medicare (65+ population)					
% Medicare managed care enrollees	*	10.7%	[ 8.29% - 13.04% ]	7.9%	[ 7.8% - 8.02% ]
% dually eligible for Medicare and Medicaid	*	3.9%	[ 2.38% - 5.35% ]	7.5%	[ 7.40% - 7.62% ]
% 60+ with a regular doctor		94.6%	[ 91.78% - 97.51% ]	95.8%	[ 95.34% - 96.33% ]
% 60+ who did not see doctor when needed due to cost		3.3%	[ 1.16% - 5.46% ]	5.4%	[ 4.75% - 5.97% ]
<b>SERVICE UTILIZATION</b>					
Physician visits per year	*	5.4	[ 4.9 - 5.9 ]	6.3	[ 6.2 - 6.3 ]
Emergency room visits/1000 persons 65+ years per year	*	436	[ 338 - 533 ]	572	[ 566 - 578 ]
Part D monthly prescription fills per person per year	*	38.5	[ 35.0 - 42.0 ]	49.1	[ 48.9 - 49.3 ]
Home health visits per year		1.7	[ 0.9 - 2.5 ]	2.5	[ 2.4 - 2.5 ]
Durable medical equipment claims per year	*	1.4	[ 1.0 - 1.8 ]	2.0	[ 2.0 - 2.0 ]
Inpatient hospital stays/1000 persons 65+ years per year		187	[ 122 - 252 ]	237	[ 234 - 241 ]
Medicare inpatient hospital readmissions (as % of admissions)		21.8%	[ 10.78% - 32.90% ]	15.8%	[ 15.41% - 16.22% ]
# skilled nursing facility stays/1000 persons 65+ years per year	*	44	[ 22 - 65 ]	76	[ 74 - 77 ]
% 65+ getting Medicaid long term services and supports	*	1.9%	[ 0.81% - 2.89% ]	3.7%	[ 3.59% - 3.74% ]
<b>COMMUNITY VARIABLES &amp; CIVIC ENGAGEMENT</b>					
% 60+ who used Internet in last month		77.1%	[ 72.03% - 82.23% ]	77.6%	[ 76.53% - 78.64% ]
<b>SAFETY &amp; TRANSPORTATION</b>					
% 60+ who always drive wearing a seatbelt		75.0%	[ 69.58% - 80.44% ]	77.1%	[ 76.02% - 78.18% ]

Notes. <sup>1</sup> Community-state differences where the margin of error do not overlap each other are noted B, W, or \*.

<sup>2</sup> All community and state margins of error are 95% confidence intervals.

<sup>3</sup> The margin of error of the estimate is larger relative to the indicator value for current smokers, excessive drinking, 15+ days poor mental health last month, and did not see doctor when needed due to cost.

Questions or suggestions? [Beth.Dugan@umb.edu](mailto:Beth.Dugan@umb.edu)