

## Northwood (Rockingham)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>POPULATION CHARACTERISTICS</b>					
Age-sex adjusted 1-year mortality rate		5.0%	[ 3.14% - 6.83% ]	4.1%	[ 4.02% - 4.19% ]
<b>WELLNESS &amp; PREVENTION</b>					
% 60+ with any physical activity within last month		70.2%	[ 63.22% - 77.12% ]	74.5%	[ 73.36% - 75.59% ]
% 60+ met CDC guidelines for muscle-strengthening activity		24.4%	[ 18.24% - 30.59% ]	26.0%	[ 24.93% - 27.14% ]
% 60+ met CDC guidelines for aerobic physical activity		56.3%	[ 49.08% - 63.60% ]	58.6%	[ 57.33% - 59.82% ]
% 60+ met CDC guidelines for both types of physical activities		17.7%	[ 12.16% - 23.25% ]	19.9%	[ 18.92% - 20.93% ]
% 60+ getting recommended hours of sleep		67.2%	[ 60.25% - 74.09% ]	66.4%	[ 65.16% - 67.60% ]
% 60+ injured in a fall within last 12 months		7.6%	[ 3.72% - 11.55% ]	10.4%	[ 9.65% - 11.16% ]
% 65+ had hip fracture		2.9%	[ 2.25% - 3.52% ]	3.3%	[ 3.19% - 3.34% ]
% 60+ with self-reported fair or poor health status		14.8%	[ 9.22% - 20.43% ]	16.5%	[ 15.54% - 17.40% ]
% 60+ with 15+ physically unhealthy days last month		10.8%	[ 6.12% - 15.38% ]	12.5%	[ 11.69% - 13.37% ]
% 60+ with physical exam/check-up in past year		82.3%	[ 76.70% - 87.89% ]	86.5%	[ 85.66% - 87.39% ]
% 60+ met CDC preventive health screening goals		38.0%	[ 28.42% - 47.54% ]	40.3%	[ 38.77% - 41.81% ]
% 60+ flu shot past year		54.2%	[ 46.62% - 61.76% ]	59.3%	[ 58.06% - 60.63% ]
% 65+ with pneumonia vaccine		78.7%	[ 70.32% - 86.99% ]	77.8%	[ 76.56% - 79.12% ]
% 60+ with cholesterol screening		92.5%	[ 88.53% - 96.52% ]	95.3%	[ 94.78% - 95.82% ]
% 60+ women with a mammogram within last 2 years		76.9%	[ 68.82% - 85.04% ]	79.3%	[ 77.96% - 80.69% ]
% 60+ with colorectal cancer screening		82.2%	[ 76.84% - 87.53% ]	77.0%	[ 75.92% - 78.16% ]
% 60+ with HIV test		10.1%	[ 5.75% - 14.38% ]	13.5%	[ 12.50% - 14.41% ]
% 60+ current smokers		7.6%	[ 3.69% - 11.51% ]	8.1%	[ 7.38% - 8.79% ]
<b>Oral Health</b>					
% 60+ with loss of 6 or more teeth		30.6%	[ 23.57% - 37.72% ]	29.0%	[ 27.79% - 30.12% ]
% 60+ with annual dental exam		78.1%	[ 72.05% - 84.21% ]	75.7%	[ 74.65% - 76.84% ]
<b>NUTRITION/DIET</b>					
% 60+ with 5 or more servings of fruit or vegetables per day		16.5%	[ 10.93% - 22.10% ]	20.2%	[ 19.23% - 21.21% ]
% 60+ self-reported obese		32.4%	[ 25.25% - 39.52% ]	27.2%	[ 26.03% - 28.35% ]
% 65+ clinically diagnosed obese		16.1%	[ 12.76% - 19.40% ]	16.7%	[ 16.56% - 16.94% ]
% 65+ with high cholesterol		71.1%	[ 67.17% - 75.06% ]	72.2%	[ 72.01% - 72.44% ]
% 60+ excessive drinking		9.4%	[ 5.52% - 13.26% ]	9.2%	[ 8.45% - 9.94% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>BEHAVIORAL HEALTH</b>					
% 60+ with 15+ days poor mental health last month		5.0% [ 2.32% - 7.61% ]	6.9% [ 6.29% - 7.61% ]		
% 65+ with depression		32.2% [ 28.28% - 36.14% ]	28.8% [ 28.59% - 29.01% ]		
% 65+ with anxiety disorders		21.9% [ 18.25% - 25.63% ]	21.9% [ 21.74% - 22.15% ]		
% 65+ with bipolar disorders		3.0% [ 2.25% - 3.76% ]	3.1% [ 2.97% - 3.14% ]		
% 65+ with post-traumatic stress disorder		1.3% [ 0.76% - 1.79% ]	1.4% [ 1.35% - 1.48% ]		
% 65+ with schizophrenia & other psychotic disorders	B	3.8% [ 3.04% - 4.57% ]	4.9% [ 4.81% - 5.02% ]		
% 65+ with personality disorders	B	0.6% [ 0.25% - 0.90% ]	1.1% [ 1.00% - 1.11% ]		
% 65+ with substance use disorders (drug use +/- alcohol abuse)	W	8.7% [ 6.19% - 11.27% ]	5.5% [ 5.41% - 5.64% ]		
% 65+ with tobacco use disorders	W	16.1% [ 12.65% - 19.55% ]	10.4% [ 10.23% - 10.54% ]		
<b>CHRONIC DISEASE</b>					
% 65+ with Alzheimer's disease or related dementias		10.4% [ 7.79% - 12.92% ]	12.0% [ 11.89% - 12.19% ]		
% 65+ with diabetes		30.0% [ 25.90% - 34.06% ]	28.2% [ 27.97% - 28.41% ]		
% 65+ with stroke		11.6% [ 8.97% - 14.22% ]	10.8% [ 10.64% - 10.92% ]		
% 65+ with chronic obstructive pulmonary disease		19.4% [ 16.09% - 22.64% ]	20.5% [ 20.36% - 20.73% ]		
% 65+ with asthma		12.8% [ 10.11% - 15.56% ]	13.0% [ 12.89% - 13.21% ]		
% 65+ with hypertension		67.9% [ 63.82% - 71.93% ]	70.2% [ 70.02% - 70.46% ]		
% 65+ ever had a heart attack		3.2% [ 1.77% - 4.64% ]	4.5% [ 4.37% - 4.56% ]		
% 65+ with ischemic heart disease		31.9% [ 27.78% - 36.10% ]	34.3% [ 34.12% - 34.58% ]		
% 65+ with congestive heart failure		15.0% [ 11.90% - 18.08% ]	17.7% [ 17.57% - 17.93% ]		
% 65+ with atrial fibrillation		16.1% [ 13.09% - 19.19% ]	14.4% [ 14.28% - 14.60% ]		
% 65+ with peripheral vascular disease		15.5% [ 12.34% - 18.68% ]	14.7% [ 14.51% - 14.84% ]		
% 65+ with osteoarthritis/rheumatoid arthritis		47.9% [ 43.32% - 52.41% ]	49.1% [ 48.82% - 49.32% ]		
% 65+ with osteoporosis	B	11.9% [ 9.30% - 14.52% ]	17.4% [ 17.22% - 17.57% ]		
% 65+ with leukemias and lymphomas		1.5% [ 0.98% - 2.04% ]	2.0% [ 1.91% - 2.05% ]		
% 65+ with lung cancer	B	1.1% [ 0.68% - 1.50% ]	1.6% [ 1.54% - 1.66% ]		
% 65+ with colon cancer		2.0% [ 1.41% - 2.50% ]	2.4% [ 2.37% - 2.51% ]		
% 65+ women with breast cancer		8.5% [ 5.33% - 11.62% ]	9.8% [ 9.59% - 9.96% ]		
% 65+ women with endometrial cancer		1.8% [ 1.08% - 2.52% ]	1.7% [ 1.60% - 1.76% ]		
% 65+ men with prostate cancer		10.6% [ 6.83% - 14.27% ]	11.5% [ 11.24% - 11.68% ]		
% 65+ with benign prostatic hyperplasia		37.6% [ 31.76% - 43.46% ]	36.8% [ 36.47% - 37.14% ]		
% 65+ with HIV/AIDS		0.07% [ 0.04% - 0.10% ]	0.05% [ 0.04% - 0.06% ]		
% 65+ with hypothyroidism		18.1% [ 14.95% - 21.32% ]	20.8% [ 20.62% - 20.99% ]		
% 65+ with anemia	B	27.4% [ 23.67% - 31.04% ]	37.3% [ 37.12% - 37.57% ]		
% 65+ with chronic kidney disease		19.0% [ 15.49% - 22.51% ]	22.3% [ 22.14% - 22.54% ]		
% 65+ with liver diseases		8.6% [ 5.93% - 11.18% ]	6.9% [ 6.75% - 6.99% ]		
% 65+ with fibromyalgia, chronic pain and fatigue		18.2% [ 14.78% - 21.71% ]	18.6% [ 18.42% - 18.80% ]		
% 65+ with migraine and other chronic headache		3.8% [ 3.00% - 4.65% ]	4.0% [ 3.95% - 4.15% ]		
% 65+ with epilepsy	B	1.4% [ 0.89% - 1.86% ]	2.1% [ 2.00% - 2.14% ]		
% 65+ with traumatic brain injury		1.1% [ 0.67% - 1.46% ]	1.1% [ 1.06% - 1.16% ]		

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
% 65+ with autism spectrum disorders			N/A	0.03%	[ 0.02% - 0.04% ]
% 65+ with glaucoma		21.3%	[ 17.94% - 24.72% ]	22.9%	[ 22.74% - 23.13% ]
% 65+ with cataract	B	52.6%	[ 48.31% - 56.82% ]	61.2%	[ 61.00% - 61.47% ]
% 65+ with pressure ulcer or chronic ulcer		6.1%	[ 4.09% - 8.03% ]	7.1%	[ 6.99% - 7.24% ]
% 65+ with 4+ (out of 15) chronic conditions		53.6%	[ 49.37% - 57.88% ]	54.4%	[ 54.19% - 54.66% ]
% 65+ with 0 chronic conditions	B	14.8%	[ 11.65% - 18.03% ]	10.3%	[ 10.12% - 10.42% ]
<b>LIVING WITH DISABILITY</b>					
% 65+ with clinical diagnosis of deafness or hearing impairment		11.9%	[ 9.09% - 14.75% ]	14.4%	[ 14.23% - 14.56% ]
% 65+ with clinical diagnosis of blindness or visual impairment		0.9%	[ 0.51% - 1.22% ]	0.9%	[ 0.81% - 0.90% ]
% 65+ with clinical diagnosis of mobility impairments		3.6%	[ 2.77% - 4.35% ]	3.2%	[ 3.14% - 3.31% ]
<b>ACCESS TO CARE</b>					
Medicare (65+ population)					
% Medicare managed care enrollees		6.8%	[ 4.97% - 8.71% ]	7.9%	[ 7.8% - 8.02% ]
% dually eligible for Medicare and Medicaid	*	5.4%	[ 3.74% - 7.09% ]	7.5%	[ 7.40% - 7.62% ]
% 60+ with a regular doctor		96.9%	[ 94.58% - 99.32% ]	95.8%	[ 95.34% - 96.33% ]
% 60+ who did not see doctor when needed due to cost		4.1%	[ 1.59% - 6.55% ]	5.4%	[ 4.75% - 5.97% ]
<b>SERVICE UTILIZATION</b>					
Physician visits per year		6.3	[ 5.7 - 6.8 ]	6.3	[ 6.2 - 6.3 ]
Emergency room visits/1000 persons 65+ years per year		548	[ 458 - 638 ]	572	[ 566 - 578 ]
Part D monthly prescription fills per person per year		50.0	[ 45.9 - 54.0 ]	49.1	[ 48.9 - 49.3 ]
Home health visits per year	*	4.0	[ 2.8 - 5.1 ]	2.5	[ 2.4 - 2.5 ]
Durable medical equipment claims per year		2.0	[ 1.5 - 2.4 ]	2.0	[ 2.0 - 2.0 ]
Inpatient hospital stays/1000 persons 65+ years per year		260	[ 199 - 322 ]	237	[ 234 - 241 ]
Medicare inpatient hospital readmissions (as % of admissions)		13.3%	[ 8.19% - 18.38% ]	15.8%	[ 15.41% - 16.22% ]
# skilled nursing facility stays/1000 persons 65+ years per year		62	[ 31 - 92 ]	76	[ 74 - 77 ]
% 65+ getting Medicaid long term services and supports	*	2.3%	[ 1.17% - 3.38% ]	3.7%	[ 3.59% - 3.74% ]
<b>COMMUNITY VARIABLES &amp; CIVIC ENGAGEMENT</b>					
% 60+ who used Internet in last month		81.3%	[ 75.54% - 87.10% ]	77.6%	[ 76.53% - 78.64% ]
<b>SAFETY &amp; TRANSPORTATION</b>					
% 60+ who always drive wearing a seatbelt		73.9%	[ 67.10% - 80.66% ]	77.1%	[ 76.02% - 78.18% ]

Notes. <sup>1</sup> Community-state differences where the margin of error do not overlap each other are noted B, W, or \*.

<sup>2</sup> All community and state margins of error are 95% confidence intervals.

<sup>3</sup> The margin of error of the estimate is larger relative to the indicator value for current smokers, excessive drinking, 15+ days poor mental health last month, and did not see doctor when needed due to cost.

Questions or suggestions? [Beth.Dugan@umb.edu](mailto:Beth.Dugan@umb.edu)