

## Wolfeboro (Carroll)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>POPULATION CHARACTERISTICS</b>					
Age-sex adjusted 1-year mortality rate		3.6%	[ 2.77% - 4.33% ]	4.1%	[ 4.02% - 4.19% ]
<b>WELLNESS &amp; PREVENTION</b>					
% 60+ with any physical activity within last month		78.8%	[ 74.12% - 83.57% ]	74.5%	[ 73.36% - 75.59% ]
% 60+ met CDC guidelines for muscle-strengthening activity		24.1%	[ 18.41% - 29.84% ]	26.0%	[ 24.93% - 27.14% ]
% 60+ met CDC guidelines for aerobic physical activity		64.2%	[ 57.68% - 70.68% ]	58.6%	[ 57.33% - 59.82% ]
% 60+ met CDC guidelines for both types of physical activities		17.1%	[ 12.05% - 22.09% ]	19.9%	[ 18.92% - 20.93% ]
% 60+ getting recommended hours of sleep		67.0%	[ 61.63% - 72.41% ]	66.4%	[ 65.16% - 67.60% ]
% 60+ injured in a fall within last 12 months		14.6%	[ 10.69% - 18.55% ]	10.4%	[ 9.65% - 11.16% ]
% 65+ had hip fracture		3.6%	[ 2.76% - 4.38% ]	3.3%	[ 3.19% - 3.34% ]
% 60+ with self-reported fair or poor health status		15.4%	[ 11.08% - 19.66% ]	16.5%	[ 15.54% - 17.40% ]
% 60+ with 15+ physically unhealthy days last month		13.8%	[ 9.79% - 17.84% ]	12.5%	[ 11.69% - 13.37% ]
% 60+ with physical exam/check-up in past year	W	80.0%	[ 75.06% - 85.01% ]	86.5%	[ 85.66% - 87.39% ]
% 60+ met CDC preventive health screening goals		37.2%	[ 31.00% - 43.45% ]	40.3%	[ 38.77% - 41.81% ]
% 60+ flu shot past year		57.1%	[ 51.06% - 63.07% ]	59.3%	[ 58.06% - 60.63% ]
% 65+ with pneumonia vaccine		74.9%	[ 68.74% - 81.11% ]	77.8%	[ 76.56% - 79.12% ]
% 60+ with cholesterol screening		95.5%	[ 92.92% - 98.07% ]	95.3%	[ 94.78% - 95.82% ]
% 60+ women with a mammogram within last 2 years		76.7%	[ 69.83% - 83.62% ]	79.3%	[ 77.96% - 80.69% ]
% 60+ with colorectal cancer screening		76.0%	[ 70.51% - 81.54% ]	77.0%	[ 75.92% - 78.16% ]
% 60+ with HIV test		12.6%	[ 8.51% - 16.79% ]	13.5%	[ 12.50% - 14.41% ]
% 60+ current smokers		9.2%	[ 5.67% - 12.78% ]	8.1%	[ 7.38% - 8.79% ]
<b>Oral Health</b>					
% 60+ with loss of 6 or more teeth		27.8%	[ 22.82% - 32.72% ]	29.0%	[ 27.79% - 30.12% ]
% 60+ with annual dental exam	B	81.2%	[ 77.11% - 85.29% ]	75.7%	[ 74.65% - 76.84% ]
<b>NUTRITION/DIET</b>					
% 60+ with 5 or more servings of fruit or vegetables per day		22.7%	[ 17.12% - 28.26% ]	20.2%	[ 19.23% - 21.21% ]
% 60+ self-reported obese	B	20.1%	[ 15.45% - 24.70% ]	27.2%	[ 26.03% - 28.35% ]
% 65+ clinically diagnosed obese	B	10.5%	[ 9.01% - 11.97% ]	16.7%	[ 16.56% - 16.94% ]
% 65+ with high cholesterol		73.3%	[ 71.29% - 75.38% ]	72.2%	[ 72.01% - 72.44% ]
% 60+ excessive drinking		12.8%	[ 8.41% - 17.16% ]	9.2%	[ 8.45% - 9.94% ]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>BEHAVIORAL HEALTH</b>					
% 60+ with 15+ days poor mental health last month		5.5% [ 2.93% - 8.03% ]	6.9% [ 6.29% - 7.61% ]		
% 65+ with depression		27.4% [ 25.33% - 29.37% ]	28.8% [ 28.59% - 29.01% ]		
% 65+ with anxiety disorders		21.0% [ 19.07% - 22.95% ]	21.9% [ 21.74% - 22.15% ]		
% 65+ with bipolar disorders	B	2.2% [ 1.45% - 2.86% ]	3.1% [ 2.97% - 3.14% ]		
% 65+ with post-traumatic stress disorder		1.0% [ 0.50% - 1.59% ]	1.4% [ 1.35% - 1.48% ]		
% 65+ with schizophrenia & other psychotic disorders	B	3.7% [ 2.77% - 4.55% ]	4.9% [ 4.81% - 5.02% ]		
% 65+ with personality disorders		0.7% [ 0.31% - 1.18% ]	1.1% [ 1.00% - 1.11% ]		
% 65+ with substance use disorders (drug use +/- alcohol abuse)		5.2% [ 4.13% - 6.24% ]	5.5% [ 5.41% - 5.64% ]		
% 65+ with tobacco use disorders	B	6.9% [ 5.65% - 8.08% ]	10.4% [ 10.23% - 10.54% ]		
<b>CHRONIC DISEASE</b>					
% 65+ with Alzheimer's disease or related dementias		12.4% [ 10.91% - 13.90% ]	12.0% [ 11.89% - 12.19% ]		
% 65+ with diabetes	B	24.3% [ 22.29% - 26.34% ]	28.2% [ 27.97% - 28.41% ]		
% 65+ with stroke		11.1% [ 9.67% - 12.45% ]	10.8% [ 10.64% - 10.92% ]		
% 65+ with chronic obstructive pulmonary disease	B	17.7% [ 16.02% - 19.44% ]	20.5% [ 20.36% - 20.73% ]		
% 65+ with asthma		12.4% [ 10.88% - 13.83% ]	13.0% [ 12.89% - 13.21% ]		
% 65+ with hypertension		70.0% [ 67.89% - 72.13% ]	70.2% [ 70.02% - 70.46% ]		
% 65+ ever had a heart attack		4.0% [ 3.10% - 4.82% ]	4.5% [ 4.37% - 4.56% ]		
% 65+ with ischemic heart disease		35.8% [ 33.52% - 38.05% ]	34.3% [ 34.12% - 34.58% ]		
% 65+ with congestive heart failure		16.5% [ 14.83% - 18.24% ]	17.7% [ 17.57% - 17.93% ]		
% 65+ with atrial fibrillation		15.5% [ 13.85% - 17.07% ]	14.4% [ 14.28% - 14.60% ]		
% 65+ with peripheral vascular disease	B	11.0% [ 9.55% - 12.43% ]	14.7% [ 14.51% - 14.84% ]		
% 65+ with osteoarthritis/rheumatoid arthritis	W	55.6% [ 53.16% - 57.98% ]	49.1% [ 48.82% - 49.32% ]		
% 65+ with osteoporosis	W	20.0% [ 18.21% - 21.78% ]	17.4% [ 17.22% - 17.57% ]		
% 65+ with leukemias and lymphomas		1.7% [ 1.07% - 2.25% ]	2.0% [ 1.91% - 2.05% ]		
% 65+ with lung cancer		1.1% [ 0.61% - 1.56% ]	1.6% [ 1.54% - 1.66% ]		
% 65+ with colon cancer		2.3% [ 1.68% - 3.02% ]	2.4% [ 2.37% - 2.51% ]		
% 65+ women with breast cancer		9.3% [ 7.55% - 11.11% ]	9.8% [ 9.59% - 9.96% ]		
% 65+ women with endometrial cancer		1.3% [ 0.64% - 2.03% ]	1.7% [ 1.60% - 1.76% ]		
% 65+ men with prostate cancer	W	14.6% [ 12.22% - 16.90% ]	11.5% [ 11.24% - 11.68% ]		
% 65+ with benign prostatic hyperplasia	W	44.9% [ 41.57% - 48.28% ]	36.8% [ 36.47% - 37.14% ]		
% 65+ with HIV/AIDS		0.04% [ 0.02% - 0.06% ]	0.05% [ 0.04% - 0.06% ]		
% 65+ with hypothyroidism	W	23.0% [ 21.07% - 24.87% ]	20.8% [ 20.62% - 20.99% ]		
% 65+ with anemia		37.1% [ 34.89% - 39.25% ]	37.3% [ 37.12% - 37.57% ]		
% 65+ with chronic kidney disease		20.6% [ 18.68% - 22.46% ]	22.3% [ 22.14% - 22.54% ]		
% 65+ with liver diseases	B	5.1% [ 4.09% - 6.15% ]	6.9% [ 6.75% - 6.99% ]		
% 65+ with fibromyalgia, chronic pain and fatigue	W	21.3% [ 19.36% - 23.21% ]	18.6% [ 18.42% - 18.80% ]		
% 65+ with migraine and other chronic headache		4.1% [ 3.16% - 4.98% ]	4.0% [ 3.95% - 4.15% ]		
% 65+ with epilepsy		1.7% [ 1.13% - 2.36% ]	2.1% [ 2.00% - 2.14% ]		
% 65+ with traumatic brain injury		0.9% [ 0.52% - 1.36% ]	1.1% [ 1.06% - 1.16% ]		

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
% 65+ with autism spectrum disorders			N/A	0.03%	[ 0.02% - 0.04% ]
% 65+ with glaucoma		22.5%	[ 20.62% - 24.36% ]	22.9%	[ 22.74% - 23.13% ]
% 65+ with cataract	W	70.1%	[ 67.97% - 72.24% ]	61.2%	[ 61.00% - 61.47% ]
% 65+ with pressure ulcer or chronic ulcer		6.4%	[ 5.26% - 7.48% ]	7.1%	[ 6.99% - 7.24% ]
% 65+ with 4+ (out of 15) chronic conditions		56.0%	[ 53.76% - 58.31% ]	54.4%	[ 54.19% - 54.66% ]
% 65+ with 0 chronic conditions		9.1%	[ 7.74% - 10.48% ]	10.3%	[ 10.12% - 10.42% ]
<b>LIVING WITH DISABILITY</b>					
% 65+ with clinical diagnosis of deafness or hearing impairment		14.0%	[ 12.38% - 15.59% ]	14.4%	[ 14.23% - 14.56% ]
% 65+ with clinical diagnosis of blindness or visual impairment		0.9%	[ 0.50% - 1.36% ]	0.9%	[ 0.81% - 0.90% ]
% 65+ with clinical diagnosis of mobility impairments		2.8%	[ 2.03% - 3.56% ]	3.2%	[ 3.14% - 3.31% ]
<b>ACCESS TO CARE</b>					
Medicare (65+ population)					
% Medicare managed care enrollees	*	4.9%	[ 3.99% - 5.80% ]	7.9%	[ 7.8% - 8.02% ]
% dually eligible for Medicare and Medicaid	*	5.2%	[ 4.24% - 6.10% ]	7.5%	[ 7.40% - 7.62% ]
% 60+ with a regular doctor		93.8%	[ 90.84% - 96.78% ]	95.8%	[ 95.34% - 96.33% ]
% 60+ who did not see doctor when needed due to cost	B	2.9%	[ 1.35% - 4.52% ]	5.4%	[ 4.75% - 5.97% ]
<b>SERVICE UTILIZATION</b>					
Physician visits per year	*	4.0	[ 3.7 - 4.2 ]	6.3	[ 6.2 - 6.3 ]
Emergency room visits/1000 persons 65+ years per year		627	[ 572 - 682 ]	572	[ 566 - 578 ]
Part D monthly prescription fills per person per year	*	45.4	[ 43.5 - 47.2 ]	49.1	[ 48.9 - 49.3 ]
Home health visits per year	*	1.5	[ 1.2 - 1.8 ]	2.5	[ 2.4 - 2.5 ]
Durable medical equipment claims per year	*	1.6	[ 1.3 - 1.8 ]	2.0	[ 2.0 - 2.0 ]
Inpatient hospital stays/1000 persons 65+ years per year	*	180	[ 156 - 204 ]	237	[ 234 - 241 ]
Medicare inpatient hospital readmissions (as % of admissions)	*	11.1%	[ 7.31% - 14.91% ]	15.8%	[ 15.41% - 16.22% ]
# skilled nursing facility stays/1000 persons 65+ years per year	*	53	[ 41 - 66 ]	76	[ 74 - 77 ]
% 65+ getting Medicaid long term services and supports	*	2.5%	[ 1.86% - 3.18% ]	3.7%	[ 3.59% - 3.74% ]
<b>COMMUNITY VARIABLES &amp; CIVIC ENGAGEMENT</b>					
% 60+ who used Internet in last month	*	83.0%	[ 78.73% - 87.19% ]	77.6%	[ 76.53% - 78.64% ]
<b>SAFETY &amp; TRANSPORTATION</b>					
% 60+ who always drive wearing a seatbelt		76.9%	[ 72.24% - 81.48% ]	77.1%	[ 76.02% - 78.18% ]

Notes. <sup>1</sup> Community-state differences where the margin of error do not overlap each other are noted B, W, or \*.

<sup>2</sup> All community and state margins of error are 95% confidence intervals.

<sup>3</sup> The margin of error of the estimate is larger relative to the indicator value for current smokers, excessive drinking, 15+ days poor mental health last month, and did not see doctor when needed due to cost.

Questions or suggestions? [Beth.Dugan@umb.edu](mailto:Beth.Dugan@umb.edu)