

Nashua: Zip 03063 (Hillsborough)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Age-sex adjusted 1-year mortality rate		3.4%	[2.67% - 4.13%]	4.1%	[4.02% - 4.19%]
WELLNESS & PREVENTION					
% 60+ with any physical activity within last month		72.6%	[67.41% - 77.77%]	74.5%	[73.36% - 75.59%]
% 60+ met CDC guidelines for muscle-strengthening activity		23.1%	[18.20% - 28.00%]	26.0%	[24.93% - 27.14%]
% 60+ met CDC guidelines for aerobic physical activity		55.9%	[50.23% - 61.50%]	58.6%	[57.33% - 59.82%]
% 60+ met CDC guidelines for both types of physical activities		17.4%	[12.94% - 21.88%]	19.9%	[18.92% - 20.93%]
% 60+ getting recommended hours of sleep		62.1%	[56.57% - 67.63%]	66.4%	[65.16% - 67.60%]
% 60+ injured in a fall within last 12 months		12.5%	[8.53% - 16.47%]	10.4%	[9.65% - 11.16%]
% 65+ had hip fracture		3.3%	[2.52% - 4.04%]	3.3%	[3.19% - 3.34%]
% 60+ with self-reported fair or poor health status		20.9%	[15.94% - 25.88%]	16.5%	[15.54% - 17.40%]
% 60+ with 15+ physically unhealthy days last month	W	19.7%	[14.28% - 25.03%]	12.5%	[11.69% - 13.37%]
% 60+ with physical exam/check-up in past year		89.0%	[85.69% - 92.34%]	86.5%	[85.66% - 87.39%]
% 60+ met CDC preventive health screening goals		44.4%	[37.25% - 51.50%]	40.3%	[38.77% - 41.81%]
% 60+ flu shot past year		59.8%	[53.56% - 66.07%]	59.3%	[58.06% - 60.63%]
% 65+ with pneumonia vaccine		81.5%	[74.93% - 87.99%]	77.8%	[76.56% - 79.12%]
% 60+ with cholesterol screening		93.8%	[90.37% - 97.18%]	95.3%	[94.78% - 95.82%]
% 60+ women with a mammogram within last 2 years		77.9%	[69.66% - 86.13%]	79.3%	[77.96% - 80.69%]
% 60+ with colorectal cancer screening		75.8%	[69.97% - 81.55%]	77.0%	[75.92% - 78.16%]
% 60+ with HIV test		13.6%	[8.63% - 18.48%]	13.5%	[12.50% - 14.41%]
% 60+ current smokers		11.6%	[6.80% - 16.49%]	8.1%	[7.38% - 8.79%]
Oral Health					
% 60+ with loss of 6 or more teeth		28.4%	[23.31% - 33.58%]	29.0%	[27.79% - 30.12%]
% 60+ with annual dental exam		70.6%	[64.95% - 76.23%]	75.7%	[74.65% - 76.84%]
NUTRITION/DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		18.9%	[14.58% - 23.14%]	20.2%	[19.23% - 21.21%]
% 60+ self-reported obese		26.0%	[20.93% - 31.03%]	27.2%	[26.03% - 28.35%]
% 65+ clinically diagnosed obese		17.2%	[15.27% - 19.03%]	16.7%	[16.56% - 16.94%]
% 65+ with high cholesterol	W	76.1%	[74.06% - 78.15%]	72.2%	[72.01% - 72.44%]
% 60+ excessive drinking		7.4%	[4.55% - 10.21%]	9.2%	[8.45% - 9.94%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
BEHAVIORAL HEALTH					
% 60+ with 15+ days poor mental health last month		9.2% [5.59% - 12.90%]	6.9% [6.29% - 7.61%]		
% 65+ with depression		29.1% [26.99% - 31.14%]	28.8% [28.59% - 29.01%]		
% 65+ with anxiety disorders		21.6% [19.66% - 23.63%]	21.9% [21.74% - 22.15%]		
% 65+ with bipolar disorders		3.1% [2.25% - 4.04%]	3.1% [2.97% - 3.14%]		
% 65+ with post-traumatic stress disorder		1.6% [0.95% - 2.17%]	1.4% [1.35% - 1.48%]		
% 65+ with schizophrenia & other psychotic disorders		4.5% [3.57% - 5.51%]	4.9% [4.81% - 5.02%]		
% 65+ with personality disorders		0.7% [0.30% - 1.20%]	1.1% [1.00% - 1.11%]		
% 65+ with substance use disorders (drug use +/- alcohol abuse)		5.5% [4.34% - 6.61%]	5.5% [5.41% - 5.64%]		
% 65+ with tobacco use disorders		9.4% [7.94% - 10.84%]	10.4% [10.23% - 10.54%]		
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias	B	9.7% [8.38% - 11.03%]	12.0% [11.89% - 12.19%]		
% 65+ with diabetes		29.0% [26.76% - 31.28%]	28.2% [27.97% - 28.41%]		
% 65+ with stroke		10.8% [9.43% - 12.18%]	10.8% [10.64% - 10.92%]		
% 65+ with chronic obstructive pulmonary disease		19.1% [17.36% - 20.88%]	20.5% [20.36% - 20.73%]		
% 65+ with asthma		12.9% [11.42% - 14.45%]	13.0% [12.89% - 13.21%]		
% 65+ with hypertension		70.7% [68.50% - 72.87%]	70.2% [70.02% - 70.46%]		
% 65+ ever had a heart attack		4.0% [3.11% - 4.80%]	4.5% [4.37% - 4.56%]		
% 65+ with ischemic heart disease		34.2% [31.88% - 36.46%]	34.3% [34.12% - 34.58%]		
% 65+ with congestive heart failure		16.7% [14.96% - 18.47%]	17.7% [17.57% - 17.93%]		
% 65+ with atrial fibrillation		15.8% [14.15% - 17.41%]	14.4% [14.28% - 14.60%]		
% 65+ with peripheral vascular disease		14.0% [12.42% - 15.61%]	14.7% [14.51% - 14.84%]		
% 65+ with osteoarthritis/rheumatoid arthritis		50.5% [48.00% - 53.04%]	49.1% [48.82% - 49.32%]		
% 65+ with osteoporosis	W	22.7% [20.81% - 24.51%]	17.4% [17.22% - 17.57%]		
% 65+ with leukemias and lymphomas		1.9% [1.25% - 2.50%]	2.0% [1.91% - 2.05%]		
% 65+ with lung cancer		1.6% [1.07% - 2.18%]	1.6% [1.54% - 1.66%]		
% 65+ with colon cancer		2.5% [1.84% - 3.22%]	2.4% [2.37% - 2.51%]		
% 65+ women with breast cancer		10.3% [8.52% - 12.16%]	9.8% [9.59% - 9.96%]		
% 65+ women with endometrial cancer		2.5% [1.54% - 3.41%]	1.7% [1.60% - 1.76%]		
% 65+ men with prostate cancer		12.3% [10.01% - 14.51%]	11.5% [11.24% - 11.68%]		
% 65+ with benign prostatic hyperplasia		38.9% [35.47% - 42.25%]	36.8% [36.47% - 37.14%]		
% 65+ with HIV/AIDS		0.04% [0.02% - 0.07%]	0.05% [0.04% - 0.06%]		
% 65+ with hypothyroidism		22.7% [20.85% - 24.63%]	20.8% [20.62% - 20.99%]		
% 65+ with anemia	W	42.3% [40.01% - 44.54%]	37.3% [37.12% - 37.57%]		
% 65+ with chronic kidney disease	W	26.4% [24.31% - 28.54%]	22.3% [22.14% - 22.54%]		
% 65+ with liver diseases	W	8.4% [7.08% - 9.77%]	6.9% [6.75% - 6.99%]		
% 65+ with fibromyalgia, chronic pain and fatigue		19.9% [17.97% - 21.84%]	18.6% [18.42% - 18.80%]		
% 65+ with migraine and other chronic headache		4.6% [3.57% - 5.66%]	4.0% [3.95% - 4.15%]		
% 65+ with epilepsy		1.9% [1.29% - 2.59%]	2.1% [2.00% - 2.14%]		
% 65+ with traumatic brain injury	B	0.5% [0.21% - 0.82%]	1.1% [1.06% - 1.16%]		

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with autism spectrum disorders			N/A	0.03%	[0.02% - 0.04%]
% 65+ with glaucoma		21.0%	[19.15% - 22.83%]	22.9%	[22.74% - 23.13%]
% 65+ with cataract		61.5%	[59.23% - 63.85%]	61.2%	[61.00% - 61.47%]
% 65+ with pressure ulcer or chronic ulcer		6.0%	[4.89% - 7.12%]	7.1%	[6.99% - 7.24%]
% 65+ with 4+ (out of 15) chronic conditions		56.8%	[54.48% - 59.14%]	54.4%	[54.19% - 54.66%]
% 65+ with 0 chronic conditions		9.5%	[8.03% - 10.93%]	10.3%	[10.12% - 10.42%]
LIVING WITH DISABILITY					
% 65+ with clinical diagnosis of deafness or hearing impairment	B	11.9%	[10.37% - 13.36%]	14.4%	[14.23% - 14.56%]
% 65+ with clinical diagnosis of blindness or visual impairment		0.8%	[0.76% - 0.91%]	0.9%	[0.81% - 0.90%]
% 65+ with clinical diagnosis of mobility impairments		3.0%	[2.25% - 3.80%]	3.2%	[3.14% - 3.31%]
ACCESS TO CARE					
Medicare (65+ population)					
% Medicare managed care enrollees	*	14.0%	[12.68% - 15.34%]	7.9%	[7.8% - 8.02%]
% dually eligible for Medicare and Medicaid	*	6.4%	[5.42% - 7.29%]	7.5%	[7.40% - 7.62%]
% 60+ with a regular doctor		95.9%	[93.45% - 98.42%]	95.8%	[95.34% - 96.33%]
% 60+ who did not see doctor when needed due to cost		7.8%	[4.07% - 11.53%]	5.4%	[4.75% - 5.97%]
SERVICE UTILIZATION					
Physician visits per year	*	7.6	[7.3 - 7.9]	6.3	[6.2 - 6.3]
Emergency room visits/1000 persons 65+ years per year		601	[540 - 662]	572	[566 - 578]
Part D monthly prescription fills per person per year		49.4	[47.5 - 51.4]	49.1	[48.9 - 49.3]
Home health visits per year		2.7	[2.1 - 3.3]	2.5	[2.4 - 2.5]
Durable medical equipment claims per year		1.9	[1.7 - 2.2]	2.0	[2.0 - 2.0]
Inpatient hospital stays/1000 persons 65+ years per year		238	[208 - 268]	237	[234 - 241]
Medicare inpatient hospital readmissions (as % of admissions)		14.0%	[10.57% - 17.49%]	15.8%	[15.41% - 16.22%]
# skilled nursing facility stays/1000 persons 65+ years per year		74	[58 - 90]	76	[74 - 77]
% 65+ getting Medicaid long term services and supports		3.2%	[2.54% - 3.89%]	3.7%	[3.59% - 3.74%]
COMMUNITY VARIABLES & CIVIC ENGAGEMENT					
% 60+ who used Internet in last month		71.0%	[65.00% - 76.97%]	77.6%	[76.53% - 78.64%]
SAFETY & TRANSPORTATION					
% 60+ who always drive wearing a seatbelt		81.1%	[76.26% - 85.95%]	77.1%	[76.02% - 78.18%]

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.

² All community and state margins of error are 95% confidence intervals.

³ The margin of error of the estimate is larger relative to the indicator value for current smokers, excessive drinking, 15+ days poor mental health last month, and did not see doctor when needed due to cost.

Questions or suggestions? Beth.Dugan@umb.edu