Freedom (Carroll)



HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE		MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS						
Age-sex adjusted 1-year mortality rate		4.0%	[2.26% - 5.68%]	4.1%	[4.02% - 4.19%
WELLNESS & PREVENTION						
% 60+ with any physical activity within last month	В	80.6%	[75.68% - 85.59%]	74.5%	[73.36% - 75.59%
% 60+ met CDC guidelines for muscle-strengthening activity		28.5%	[21.37% - 35.54%]	26.0%	[24.93% - 27.14%
% 60+ met CDC guidelines for aerobic physical activity		65.4%	[57.93% - 72.77%]	58.6%	[57.33% - 59.82%
% 60+ met CDC guidelines for both types of physical activities		21.0%	[14.50% - 27.51%]	19.9%	[18.92% - 20.93%
% 60+ getting recommended hours of sleep		68.4%	[62.62% - 74.25%]	66.4%	[65.16% - 67.60%
% 60+ injured in a fall within last 12 months		11.1%	[6.95% - 15.22%]	10.4%	[9.65% - 11.16%
% 65+ had hip fracture		2.8%	[2.24% - 3.46%]	3.3%	[3.19% - 3.34%
% 60+ with self-reported fair or poor health status		14.9%	[10.66% - 19.18%]	16.5%	[15.54% - 17.40%
% 60+ with 15+ physically unhealthy days last month		12.6%	[8.79% - 16.50%]	12.5%	[11.69% - 13.37%
% 60+ with physical exam/check-up in past year		82.7%	[77.25% - 88.19%]	86.5%	[85.66% - 87.39%
% 60+ met CDC preventive health screening goals		39.7%	[32.41% - 47.03%]	40.3%	[38.77% - 41.81%
% 60+ flu shot past year		58.8%	[51.87% - 65.65%]	59.3%	[58.06% - 60.63%
% 65+ with pneumonia vaccine		72.5%	[65.14% - 79.91%]	77.8%	[76.56% - 79.12%
% 60+ with cholesterol screening		92.7%	[88.66% - 96.64%]	95.3%	[94.78% - 95.82%
% 60+ women with a mammogram within last 2 years		78.4%	[71.52% - 85.33%]	79.3%	[77.96% - 80.69%
% 60+ with colorectal cancer screening		73.0%	[66.37% - 79.71%]	77.0%	[75.92% - 78.16%
% 60+ with HIV test		11.4%	[6.96% - 15.84%]	13.5%	[12.50% - 14.41%
% 60+ current smokers		6.6%	[3.63% - 9.51%]	8.1%	[7.38% - 8.79%
Oral Health						
% 60+ with loss of 6 or more teeth		29.4%	[23.27% - 35.48%]	29.0%	[27.79% - 30.12%
% 60+ with annual dental exam		76.4%	[70.95% - 81.81%]	75.7%	[74.65% - 76.84%
NUTRITION/DIET						
% 60+ with 5 or more servings of fruit or vegetables per day		17.8%	[12.06% - 23.57%]	20.2%	[19.23% - 21.21%
% 60+ self-reported obese		25.9%	[19.27% - 32.58%]	27.2%	[26.03% - 28.35%
% 65+ clinically diagnosed obese		13.9%	[10.63% - 17.17%]	16.7%	[16.56% - 16.94%
% 65+ with high cholesterol		71.2%	[67.10% - 75.27%]	72.2%	[72.01% - 72.44%
% 60+ excessive drinking		12.3%	[8.03% - 16.50%]	9.2%	[8.45% - 9.94%

	WORSE STATE RATE ¹	COMMUNITY ESTIMATE		MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
BEHAVIORAL HEALTH						
% 60+ with 15+ days poor mental health last month	В	3.8%	[1.61% - 5.94%]	6.9%	[6.29% - 7.61%]
% 65+ with depression	В	24.2%	[20.37% - 27.97%]	28.8%	[28.59% - 29.01%]
% 65+ with anxiety disorders	В	16.9%	[13.37% - 20.36%]	21.9%	[21.74% - 22.15%]
% 65+ with bipolar disorders	В	1.7%	[1.17% - 2.20%]	3.1%	[2.97% - 3.14%]
% 65+ with post-traumatic stress disorder		1.1%	[0.67% - 1.56%]	1.4%	[1.35% - 1.48%]
% 65+ with schizophrenia & other psychotic disorders		4.1%	[3.31% - 4.85%]	4.9%	[4.81% - 5.02%]
% 65+ with personality disorders	В	0.6%]	0.29% - 0.92%]	1.1%	[1.00% - 1.11%]
% 65+ with substance use disorders (drug use +/or alcohol abuse)		4.2%	[2.38% - 6.11%]	5.5%	[5.41% - 5.64%]
% 65+ with tobacco use disorders	В	6.3%	[4.05% - 8.51%]	10.4%	[10.23% - 10.54%]
CHRONIC DISEASE						
% 65+ with Alzheimer's disease or related dementias	В	7.8%	1	5.43% - 10.12%]	12.0%	[11.89% - 12.19%]
% 65+ with diabetes	В	23.7%	1	19.66% - 27.65%]	28.2%	[27.97% - 28.41%]
% 65+ with stroke		9.3%		6.82% - 11.83%]	10.8%	[10.64% - 10.92%]
% 65+ with chronic obstructive pulmonary disease		17.2%]	13.92% - 20.54%]	20.5%	[20.36% - 20.73%]
% 65+ with asthma	В	9.8%]	7.20% - 12.40%]	13.0%	[12.89% - 13.21%]
% 65+ with hypertension		69.5%	[65.32% - 73.65%]	70.2%	[70.02% - 70.46%]
% 65+ ever had a heart attack		3.5%	[1.98% - 5.12%]	4.5%	[4.37% - 4.56%]
% 65+ with ischemic heart disease	В	28.0%	[23.83% - 32.18%]	34.3%	[34.12% - 34.58%]
% 65+ with congestive heart failure	В	14.3%	[11.23% - 17.42%]	17.7%	[17.57% - 17.93%]
% 65+ with atrial fibrillation		15.5%	[12.36% - 18.67%]	14.4%	[14.28% - 14.60%]
% 65+ with peripheral vascular disease	В	10.4%	[7.66% - 13.21%]	14.7%	[14.51% - 14.84%]
% 65+ with osteoarthritis/rheumatoid arthritis		49.2%	[44.45% - 53.97%]	49.1%	[48.82% - 49.32%]
% 65+ with osteoporosis	В	13.9%	[10.92% - 16.95%]	17.4%	[17.22% - 17.57%]
% 65+ with leukemias and lymphomas		1.6%	[1.16% - 2.12%]	2.0%	[1.91% - 2.05%]
% 65+ with lung cancer		1.8%	[1.32% - 2.31%]	1.6%	[1.54% - 1.66%]
% 65+ with colon cancer		2.5%	[1.89% - 3.05%]	2.4%	[2.37% - 2.51%]
% 65+ women with breast cancer		11.7%	[7.69% - 15.77%]	9.8%	[9.59% - 9.96%]
% 65+ women with endometrial cancer		1.8%	[1.14% - 2.55%]	1.7%	[1.60% - 1.76%]
% 65+ men with prostate cancer		15.3%]	10.81% - 19.86%]	11.5%	[11.24% - 11.68%]
% 65+ with benign prostatic hyperplasia		40.5%]	34.29% - 46.74%]	36.8%	[36.47% - 37.14%]
% 65+ with HIV/AIDS		0.04%	[0.02% - 0.06%]	0.05%	[0.04% - 0.06%]
% 65+ with hypothyroidism		17.8%	[14.43% - 21.16%]	20.8%	[20.62% - 20.99%]
% 65+ with anemia	В	28.3%	[24.32% - 32.23%]	37.3%	[37.12% - 37.57%]
% 65+ with chronic kidney disease	В	17.2%	[13.70% - 20.62%]	22.3%	[22.14% - 22.54%]
% 65+ with liver diseases		6.2%	[4.02% - 8.42%]	6.9%	[6.75% - 6.99%]
% 65+ with fibromyalgia, chronic pain and fatigue		16.9%	[13.50% - 20.39%]	18.6%	[18.42% - 18.80%]
% 65+ with migraine and other chronic headache	В	2.9%	[2.24% - 3.58%]	4.0%	[3.95% - 4.15%]
% 65+ with epilepsy		1.8%	[1.33% - 2.37%]	2.1%	[2.00% - 2.14%]
% 65+ with traumatic brain injury		1.0%	[0.65% - 1.42%]	1.1%	[1.06% - 1.16%]

HEALTHY AGING INDICATORS	BETTER / WORSE STATE RATE ¹	COMMUNITY ESTIMATE		MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with autism spectrum disorders				N/A	0.03%	[0.02% - 0.04%]
% 65+ with glaucoma		23.9%	[20.12% - 27.60%]	22.9%	[22.74% - 23.13%]
% 65+ with cataract		62.4%	[58.01% - 66.76%]	61.2%	[61.00% - 61.47%]
% 65+ with pressure ulcer or chronic ulcer		5.1%	[3.11% - 7.06%]	7.1%	[6.99% - 7.24%]
% 65+ with 4+ (out of 15) chronic conditions		51.2%	[46.69% - 55.62%]	54.4%	[54.19% - 54.66%]
% 65+ with 0 chronic conditions		12.3%	[9.31% - 15.31%]	10.3%	[10.12% - 10.42%]
LIVING WITH DISABILITY						
% 65+ with clinical diagnosis of deafness or hearing impairment		12.0%	[9.06% - 15.03%]	14.4%	[14.23% - 14.56%]
% 65+ with clinical diagnosis of blindness or visual impairment		0.9%	[0.55% - 1.31%]	0.9%	[0.81% - 0.90%]
% 65+ with clinical diagnosis of mobility impairments		3.4%	[2.69% - 4.05%]	3.2%	[3.14% - 3.31%]
ACCESS TO CARE						
Medicare (65+ population)						
% Medicare managed care enrollees		6.8%	[4.80% - 8.90%]	7.9%	[7.8% - 8.02%]
% dually eligible for Medicare and Medicaid	*	3.1%	[1.68% - 4.48%]	7.5%	[7.40% - 7.62%]
% 60+ with a regular doctor		94.2%	[90.66% - 97.67%]	95.8%	[95.34% - 96.33%]
% 60+ who did not see doctor when needed due to cost		6.0%	[3.00% - 8.93%]	5.4%	[4.75% - 5.97%]
SERVICE UTILIZATION						
Physician visits per year	*	3.6	[3.2 - 4.0]	6.3	[6.2 - 6.3]
Emergency room visits/1000 persons 65+ years per year		513	[412 - 614]	572	[566 - 578]
Part D monthly prescription fills per person per year	*	44.6	[41.0 - 48.2]	49.1	[48.9 - 49.3]
Home health visits per year	*	1.4	[0.8 - 2.0]	2.5	[2.4 - 2.5]
Durable medical equipment claims per year		1.9	[1.3 - 2.4]	2.0	[2.0 - 2.0]
Inpatient hospital stays/1000 persons 65+ years per year		228	[167 - 289]	237	[234 - 241]
Medicare inpatient hospital readmissions (as % of admissions)		19.1%	[9.34% - 28.85%]	15.8%	[15.41% - 16.22%]
# skilled nursing facility stays/1000 persons 65+ years per year		68	[29 - 107]	76	[74 - 77]
% 65+ getting Medicaid long term services and supports	*	1.2%	[0.32% - 2.08%]	3.7%	[3.59% - 3.74%]
COMMUNITY VARIABLES & CIVIC ENGAGEMENT						
% 60+ who used Internet in last month		80.0%]	74.84% - 85.09%]	77.6%	[76.53% - 78.64%]
SAFETY & TRANSPORTATION						
% 60+ who always drive wearing a seatbelt		75.0%	[69.20% - 80.87%]	77.1%	[76.02% - 78.18%]
			-	-		-

Notes. ¹ Community-state differences where the margin of error do not overlap each other are noted B, W, or *.
² All community and state margins of error are 95% confidence intervals.
³ The margin of erroe of the estimate is larger relative to the indicator value for current smokers, excessive drinking, 15+ days poor mental health last month, and did not see doctor when needed due to cost.

Questions or suggestions? Beth.Dugan@umb.edu