

Wilton (Fairfield)



HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		56.1%	[51.14% - 61.09%]	55.7%	[55.33% - 56.11%]
% 75-84 years		31.4%	[25.92% - 36.78%]	29.1%	[28.75% - 29.45%]
% 85 years or older		12.5%	[8.01% - 17.05%]	15.2%	[14.93% - 15.43%]
% 65+ population who are female		52.8%	[46.62% - 58.95%]	56.8%	[56.36% - 57.18%]
% 85+ population who are female		65.0%	[39.88% - 90.20%]	66.6%	[65.94% - 67.18%]
Race and ethnicity of the population 65+					
% White	*	91.1%	[88.96% - 93.24%]	88.4%	[87.85% - 88.93%]
% African American	*	2.7%	[0.88% - 4.48%]	6.8%	[6.63% - 6.88%]
% Asian	*	5.5%	[2.69% - 8.32%]	2.3%	[2.20% - 2.35%]
% Hispanic/Latino	*	1.4%	[-0.58% - 3.36%]	5.8%	[5.66% - 5.84%]
Marital status of the population 65+					
% married	*	65.9%	[62.98% - 68.75%]	53.8%	[53.46% - 54.12%]
% divorced/separated	*	7.8%	[4.29% - 11.34%]	14.9%	[14.58% - 15.29%]
% widowed		21.9%	[16.45% - 27.30%]	24.2%	[23.77% - 24.57%]
% never married	*	4.4%	[2.43% - 6.47%]	7.1%	[6.85% - 7.36%]
Education of the population 65+					
% with less than high school education	*	5.2%	[2.57% - 7.76%]	14.7%	[14.30% - 15.04%]
% with high school or some college	*	37.1%	[31.21% - 42.90%]	53.3%	[52.80% - 53.74%]
% with college degree	*	57.8%	[52.71% - 62.84%]	32.1%	[31.72% - 32.40%]
% with graduate or professional degree	*	28.7%	[23.87% - 33.53%]	16.8%	[16.58% - 17.09%]
% of 65+ population who speak only English at home		81.1%	[77.50% - 84.72%]	84.3%	[83.76% - 84.83%]
% of 65+ population who are veterans of military service		15.9%	[11.94% - 19.93%]	17.5%	[17.21% - 17.69%]
% of 60+ who are LGBT (County)		2.1%	[1.50% - 2.60%]	2.5%	[2.17% - 2.74%]
Age-sex adjusted 1-year mortality rate	B	3.2%	[2.61% - 3.85%]	4.1%	[4.08% - 4.18%]
WELLNESS					
% 60+ getting the recommended hours of sleep	B	73.0%	[69.01% - 76.91%]	65.2%	[64.24% - 66.16%]
% 60+ doing any physical activity within last month	B	84.6%	[81.78% - 87.45%]	75.0%	[74.20% - 75.79%]
% 60+ met CDC guidelines for muscle-strengthening activity	B	34.3%	[29.37% - 39.15%]	27.6%	[26.62% - 28.52%]
% 60+ met CDC guidelines for aerobic physical activity		60.6%	[55.42% - 65.80%]	58.1%	[56.98% - 59.11%]
% 60+ with fair or poor health status	B	12.9%	[10.29% - 15.49%]	17.6%	[16.90% - 18.31%]
% 60+ with 15+ physically unhealthy days in last month	B	9.4%	[7.13% - 11.70%]	12.4%	[11.74% - 12.96%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		23.2%	[19.35% - 26.97%]	26.3%	[25.38% - 27.18%]
% 60+ who were injured in a fall within last year		8.6%	[5.97% - 11.24%]	9.8%	[9.22% - 10.46%]
% 65+ had hip fracture		3.8%	[3.03% - 4.48%]	3.7%	[3.63% - 3.75%]
PREVENTION					
% 60+ with physical exam/check-up in last year	W	82.8%	[79.88% - 85.80%]	88.5%	[87.93% - 89.09%]
% 60+ flu shot in last year		60.4%	[56.45% - 64.28%]	57.5%	[56.60% - 58.43%]
% 60+ with pneumonia vaccine		59.2%	[55.23% - 63.22%]	63.9%	[62.97% - 64.79%]
% 60+ with shingles vaccine		39.2%	[33.76% - 44.69%]	33.5%	[32.43% - 34.52%]
% 60+ women with a mammogram within last 2 years		79.2%	[74.09% - 84.40%]	79.7%	[78.56% - 80.79%]
% 60+ with colorectal cancer screening		80.0%	[76.23% - 83.79%]	78.2%	[77.29% - 79.05%]
% 60+ with HIV test		19.0%	[15.68% - 22.29%]	16.1%	[15.40% - 16.83%]
% 60+ met CDC preventive health screening goals		44.8%	[39.38% - 50.29%]	39.6%	[38.38% - 40.80%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		20.4%	[16.04% - 24.66%]	19.9%	[19.00% - 20.72%]
% 60+ stressed about buying food in last month	B	5.3%	[3.22% - 7.45%]	8.6%	[7.95% - 9.17%]
% 60+ self-reported obese	B	16.4%	[13.43% - 19.33%]	26.1%	[25.27% - 26.93%]
% 65+ clinically diagnosed obesity	B	16.6%	[14.93% - 18.22%]	22.5%	[22.35% - 22.66%]
% 65+ with high cholesterol	B	70.9%	[68.92% - 72.88%]	77.0%	[76.85% - 77.15%]
% 60+ with cholesterol screening		95.0%	[92.62% - 97.36%]	97.1%	[96.74% - 97.42%]
ORAL HEALTH					
% 60+ with dental insurance		52.5%	[45.54% - 59.37%]	59.2%	[57.60% - 60.76%]
% 60+ with annual dental exam		83.8%	[80.34% - 87.17%]	80.0%	[79.13% - 80.76%]
% 60+ with loss of 6 or more teeth	B	17.4%	[13.85% - 21.04%]	23.8%	[22.96% - 24.69%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias	B	12.8%	[11.48% - 14.20%]	14.4%	[14.26% - 14.49%]
% 65+ with anemia		48.4%	[46.35% - 50.54%]	50.6%	[50.41% - 50.76%]
% 65+ with asthma		14.2%	[12.76% - 15.59%]	14.1%	[13.96% - 14.19%]
% 65+ with atrial fibrillation		16.2%	[14.69% - 17.62%]	16.1%	[15.94% - 16.18%]
% 65+ with autism spectrum disorder	*	0.04%	[0.02% - 0.06%]	0.12%	[0.11% - 0.14%]
% 65+ with benign prostatic hyperplasia (men)	W	46.7%	[43.44% - 50.01%]	42.8%	[42.49% - 43.01%]
% 65+ with breast cancer (women)		13.1%	[11.33% - 14.91%]	11.4%	[11.25% - 11.53%]
% 65+ with cataract	W	68.7%	[66.70% - 70.78%]	64.8%	[64.67% - 65.00%]
% 65+ with chronic kidney disease	B	23.2%	[21.35% - 24.95%]	29.9%	[29.70% - 30.03%]
% 65+ with chronic obstructive pulmonary disease	B	15.3%	[13.87% - 16.74%]	21.0%	[20.90% - 21.17%]
% 65+ with colon cancer		2.9%	[2.24% - 3.52%]	2.7%	[2.65% - 2.75%]
% 65+ with congestive heart failure	B	19.1%	[17.44% - 20.71%]	22.6%	[22.43% - 22.72%]
% 65+ with diabetes	B	24.6%	[22.69% - 26.48%]	33.8%	[33.59% - 33.93%]
% 65+ with endometrial cancer (women)		2.2%	[1.43% - 2.96%]	2.0%	[1.97% - 2.10%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy		2.7%	[1.96% - 3.50%]	2.9%	[2.82% - 2.95%]
% 65+ with fibromyalgia, chronic pain, and fatigue	W	29.7%	[27.64% - 31.70%]	26.6%	[26.42% - 26.73%]
% 65+ with glaucoma		29.7%	[27.88% - 31.62%]	28.3%	[28.11% - 28.41%]
% 65+ ever had a heart attack	B	3.6%	[2.89% - 4.34%]	4.5%	[4.40% - 4.53%]
% 65+ with HIV/AIDS		0.19%	[0.14% - 0.25%]	0.21%	[0.19% - 0.23%]
% 65+ with hypertension	B	68.1%	[66.10% - 70.15%]	76.2%	[76.07% - 76.37%]
% 65+ with hypothyroidism		23.8%	[22.08% - 25.55%]	25.1%	[24.99% - 25.28%]
% 65+ with ischemic heart disease	B	35.0%	[32.87% - 37.06%]	40.7%	[40.55% - 40.90%]
% 65+ with leukemias and lymphomas		3.0%	[2.31% - 3.70%]	2.7%	[2.60% - 2.71%]
% 65+ with liver disease	B	7.3%	[6.21% - 8.47%]	9.5%	[9.37% - 9.59%]
% 65+ with lung cancer		2.0%	[1.40% - 2.51%]	1.9%	[1.81% - 1.90%]
% 65+ with migraine and other chronic headache	B	4.2%	[3.32% - 5.04%]	5.2%	[5.13% - 5.29%]
% 65+ with osteoarthritis or rheumatoid arthritis		51.8%	[49.56% - 54.12%]	54.2%	[53.97% - 54.34%]
% 65+ with osteoporosis	W	23.6%	[21.92% - 25.33%]	20.2%	[20.11% - 20.37%]
% 65+ with peripheral vascular disease		20.8%	[19.07% - 22.45%]	19.9%	[19.72% - 19.99%]
% 65+ with pressure ulcer or chronic ulcer		9.1%	[7.92% - 10.23%]	9.2%	[9.11% - 9.31%]
% 65+ with prostate cancer (men)	W	16.7%	[14.30% - 19.03%]	13.1%	[12.93% - 13.28%]
% 65+ with stroke		10.8%	[9.59% - 12.03%]	11.9%	[11.80% - 12.01%]
% 65+ with traumatic brain injury	W	2.8%	[2.17% - 3.48%]	1.3%	[1.25% - 1.33%]
% 65+ with 4+ (out of 15) chronic conditions	B	55.6%	[53.49% - 57.72%]	61.8%	[61.61% - 61.95%]
% 65+ with 0 chronic conditions	B	9.9%	[8.53% - 11.30%]	7.2%	[7.10% - 7.29%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder	B	1.5%	[0.97% - 1.96%]	2.2%	[2.10% - 2.21%]
% 65+ with substance use disorder	B	4.6%	[3.68% - 5.50%]	6.8%	[6.66% - 6.85%]
% 60+ who used marijuana in last month		N/A		2.9%	[2.30% - 3.53%]
% 60+ excessive drinking	W	12.7%	[10.05% - 15.37%]	9.2%	[8.64% - 9.71%]
% 65+ with tobacco use disorder	B	5.1%	[4.13% - 6.11%]	10.1%	[9.94% - 10.17%]
% 60+ current smokers	B	4.4%	[2.78% - 6.03%]	7.7%	[7.20% - 8.17%]
% 60+ ever used E-Cigarettes in last month		4.9%	[3.17% - 6.63%]	6.4%	[5.89% - 6.80%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support		78.2%	[75.03% - 81.46%]	78.3%	[76.70% - 79.88%]
% 60+ with 15+ days poor mental health in last month	B	4.5%	[2.78% - 6.14%]	6.9%	[6.41% - 7.37%]
% 65+ with depression	B	26.2%	[24.34% - 27.96%]	30.3%	[30.10% - 30.41%]
% 65+ with anxiety disorder	B	21.2%	[19.33% - 22.98%]	25.5%	[25.35% - 25.66%]
% 65+ with bipolar disorder	B	2.9%	[2.22% - 3.65%]	3.9%	[3.78% - 3.92%]
% 65+ with post-traumatic stress disorder	B	0.7%	[0.30% - 1.13%]	1.3%	[1.20% - 1.29%]
% 65+ with schizophrenia & other psychotic disorder	B	2.9%	[2.22% - 3.62%]	4.6%	[4.53% - 4.68%]
% 65+ with personality disorder		2.3%	[1.62% - 3.02%]	2.6%	[2.49% - 2.61%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		10.1%	[6.43% - 13.85%]	12.4%	[12.08% - 12.71%]
% 65+ with clinical diagnosis of deafness or hearing impairment		16.0%	[14.51% - 17.56%]	15.7%	[15.60% - 15.85%]
% 65+ with self-reported vision difficulty	*	1.5%	[0.31% - 2.71%]	4.8%	[4.55% - 5.04%]
% 65+ with clinical diagnosis of blindness or visual impairment		1.0%	[0.57% - 1.36%]	1.1%	[1.05% - 1.12%]
% 65+ with self-reported cognition difficulty		7.9%	[4.37% - 11.45%]	7.6%	[7.34% - 7.87%]
% 65+ with self-reported ambulatory difficulty	*	12.9%	[8.45% - 17.37%]	19.1%	[18.71% - 19.52%]
% 65+ with clinical diagnosis of mobility impairment	B	3.0%	[2.29% - 3.63%]	4.0%	[3.95% - 4.09%]
% 65+ with self-reported self-care difficulty		8.5%	[4.60% - 12.30%]	7.5%	[7.25% - 7.77%]
% 65+ with self-reported independent living difficulty		12.0%	[7.90% - 16.19%]	13.6%	[13.23% - 13.93%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		18.5%	[15.05% - 22.05%]	21.7%	[19.87% - 23.57%]
% of grandparents raising grandchildren	*	0.1%	[-0.09% - 0.32%]	0.8%	[0.73% - 0.86%]
% of grandparents who live with grandchildren		2.2%	[1.01% - 3.45%]	2.7%	[2.62% - 2.83%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	13.9%	[12.74% - 15.14%]	22.1%	[21.96% - 22.17%]
% 65+ Medicare managed care enrollees	*	13.1%	[11.92% - 14.26%]	29.9%	[29.76% - 29.99%]
% 60+ with a regular doctor	W	93.4%	[91.33% - 95.41%]	96.0%	[95.68% - 96.39%]
% 60+ who did not see a doctor when needed due to cost		3.2%	[1.80% - 4.64%]	4.5%	[4.14% - 4.92%]
SERVICE UTILIZATION					
# physician visits per year	*	9.3	[8.95 - 9.68]	8.6	[8.60 - 8.66]
# emergency room visits/1000 persons 65+ years annually	*	455.1	[413.13 - 497.04]	636.7	[631.77 - 641.56]
# Part D monthly prescription fills per person annually	*	45.1	[43.53 - 46.58]	50.3	[50.15 - 50.39]
# home health visits annually	*	3.2	[2.57 - 3.88]	4.1	[4.02 - 4.14]
# durable medical equipment claims annually	*	1.3	[1.11 - 1.49]	1.9	[1.88 - 1.91]
# inpatient hospital stays/1000 persons 65+ years annually	*	242.0	[216.80 - 267.24]	273.3	[270.72 - 275.80]
% Medicare inpatient hospital readmissions (as % of admissions)	*	10.6%	[8.14% - 13.03%]	17.2%	[16.89% - 17.47%]
# skilled nursing facility stays/1000 persons 65+ years annually	*	81.3	[67.33 - 95.33]	104.7	[103.23 - 106.08]
% 65+ getting Medicaid long term services and supports	*	3.9%	[3.18% - 4.52%]	5.5%	[5.48% - 5.60%]
% 65+ hospice users	*	2.1%	[1.61% - 2.66%]	2.8%	[2.70% - 2.79%]
% 65+ hospice users as % of decedents		50.9%	[35.57% - 66.33%]	45.5%	[44.85% - 46.14%]
Median hospice days per hospice user (65+, deceased)		9.0	[6.8 - 14.7]	10.0	[10.00 - 10.00]
Median hospice payment (Medicare + other) per hospice user		\$3,699	[\$3,051 - \$5,032]	\$3,741	[\$3,650 - \$3,816]
COMMUNITY					
% 60+ who used Internet in last month	*	85.2%	[82.27% - 88.23%]	75.1%	[74.32% - 75.89%]
TRANSPORTATION					
% 65+ who own a motor vehicle		87.9%	[85.44% - 90.27%]	87.3%	[87.15% - 87.49%]
% 60+ who always drive or ride wearing a seatbelt		92.3%	[90.18% - 94.47%]	93.0%	[92.53% - 93.49%]
% 60+ who drove under the influence of drinking in last month		N/A		2.2%	[1.76% - 2.56%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
HOUSING					
% 65+ population who live alone	*	19.5%	[15.14% - 23.86%]	28.4%	[27.99% - 28.89%]
% 60+ own home	*	86.6%	[83.51% - 89.66%]	76.9%	[76.70% - 77.17%]
% 60+ homeowners who have mortgage		49.6%	[42.78% - 56.48%]	47.1%	[46.58% - 47.64%]
% 60+ stressed about paying rent/mortgage in last month		15.5%	[12.00% - 18.94%]	17.4%	[16.52% - 18.19%]
% 65+ households (renter) spend >35% of income on housing		53.8%	[30.35% - 77.23%]	44.0%	[42.55% - 45.42%]
% 65+ households (owner) spend >35% of income on housing		28.8%	[19.81% - 37.73%]	29.5%	[28.89% - 30.15%]
% 65+ moved within same county in last year		3.1%	[0.91% - 5.20%]	3.7%	[3.48% - 3.89%]
% 65+ moved from different county in last year		0.1%	[-1.02% - 1.23%]	0.8%	[0.71% - 0.90%]
% 65+ moved from different state in last year		2.1%	[0.37% - 3.84%]	0.9%	[0.82% - 1.05%]
% of vacant homes in community		8.5%	[5.56% - 11.46%]	9.6%	[9.29% - 9.87%]
ECONOMIC					
% 60+ receiving food benefits in last year	*	1.5%	[0.23% - 2.69%]	10.9%	[10.53% - 11.21%]
% 65+ employed in last year	*	34.4%	[29.83% - 39.05%]	24.8%	[24.48% - 25.15%]
% 65+ with income below the poverty line in last year	*	1.3%	[0.17% - 2.41%]	7.0%	[6.79% - 7.30%]
% 65+ households with annual income < \$20,000	*	4.5%	[0.91% - 8.17%]	17.1%	[16.57% - 17.55%]
% 65+ households with annual income \$20,000-\$49,999		23.3%	[15.17% - 31.33%]	31.0%	[30.35% - 31.62%]
% 65+ households with annual income \$50,000-\$99,999	*	18.6%	[13.20% - 23.98%]	27.6%	[27.04% - 28.17%]
% 65+ households with annual income \$100,000+	*	53.6%	[44.03% - 63.21%]	24.4%	[23.82% - 24.89%]

Notes. 1 We use B, W, or * to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, *=rate is different than comparison).

2 All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu