

## Brookfield (Fairfield)



HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>POPULATION CHARACTERISTICS</b>					
Population 65 years or older					
% 65-74 years		57.5%	[ 50.64% - 64.42% ]	55.7%	[ 55.33% - 56.11% ]
% 75-84 years		31.6%	[ 26.30% - 36.90% ]	29.1%	[ 28.75% - 29.45% ]
% 85 years or older		10.9%	[ 6.06% - 15.67% ]	15.2%	[ 14.93% - 15.43% ]
% 65+ population who are female		52.2%	[ 45.92% - 58.55% ]	56.8%	[ 56.36% - 57.18% ]
% 85+ population who are female		64.6%	[ 44.02% - 85.10% ]	66.6%	[ 65.94% - 67.18% ]
Race and ethnicity of the population 65+					
% White	*	95.9%	[ 90.20% - 101.68% ]	88.4%	[ 87.85% - 88.93% ]
% African American	*	0.4%	[ -1.50% - 2.25% ]	6.8%	[ 6.63% - 6.88% ]
% Asian		2.1%	[ -0.12% - 4.38% ]	2.3%	[ 2.20% - 2.35% ]
% Hispanic/Latino	*	2.5%	[ -0.07% - 5.09% ]	5.8%	[ 5.66% - 5.84% ]
Marital status of the population 65+					
% married	*	66.6%	[ 64.36% - 68.86% ]	53.8%	[ 53.46% - 54.12% ]
% divorced/separated	*	8.9%	[ 4.25% - 13.56% ]	14.9%	[ 14.58% - 15.29% ]
% widowed		21.5%	[ 15.43% - 27.56% ]	24.2%	[ 23.77% - 24.57% ]
% never married	*	3.0%	[ 1.04% - 4.95% ]	7.1%	[ 6.85% - 7.36% ]
Education of the population 65+					
% with less than high school education	*	8.3%	[ 4.69% - 11.95% ]	14.7%	[ 14.30% - 15.04% ]
% with high school or some college		49.2%	[ 41.77% - 56.58% ]	53.3%	[ 52.80% - 53.74% ]
% with college degree	*	42.5%	[ 36.83% - 48.18% ]	32.1%	[ 31.72% - 32.40% ]
% with graduate or professional degree		16.9%	[ 12.57% - 21.27% ]	16.8%	[ 16.58% - 17.09% ]
% of 65+ population who speak only English at home		87.4%	[ 79.75% - 95.01% ]	84.3%	[ 83.76% - 84.83% ]
% of 65+ population who are veterans of military service		22.8%	[ 16.88% - 28.65% ]	17.5%	[ 17.21% - 17.69% ]
% of 60+ who are LGBT (County)		2.1%	[ 1.50% - 2.60% ]	2.5%	[ 2.17% - 2.74% ]
Age-sex adjusted 1-year mortality rate		4.0%	[ 3.25% - 4.79% ]	4.1%	[ 4.08% - 4.18% ]
<b>WELLNESS</b>					
% 60+ getting the recommended hours of sleep		68.3%	[ 62.70% - 73.85% ]	65.2%	[ 64.24% - 66.16% ]
% 60+ doing any physical activity within last month	B	81.0%	[ 77.07% - 84.92% ]	75.0%	[ 74.20% - 75.79% ]
% 60+ met CDC guidelines for muscle-strengthening activity		30.1%	[ 24.66% - 35.48% ]	27.6%	[ 26.62% - 28.52% ]
% 60+ met CDC guidelines for aerobic physical activity		62.4%	[ 56.52% - 68.19% ]	58.1%	[ 56.98% - 59.11% ]
% 60+ with fair or poor health status	B	12.9%	[ 9.53% - 16.30% ]	17.6%	[ 16.90% - 18.31% ]
% 60+ with 15+ physically unhealthy days in last month		10.7%	[ 7.35% - 14.05% ]	12.4%	[ 11.74% - 12.96% ]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>FALLS</b>					
% 60+ who fell within last year		25.4%	[ 20.26% - 30.59% ]	26.3%	[ 25.38% - 27.18% ]
% 60+ who were injured in a fall within last year		8.5%	[ 5.34% - 11.58% ]	9.8%	[ 9.22% - 10.46% ]
% 65+ had hip fracture	B	2.9%	[ 2.25% - 3.61% ]	3.7%	[ 3.63% - 3.75% ]
<b>PREVENTION</b>					
% 60+ with physical exam/check-up in last year		84.9%	[ 81.17% - 88.65% ]	88.5%	[ 87.93% - 89.09% ]
% 60+ flu shot in last year		63.3%	[ 58.34% - 68.35% ]	57.5%	[ 56.60% - 58.43% ]
% 60+ with pneumonia vaccine		60.5%	[ 55.13% - 65.88% ]	63.9%	[ 62.97% - 64.79% ]
% 60+ with shingles vaccine		35.4%	[ 28.83% - 41.87% ]	33.5%	[ 32.43% - 34.52% ]
% 60+ women with a mammogram within last 2 years		78.3%	[ 70.99% - 85.61% ]	79.7%	[ 78.56% - 80.79% ]
% 60+ with colorectal cancer screening		79.6%	[ 74.40% - 84.80% ]	78.2%	[ 77.29% - 79.05% ]
% 60+ with HIV test		13.2%	[ 9.54% - 16.88% ]	16.1%	[ 15.40% - 16.83% ]
% 60+ met CDC preventive health screening goals		36.7%	[ 29.78% - 43.57% ]	39.6%	[ 38.38% - 40.80% ]
<b>NUTRITION &amp; DIET</b>					
% 60+ with 5 or more servings of fruit or vegetables per day		23.8%	[ 18.80% - 28.86% ]	19.9%	[ 19.00% - 20.72% ]
% 60+ stressed about buying food in last month		8.1%	[ 4.89% - 11.34% ]	8.6%	[ 7.95% - 9.17% ]
% 60+ self-reported obese		22.0%	[ 17.55% - 26.41% ]	26.1%	[ 25.27% - 26.93% ]
% 65+ clinically diagnosed obesity	W	28.9%	[ 26.70% - 31.12% ]	22.5%	[ 22.35% - 22.66% ]
% 65+ with high cholesterol		77.5%	[ 75.52% - 79.52% ]	77.0%	[ 76.85% - 77.15% ]
% 60+ with cholesterol screening		97.9%	[ 96.45% - 99.33% ]	97.1%	[ 96.74% - 97.42% ]
<b>ORAL HEALTH</b>					
% 60+ with dental insurance		58.3%	[ 48.55% - 67.99% ]	59.2%	[ 57.60% - 60.76% ]
% 60+ with annual dental exam		83.6%	[ 79.18% - 87.93% ]	80.0%	[ 79.13% - 80.76% ]
% 60+ with loss of 6 or more teeth		21.3%	[ 16.28% - 26.29% ]	23.8%	[ 22.96% - 24.69% ]
<b>CHRONIC DISEASE</b>					
% 65+ with Alzheimer's disease or related dementias	B	9.9%	[ 8.63% - 11.24% ]	14.4%	[ 14.26% - 14.49% ]
% 65+ with anemia	B	45.5%	[ 43.20% - 47.74% ]	50.6%	[ 50.41% - 50.76% ]
% 65+ with asthma		15.5%	[ 13.88% - 17.06% ]	14.1%	[ 13.96% - 14.19% ]
% 65+ with atrial fibrillation		14.9%	[ 13.31% - 16.41% ]	16.1%	[ 15.94% - 16.18% ]
% 65+ with autism spectrum disorder		0.07%	[ 0.03% - 0.11% ]	0.12%	[ 0.11% - 0.14% ]
% 65+ with benign prostatic hyperplasia (men)	W	47.3%	[ 43.71% - 50.85% ]	42.8%	[ 42.49% - 43.01% ]
% 65+ with breast cancer (women)		10.4%	[ 8.64% - 12.18% ]	11.4%	[ 11.25% - 11.53% ]
% 65+ with cataract	B	62.3%	[ 60.02% - 64.60% ]	64.8%	[ 64.67% - 65.00% ]
% 65+ with chronic kidney disease	B	27.6%	[ 25.46% - 29.65% ]	29.9%	[ 29.70% - 30.03% ]
% 65+ with chronic obstructive pulmonary disease	B	17.1%	[ 15.47% - 18.75% ]	21.0%	[ 20.90% - 21.17% ]
% 65+ with colon cancer		2.4%	[ 1.90% - 2.89% ]	2.7%	[ 2.65% - 2.75% ]
% 65+ with congestive heart failure	B	18.0%	[ 16.24% - 19.73% ]	22.6%	[ 22.43% - 22.72% ]
% 65+ with diabetes	B	29.3%	[ 27.15% - 31.53% ]	33.8%	[ 33.59% - 33.93% ]
% 65+ with endometrial cancer (women)		2.7%	[ 2.00% - 3.43% ]	2.0%	[ 1.97% - 2.10% ]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
% 65+ with epilepsy	B	1.7%	[ 1.20% - 2.11% ]	2.9%	[ 2.82% - 2.95% ]
% 65+ with fibromyalgia, chronic pain, and fatigue	W	32.0%	[ 29.79% - 34.28% ]	26.6%	[ 26.42% - 26.73% ]
% 65+ with glaucoma	B	23.2%	[ 21.32% - 25.05% ]	28.3%	[ 28.11% - 28.41% ]
% 65+ ever had a heart attack	B	3.5%	[ 2.74% - 4.33% ]	4.5%	[ 4.40% - 4.53% ]
% 65+ with HIV/AIDS	*	0.14%	[ 0.08% - 0.19% ]	0.21%	[ 0.19% - 0.23% ]
% 65+ with hypertension	B	72.7%	[ 70.58% - 74.84% ]	76.2%	[ 76.07% - 76.37% ]
% 65+ with hypothyroidism	B	20.9%	[ 19.12% - 22.77% ]	25.1%	[ 24.99% - 25.28% ]
% 65+ with ischemic heart disease		40.2%	[ 37.88% - 42.61% ]	40.7%	[ 40.55% - 40.90% ]
% 65+ with leukemias and lymphomas		3.1%	[ 2.45% - 3.69% ]	2.7%	[ 2.60% - 2.71% ]
% 65+ with liver disease	W	11.2%	[ 9.71% - 12.72% ]	9.5%	[ 9.37% - 9.59% ]
% 65+ with lung cancer	B	1.2%	[ 0.84% - 1.55% ]	1.9%	[ 1.81% - 1.90% ]
% 65+ with migraine and other chronic headache		5.5%	[ 4.38% - 6.59% ]	5.2%	[ 5.13% - 5.29% ]
% 65+ with osteoarthritis or rheumatoid arthritis		56.6%	[ 54.12% - 59.09% ]	54.2%	[ 53.97% - 54.34% ]
% 65+ with osteoporosis		20.4%	[ 18.63% - 22.10% ]	20.2%	[ 20.11% - 20.37% ]
% 65+ with peripheral vascular disease	W	23.1%	[ 21.15% - 25.04% ]	19.9%	[ 19.72% - 19.99% ]
% 65+ with pressure ulcer or chronic ulcer	W	11.0%	[ 9.56% - 12.48% ]	9.2%	[ 9.11% - 9.31% ]
% 65+ with prostate cancer (men)		15.4%	[ 12.83% - 17.88% ]	13.1%	[ 12.93% - 13.28% ]
% 65+ with stroke		12.3%	[ 10.88% - 13.69% ]	11.9%	[ 11.80% - 12.01% ]
% 65+ with traumatic brain injury		1.5%	[ 1.07% - 1.87% ]	1.3%	[ 1.25% - 1.33% ]
% 65+ with 4+ (out of 15) chronic conditions	B	59.1%	[ 56.80% - 61.41% ]	61.8%	[ 61.61% - 61.95% ]
% 65+ with 0 chronic conditions		6.9%	[ 5.64% - 8.18% ]	7.2%	[ 7.10% - 7.29% ]
<b>BEHAVIORAL HEALTH</b>					
% 65+ with opioid use disorder		2.2%	[ 1.65% - 2.72% ]	2.2%	[ 2.10% - 2.21% ]
% 65+ with substance use disorder		5.9%	[ 4.75% - 7.12% ]	6.8%	[ 6.66% - 6.85% ]
% 60+ who used marijuana in last month		N/A		2.9%	[ 2.30% - 3.53% ]
% 60+ excessive drinking		8.9%	[ 5.88% - 11.85% ]	9.2%	[ 8.64% - 9.71% ]
% 65+ with tobacco use disorder	B	8.1%	[ 6.76% - 9.53% ]	10.1%	[ 9.94% - 10.17% ]
% 60+ current smokers	B	4.3%	[ 2.35% - 6.29% ]	7.7%	[ 7.20% - 8.17% ]
% 60+ ever used E-Cigarettes in last month		5.5%	[ 3.11% - 7.93% ]	6.4%	[ 5.89% - 6.80% ]
<b>MENTAL HEALTH</b>					
% 60+ who reported receiving adequate emotional support		78.2%	[ 75.03% - 81.46% ]	78.3%	[ 76.70% - 79.88% ]
% 60+ with 15+ days poor mental health in last month		8.3%	[ 5.20% - 11.30% ]	6.9%	[ 6.41% - 7.37% ]
% 65+ with depression	B	27.5%	[ 25.46% - 29.49% ]	30.3%	[ 30.10% - 30.41% ]
% 65+ with anxiety disorder		24.1%	[ 22.04% - 26.17% ]	25.5%	[ 25.35% - 25.66% ]
% 65+ with bipolar disorder	B	2.9%	[ 2.33% - 3.51% ]	3.9%	[ 3.78% - 3.92% ]
% 65+ with post-traumatic stress disorder		1.1%	[ 0.70% - 1.49% ]	1.3%	[ 1.20% - 1.29% ]
% 65+ with schizophrenia & other psychotic disorder	B	2.1%	[ 1.59% - 2.56% ]	4.6%	[ 4.53% - 4.68% ]
% 65+ with personality disorder		2.1%	[ 1.58% - 2.61% ]	2.6%	[ 2.49% - 2.61% ]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>LIVING WITH DISABILITY</b>					
% 65+ with self-reported hearing difficulty		10.8%	[ 6.42% - 15.10% ]	12.4%	[ 12.08% - 12.71% ]
% 65+ with clinical diagnosis of deafness or hearing impairment		14.8%	[ 13.14% - 16.38% ]	15.7%	[ 15.60% - 15.85% ]
% 65+ with self-reported vision difficulty		4.2%	[ 0.77% - 7.63% ]	4.8%	[ 4.55% - 5.04% ]
% 65+ with clinical diagnosis of blindness or visual impairment		0.8%	[ 0.50% - 1.06% ]	1.1%	[ 1.05% - 1.12% ]
% 65+ with self-reported cognition difficulty		4.6%	[ 1.84% - 7.44% ]	7.6%	[ 7.34% - 7.87% ]
% 65+ with self-reported ambulatory difficulty		17.6%	[ 11.08% - 24.13% ]	19.1%	[ 18.71% - 19.52% ]
% 65+ with clinical diagnosis of mobility impairment		3.7%	[ 2.81% - 4.52% ]	4.0%	[ 3.95% - 4.09% ]
% 65+ with self-reported self-care difficulty		5.5%	[ 1.21% - 9.73% ]	7.5%	[ 7.25% - 7.77% ]
% 65+ with self-reported independent living difficulty		10.7%	[ 5.54% - 15.85% ]	13.6%	[ 13.23% - 13.93% ]
<b>CAREGIVING</b>					
% of 60+ who provide care to a family/friend in last month		18.5%	[ 15.05% - 22.05% ]	21.7%	[ 19.87% - 23.57% ]
% of grandparents raising grandchildren		0.3%	[ -0.17% - 0.78% ]	0.8%	[ 0.73% - 0.86% ]
% of grandparents who live with grandchildren		4.1%	[ 2.23% - 5.93% ]	2.7%	[ 2.62% - 2.83% ]
<b>ACCESS TO CARE</b>					
% 65+ dually eligible for Medicare and Medicaid	*	11.5%	[ 10.34% - 12.58% ]	22.1%	[ 21.96% - 22.17% ]
% 65+ Medicare managed care enrollees	*	23.2%	[ 21.72% - 24.70% ]	29.9%	[ 29.76% - 29.99% ]
% 60+ with a regular doctor		95.7%	[ 93.46% - 97.86% ]	96.0%	[ 95.68% - 96.39% ]
% 60+ who did not see a doctor when needed due to cost		6.4%	[ 3.65% - 9.10% ]	4.5%	[ 4.14% - 4.92% ]
<b>SERVICE UTILIZATION</b>					
# physician visits per year	*	10.3	[ 9.85 - 10.67 ]	8.6	[ 8.60 - 8.66 ]
# emergency room visits/1000 persons 65+ years annually	*	466.9	[ 420.43 - 513.39 ]	636.7	[ 631.77 - 641.56 ]
# Part D monthly prescription fills per person annually	*	46.2	[ 44.64 - 47.86 ]	50.3	[ 50.15 - 50.39 ]
# home health visits annually		3.8	[ 3.07 - 4.47 ]	4.1	[ 4.02 - 4.14 ]
# durable medical equipment claims annually		1.9	[ 1.65 - 2.14 ]	1.9	[ 1.88 - 1.91 ]
# inpatient hospital stays/1000 persons 65+ years annually		252.3	[ 221.89 - 282.71 ]	273.3	[ 270.72 - 275.80 ]
% Medicare inpatient hospital readmissions (as % of admissions)		16.8%	[ 13.46% - 20.20% ]	17.2%	[ 16.89% - 17.47% ]
# skilled nursing facility stays/1000 persons 65+ years annually	*	79.3	[ 64.37 - 94.14 ]	104.7	[ 103.23 - 106.08 ]
% 65+ getting Medicaid long term services and supports	*	2.6%	[ 2.05% - 3.18% ]	5.5%	[ 5.48% - 5.60% ]
% 65+ hospice users		2.2%	[ 1.68% - 2.79% ]	2.8%	[ 2.70% - 2.79% ]
% 65+ hospice users as % of decedents		50.1%	[ 39.49% - 60.81% ]	45.5%	[ 44.85% - 46.14% ]
Median hospice days per hospice user (65+, deceased)		12.0	[ 7.8 - 17.0 ]	10.0	[ 10.00 - 10.00 ]
Median hospice payment (Medicare + other) per hospice user		\$4,558	[ \$3,443 - \$6,073 ]	\$3,741	[ \$3,650 - \$3,816 ]
<b>COMMUNITY</b>					
% 60+ who used Internet in last month	*	85.5%	[ 82.15% - 88.81% ]	75.1%	[ 74.32% - 75.89% ]
<b>TRANSPORTATION</b>					
% 65+ who own a motor vehicle	*	90.9%	[ 87.73% - 94.03% ]	87.3%	[ 87.15% - 87.49% ]
% 60+ who always drive or ride wearing a seatbelt		94.7%	[ 92.56% - 96.94% ]	93.0%	[ 92.53% - 93.49% ]
% 60+ who drove under the influence of drinking in last month		N/A		2.2%	[ 1.76% - 2.56% ]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>HOUSING</b>					
% 65+ population who live alone	*	20.0%	[ 14.63% - 25.35% ]	28.4%	[ 27.99% - 28.89% ]
% 60+ own home	*	88.8%	[ 85.92% - 91.77% ]	76.9%	[ 76.70% - 77.17% ]
% 60+ homeowners who have mortgage		54.8%	[ 47.58% - 62.09% ]	47.1%	[ 46.58% - 47.64% ]
% 60+ stressed about paying rent/mortgage in last month		17.3%	[ 12.60% - 22.02% ]	17.4%	[ 16.52% - 18.19% ]
% 65+ households (renter) spend >35% of income on housing		57.5%	[ 31.44% - 83.58% ]	44.0%	[ 42.55% - 45.42% ]
% 65+ households (owner) spend >35% of income on housing	*	40.9%	[ 31.10% - 50.62% ]	29.5%	[ 28.89% - 30.15% ]
% 65+ moved within same county in last year		5.2%	[ 1.03% - 9.42% ]	3.7%	[ 3.48% - 3.89% ]
% 65+ moved from different county in last year		0.8%	[ -0.51% - 2.09% ]	0.8%	[ 0.71% - 0.90% ]
% 65+ moved from different state in last year		1.4%	[ -1.17% - 4.06% ]	0.9%	[ 0.82% - 1.05% ]
% of vacant homes in community		6.1%	[ 2.85% - 9.37% ]	9.6%	[ 9.29% - 9.87% ]
<b>ECONOMIC</b>					
% 60+ receiving food benefits in last year	*	5.1%	[ 1.96% - 8.17% ]	10.9%	[ 10.53% - 11.21% ]
% 65+ employed in last year		29.2%	[ 24.62% - 33.70% ]	24.8%	[ 24.48% - 25.15% ]
% 65+ with income below the poverty line in last year	*	3.8%	[ 1.66% - 5.91% ]	7.0%	[ 6.79% - 7.30% ]
% 65+ households with annual income < \$20,000		11.9%	[ 5.36% - 18.43% ]	17.1%	[ 16.57% - 17.55% ]
% 65+ households with annual income \$20,000-\$49,999		27.8%	[ 19.20% - 36.44% ]	31.0%	[ 30.35% - 31.62% ]
% 65+ households with annual income \$50,000-\$99,999		26.2%	[ 17.34% - 35.13% ]	27.6%	[ 27.04% - 28.17% ]
% 65+ households with annual income \$100,000+	*	34.1%	[ 25.61% - 42.49% ]	24.4%	[ 23.82% - 24.89% ]

Notes. 1 We use B, W, or \* to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, \*=rate is different than comparison).

2 All community and state margins of error are 95% confidence intervals.

Questions or suggestions? [Beth.Dugan@umb.edu](mailto:Beth.Dugan@umb.edu)