

## Ansonia (New Haven)



HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>POPULATION CHARACTERISTICS</b>					
Population 65 years or older					
% 65-74 years		52.8%	[ 45.51% - 60.08% ]	55.7%	[ 55.33% - 56.11% ]
% 75-84 years		28.3%	[ 22.19% - 34.33% ]	29.1%	[ 28.75% - 29.45% ]
% 85 years or older		18.9%	[ 13.06% - 24.82% ]	15.2%	[ 14.93% - 15.43% ]
% 65+ population who are female		56.8%	[ 49.69% - 63.95% ]	56.8%	[ 56.36% - 57.18% ]
% 85+ population who are female		74.1%	[ 56.45% - 91.73% ]	66.6%	[ 65.94% - 67.18% ]
Race and ethnicity of the population 65+					
% White		85.8%	[ 83.00% - 88.54% ]	88.4%	[ 87.85% - 88.93% ]
% African American		11.5%	[ 5.13% - 17.93% ]	6.8%	[ 6.63% - 6.88% ]
% Asian	*	0.0%	[ -1.83% - 1.83% ]	2.3%	[ 2.20% - 2.35% ]
% Hispanic/Latino		7.3%	[ 1.43% - 13.19% ]	5.8%	[ 5.66% - 5.84% ]
Marital status of the population 65+					
% married	*	43.4%	[ 36.53% - 50.29% ]	53.8%	[ 53.46% - 54.12% ]
% divorced/separated		18.3%	[ 11.11% - 25.52% ]	14.9%	[ 14.58% - 15.29% ]
% widowed		29.2%	[ 22.22% - 36.28% ]	24.2%	[ 23.77% - 24.57% ]
% never married		9.0%	[ 4.42% - 13.63% ]	7.1%	[ 6.85% - 7.36% ]
Education of the population 65+					
% with less than high school education		13.6%	[ 8.36% - 18.85% ]	14.7%	[ 14.30% - 15.04% ]
% with high school or some college	*	71.4%	[ 64.35% - 78.53% ]	53.3%	[ 52.80% - 53.74% ]
% with college degree	*	15.0%	[ 9.68% - 20.23% ]	32.1%	[ 31.72% - 32.40% ]
% with graduate or professional degree	*	5.6%	[ 2.74% - 8.52% ]	16.8%	[ 16.58% - 17.09% ]
% of 65+ population who speak only English at home		88.3%	[ 83.56% - 93.12% ]	84.3%	[ 83.76% - 84.83% ]
% of 65+ population who are veterans of military service		22.2%	[ 16.13% - 28.20% ]	17.5%	[ 17.21% - 17.69% ]
% of 60+ who are LGBT (County)		2.6%	[ 1.98% - 3.23% ]	2.5%	[ 2.17% - 2.74% ]
Age-sex adjusted 1-year mortality rate		4.6%	[ 3.74% - 5.39% ]	4.1%	[ 4.08% - 4.18% ]
<b>WELLNESS</b>					
% 60+ getting the recommended hours of sleep	W	57.1%	[ 50.70% - 63.57% ]	65.2%	[ 64.24% - 66.16% ]
% 60+ doing any physical activity within last month		71.8%	[ 66.68% - 76.83% ]	75.0%	[ 74.20% - 75.79% ]
% 60+ met CDC guidelines for muscle-strengthening activity		27.4%	[ 21.02% - 33.75% ]	27.6%	[ 26.62% - 28.52% ]
% 60+ met CDC guidelines for aerobic physical activity		53.8%	[ 46.44% - 61.17% ]	58.1%	[ 56.98% - 59.11% ]
% 60+ with fair or poor health status		19.6%	[ 15.16% - 24.11% ]	17.6%	[ 16.90% - 18.31% ]
% 60+ with 15+ physically unhealthy days in last month		10.3%	[ 6.96% - 13.62% ]	12.4%	[ 11.74% - 12.96% ]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>FALLS</b>					
% 60+ who fell within last year		24.0%	[ 18.20% - 29.79% ]	26.3%	[ 25.38% - 27.18% ]
% 60+ who were injured in a fall within last year		8.1%	[ 4.23% - 12.05% ]	9.8%	[ 9.22% - 10.46% ]
% 65+ had hip fracture		3.4%	[ 2.40% - 4.38% ]	3.7%	[ 3.63% - 3.75% ]
<b>PREVENTION</b>					
% 60+ with physical exam/check-up in last year		89.5%	[ 86.21% - 92.76% ]	88.5%	[ 87.93% - 89.09% ]
% 60+ flu shot in last year		57.1%	[ 51.47% - 62.81% ]	57.5%	[ 56.60% - 58.43% ]
% 60+ with pneumonia vaccine		59.1%	[ 53.22% - 64.91% ]	63.9%	[ 62.97% - 64.79% ]
% 60+ with shingles vaccine	W	26.1%	[ 20.01% - 32.24% ]	33.5%	[ 32.43% - 34.52% ]
% 60+ women with a mammogram within last 2 years		77.2%	[ 70.03% - 84.41% ]	79.7%	[ 78.56% - 80.79% ]
% 60+ with colorectal cancer screening		74.5%	[ 68.73% - 80.21% ]	78.2%	[ 77.29% - 79.05% ]
% 60+ with HIV test		13.6%	[ 9.45% - 17.70% ]	16.1%	[ 15.40% - 16.83% ]
% 60+ met CDC preventive health screening goals		31.5%	[ 24.31% - 38.76% ]	39.6%	[ 38.38% - 40.80% ]
<b>NUTRITION &amp; DIET</b>					
% 60+ with 5 or more servings of fruit or vegetables per day		18.5%	[ 12.69% - 24.27% ]	19.9%	[ 19.00% - 20.72% ]
% 60+ stressed about buying food in last month		8.4%	[ 4.78% - 11.97% ]	8.6%	[ 7.95% - 9.17% ]
% 60+ self-reported obese		29.4%	[ 24.18% - 34.54% ]	26.1%	[ 25.27% - 26.93% ]
% 65+ clinically diagnosed obesity		24.0%	[ 21.39% - 26.53% ]	22.5%	[ 22.35% - 22.66% ]
% 65+ with high cholesterol		76.5%	[ 74.06% - 78.91% ]	77.0%	[ 76.85% - 77.15% ]
% 60+ with cholesterol screening		98.0%	[ 96.26% - 99.82% ]	97.1%	[ 96.74% - 97.42% ]
<b>ORAL HEALTH</b>					
% 60+ with dental insurance		56.8%	[ 46.80% - 66.75% ]	59.2%	[ 57.60% - 60.76% ]
% 60+ with annual dental exam		77.0%	[ 71.44% - 82.46% ]	80.0%	[ 79.13% - 80.76% ]
% 60+ with loss of 6 or more teeth		26.0%	[ 20.04% - 31.89% ]	23.8%	[ 22.96% - 24.69% ]
<b>CHRONIC DISEASE</b>					
% 65+ with Alzheimer's disease or related dementias	B	12.2%	[ 10.36% - 14.02% ]	14.4%	[ 14.26% - 14.49% ]
% 65+ with anemia	W	53.7%	[ 50.91% - 56.53% ]	50.6%	[ 50.41% - 50.76% ]
% 65+ with asthma	B	12.1%	[ 10.25% - 13.92% ]	14.1%	[ 13.96% - 14.19% ]
% 65+ with atrial fibrillation		14.8%	[ 12.86% - 16.74% ]	16.1%	[ 15.94% - 16.18% ]
% 65+ with autism spectrum disorder		0.09%	[ 0.06% - 0.13% ]	0.12%	[ 0.11% - 0.14% ]
% 65+ with benign prostatic hyperplasia (men)		40.2%	[ 36.11% - 44.32% ]	42.8%	[ 42.49% - 43.01% ]
% 65+ with breast cancer (women)		11.7%	[ 9.27% - 14.12% ]	11.4%	[ 11.25% - 11.53% ]
% 65+ with cataract	B	56.0%	[ 53.24% - 58.85% ]	64.8%	[ 64.67% - 65.00% ]
% 65+ with chronic kidney disease	W	34.8%	[ 31.98% - 37.58% ]	29.9%	[ 29.70% - 30.03% ]
% 65+ with chronic obstructive pulmonary disease	W	24.9%	[ 22.46% - 27.29% ]	21.0%	[ 20.90% - 21.17% ]
% 65+ with colon cancer		2.8%	[ 2.29% - 3.37% ]	2.7%	[ 2.65% - 2.75% ]
% 65+ with congestive heart failure		24.3%	[ 21.83% - 26.80% ]	22.6%	[ 22.43% - 22.72% ]
% 65+ with diabetes	W	43.8%	[ 40.90% - 46.79% ]	33.8%	[ 33.59% - 33.93% ]
% 65+ with endometrial cancer (women)		2.1%	[ 1.44% - 2.69% ]	2.0%	[ 1.97% - 2.10% ]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
% 65+ with epilepsy		2.7%	[ 2.15% - 3.32% ]	2.9%	[ 2.82% - 2.95% ]
% 65+ with fibromyalgia, chronic pain, and fatigue		24.2%	[ 21.70% - 26.76% ]	26.6%	[ 26.42% - 26.73% ]
% 65+ with glaucoma	B	23.6%	[ 21.20% - 25.92% ]	28.3%	[ 28.11% - 28.41% ]
% 65+ ever had a heart attack		4.5%	[ 3.39% - 5.63% ]	4.5%	[ 4.40% - 4.53% ]
% 65+ with HIV/AIDS		0.21%	[ 0.15% - 0.27% ]	0.21%	[ 0.19% - 0.23% ]
% 65+ with hypertension	W	79.2%	[ 76.86% - 81.51% ]	76.2%	[ 76.07% - 76.37% ]
% 65+ with hypothyroidism	W	29.7%	[ 27.12% - 32.23% ]	25.1%	[ 24.99% - 25.28% ]
% 65+ with ischemic heart disease		41.1%	[ 38.26% - 44.04% ]	40.7%	[ 40.55% - 40.90% ]
% 65+ with leukemias and lymphomas		2.5%	[ 1.94% - 3.05% ]	2.7%	[ 2.60% - 2.71% ]
% 65+ with liver disease		11.3%	[ 9.45% - 13.19% ]	9.5%	[ 9.37% - 9.59% ]
% 65+ with lung cancer	W	2.6%	[ 2.07% - 3.12% ]	1.9%	[ 1.81% - 1.90% ]
% 65+ with migraine and other chronic headache	B	3.5%	[ 2.40% - 4.56% ]	5.2%	[ 5.13% - 5.29% ]
% 65+ with osteoarthritis or rheumatoid arthritis		53.8%	[ 50.79% - 56.74% ]	54.2%	[ 53.97% - 54.34% ]
% 65+ with osteoporosis		19.5%	[ 17.33% - 21.71% ]	20.2%	[ 20.11% - 20.37% ]
% 65+ with peripheral vascular disease	W	26.8%	[ 24.21% - 29.34% ]	19.9%	[ 19.72% - 19.99% ]
% 65+ with pressure ulcer or chronic ulcer	W	11.3%	[ 9.50% - 13.08% ]	9.2%	[ 9.11% - 9.31% ]
% 65+ with prostate cancer (men)		10.6%	[ 8.09% - 13.12% ]	13.1%	[ 12.93% - 13.28% ]
% 65+ with stroke		11.7%	[ 9.89% - 13.41% ]	11.9%	[ 11.80% - 12.01% ]
% 65+ with traumatic brain injury		1.0%	[ 0.62% - 1.29% ]	1.3%	[ 1.25% - 1.33% ]
% 65+ with 4+ (out of 15) chronic conditions	W	66.5%	[ 63.82% - 69.20% ]	61.8%	[ 61.61% - 61.95% ]
% 65+ with 0 chronic conditions		8.5%	[ 6.85% - 10.08% ]	7.2%	[ 7.10% - 7.29% ]
<b>BEHAVIORAL HEALTH</b>					
% 65+ with opioid use disorder	W	3.6%	[ 2.95% - 4.32% ]	2.2%	[ 2.10% - 2.21% ]
% 65+ with substance use disorder		7.7%	[ 6.12% - 9.33% ]	6.8%	[ 6.66% - 6.85% ]
% 60+ who used marijuana in last month		N/A		2.9%	[ 2.30% - 3.53% ]
% 60+ excessive drinking		7.5%	[ 4.27% - 10.78% ]	9.2%	[ 8.64% - 9.71% ]
% 65+ with tobacco use disorder	W	13.4%	[ 11.39% - 15.50% ]	10.1%	[ 9.94% - 10.17% ]
% 60+ current smokers		8.5%	[ 5.40% - 11.64% ]	7.7%	[ 7.20% - 8.17% ]
% 60+ ever used E-Cigarettes in last month		6.5%	[ 3.87% - 9.19% ]	6.4%	[ 5.89% - 6.80% ]
<b>MENTAL HEALTH</b>					
% 60+ who reported receiving adequate emotional support		79.4%	[ 76.01% - 82.83% ]	78.3%	[ 76.70% - 79.88% ]
% 60+ with 15+ days poor mental health in last month		6.6%	[ 4.04% - 9.11% ]	6.9%	[ 6.41% - 7.37% ]
% 65+ with depression		29.4%	[ 26.80% - 31.92% ]	30.3%	[ 30.10% - 30.41% ]
% 65+ with anxiety disorder	B	22.6%	[ 20.05% - 25.05% ]	25.5%	[ 25.35% - 25.66% ]
% 65+ with bipolar disorder		4.6%	[ 3.83% - 5.34% ]	3.9%	[ 3.78% - 3.92% ]
% 65+ with post-traumatic stress disorder		1.2%	[ 0.81% - 1.68% ]	1.3%	[ 1.20% - 1.29% ]
% 65+ with schizophrenia & other psychotic disorder		4.1%	[ 3.41% - 4.79% ]	4.6%	[ 4.53% - 4.68% ]
% 65+ with personality disorder		2.6%	[ 1.98% - 3.14% ]	2.6%	[ 2.49% - 2.61% ]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>LIVING WITH DISABILITY</b>					
% 65+ with self-reported hearing difficulty		16.8%	[ 10.07% - 23.46% ]	12.4%	[ 12.08% - 12.71% ]
% 65+ with clinical diagnosis of deafness or hearing impairment	B	13.2%	[ 11.26% - 15.08% ]	15.7%	[ 15.60% - 15.85% ]
% 65+ with self-reported vision difficulty		6.0%	[ 1.91% - 10.08% ]	4.8%	[ 4.55% - 5.04% ]
% 65+ with clinical diagnosis of blindness or visual impairment		0.9%	[ 0.59% - 1.25% ]	1.1%	[ 1.05% - 1.12% ]
% 65+ with self-reported cognition difficulty		11.6%	[ 5.80% - 17.32% ]	7.6%	[ 7.34% - 7.87% ]
% 65+ with self-reported ambulatory difficulty		23.6%	[ 16.86% - 30.38% ]	19.1%	[ 18.71% - 19.52% ]
% 65+ with clinical diagnosis of mobility impairment		3.7%	[ 2.61% - 4.77% ]	4.0%	[ 3.95% - 4.09% ]
% 65+ with self-reported self-care difficulty		14.1%	[ 7.62% - 20.64% ]	7.5%	[ 7.25% - 7.77% ]
% 65+ with self-reported independent living difficulty		21.3%	[ 13.85% - 28.70% ]	13.6%	[ 13.23% - 13.93% ]
<b>CAREGIVING</b>					
% of 60+ who provide care to a family/friend in last month		25.3%	[ 21.16% - 29.39% ]	21.7%	[ 19.87% - 23.57% ]
% of grandparents raising grandchildren		1.2%	[ -0.02% - 2.45% ]	0.8%	[ 0.73% - 0.86% ]
% of grandparents who live with grandchildren		3.8%	[ 2.17% - 5.43% ]	2.7%	[ 2.62% - 2.83% ]
<b>ACCESS TO CARE</b>					
% 65+ dually eligible for Medicare and Medicaid	*	25.9%	[ 24.21% - 27.52% ]	22.1%	[ 21.96% - 22.17% ]
% 65+ Medicare managed care enrollees	*	41.2%	[ 39.30% - 43.02% ]	29.9%	[ 29.76% - 29.99% ]
% 60+ with a regular doctor		96.0%	[ 93.69% - 98.24% ]	96.0%	[ 95.68% - 96.39% ]
% 60+ who did not see a doctor when needed due to cost		4.8%	[ 2.47% - 7.15% ]	4.5%	[ 4.14% - 4.92% ]
<b>SERVICE UTILIZATION</b>					
# physician visits per year		8.4	[ 7.96 - 8.84 ]	8.6	[ 8.60 - 8.66 ]
# emergency room visits/1000 persons 65+ years annually	*	897.7	[ 771.36 - 1,024.05 ]	636.7	[ 631.77 - 641.56 ]
# Part D monthly prescription fills per person annually		51.5	[ 49.71 - 53.34 ]	50.3	[ 50.15 - 50.39 ]
# home health visits annually	*	5.7	[ 4.57 - 6.83 ]	4.1	[ 4.02 - 4.14 ]
# durable medical equipment claims annually		2.2	[ 1.86 - 2.51 ]	1.9	[ 1.88 - 1.91 ]
# inpatient hospital stays/1000 persons 65+ years annually	*	377.6	[ 322.99 - 432.31 ]	273.3	[ 270.72 - 275.80 ]
% Medicare inpatient hospital readmissions (as % of admissions)		22.0%	[ 16.62% - 27.29% ]	17.2%	[ 16.89% - 17.47% ]
# skilled nursing facility stays/1000 persons 65+ years annually		130.9	[ 104.49 - 157.32 ]	104.7	[ 103.23 - 106.08 ]
% 65+ getting Medicaid long term services and supports	*	3.5%	[ 2.77% - 4.15% ]	5.5%	[ 5.48% - 5.60% ]
% 65+ hospice users		2.9%	[ 2.19% - 3.54% ]	2.8%	[ 2.70% - 2.79% ]
% 65+ hospice users as % of decedents		54.1%	[ 45.98% - 62.16% ]	45.5%	[ 44.85% - 46.14% ]
Median hospice days per hospice user (65+, deceased)		6.0	[ 4.1 - 10.0 ]	10.0	[ 10.00 - 10.00 ]
Median hospice payment (Medicare + other) per hospice user		\$3,222	[ \$2,588 - \$4,660 ]	\$3,741	[ \$3,650 - \$3,816 ]
<b>COMMUNITY</b>					
% 60+ who used Internet in last month		74.0%	[ 68.89% - 79.19% ]	75.1%	[ 74.32% - 75.89% ]
<b>TRANSPORTATION</b>					
% 65+ who own a motor vehicle	*	73.7%	[ 66.13% - 81.26% ]	87.3%	[ 87.15% - 87.49% ]
% 60+ who always drive or ride wearing a seatbelt		91.2%	[ 87.72% - 94.62% ]	93.0%	[ 92.53% - 93.49% ]
% 60+ who drove under the influence of drinking in last month		N/A		2.2%	[ 1.76% - 2.56% ]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE <sup>1</sup>	COMMUNITY ESTIMATE	MARGIN OF ERROR <sup>2</sup>	STATE ESTIMATE	MARGIN OF ERROR <sup>2</sup>
<b>HOUSING</b>					
% 65+ population who live alone		36.6%	[ 28.04% - 45.09% ]	28.4%	[ 27.99% - 28.89% ]
% 60+ own home	*	67.2%	[ 63.82% - 70.58% ]	76.9%	[ 76.70% - 77.17% ]
% 60+ homeowners who have mortgage		44.4%	[ 34.59% - 54.23% ]	47.1%	[ 46.58% - 47.64% ]
% 60+ stressed about paying rent/mortgage in last month		20.0%	[ 14.45% - 25.63% ]	17.4%	[ 16.52% - 18.19% ]
% 65+ households (renter) spend >35% of income on housing		44.0%	[ 25.25% - 62.71% ]	44.0%	[ 42.55% - 45.42% ]
% 65+ households (owner) spend >35% of income on housing		29.4%	[ 18.29% - 40.43% ]	29.5%	[ 28.89% - 30.15% ]
% 65+ moved within same county in last year	*	0.9%	[ -0.65% - 2.49% ]	3.7%	[ 3.48% - 3.89% ]
% 65+ moved from different county in last year		0.0%	[ -1.29% - 1.29% ]	0.8%	[ 0.71% - 0.90% ]
% 65+ moved from different state in last year		0.5%	[ -0.86% - 1.91% ]	0.9%	[ 0.82% - 1.05% ]
% of vacant homes in community		10.8%	[ 6.89% - 14.64% ]	9.6%	[ 9.29% - 9.87% ]
<b>ECONOMIC</b>					
% 60+ receiving food benefits in last year		16.7%	[ 9.67% - 23.82% ]	10.9%	[ 10.53% - 11.21% ]
% 65+ employed in last year		23.1%	[ 16.79% - 29.32% ]	24.8%	[ 24.48% - 25.15% ]
% 65+ with income below the poverty line in last year		10.3%	[ 4.24% - 16.38% ]	7.0%	[ 6.79% - 7.30% ]
% 65+ households with annual income < \$20,000		24.5%	[ 11.96% - 37.02% ]	17.1%	[ 16.57% - 17.55% ]
% 65+ households with annual income \$20,000-\$49,999		36.9%	[ 27.03% - 46.71% ]	31.0%	[ 30.35% - 31.62% ]
% 65+ households with annual income \$50,000-\$99,999		23.0%	[ 15.60% - 30.31% ]	27.6%	[ 27.04% - 28.17% ]
% 65+ households with annual income \$100,000+	*	15.7%	[ 8.93% - 22.45% ]	24.4%	[ 23.82% - 24.89% ]

Notes. 1 We use B, W, or \* to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, \*=rate is different than comparison).

2 All community and state margins of error are 95% confidence intervals.

Questions or suggestions? [Beth.Dugan@umb.edu](mailto:Beth.Dugan@umb.edu)