

Farmington (Hartford)



HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years	*	51.0%	[47.13% - 54.79%]	55.7%	[55.33% - 56.11%]
% 75-84 years		30.0%	[25.43% - 34.60%]	29.1%	[28.75% - 29.45%]
% 85 years or older		19.0%	[14.87% - 23.19%]	15.2%	[14.93% - 15.43%]
% 65+ population who are female		55.8%	[51.33% - 60.20%]	56.8%	[56.36% - 57.18%]
% 85+ population who are female		61.4%	[52.13% - 70.69%]	66.6%	[65.94% - 67.18%]
Race and ethnicity of the population 65+					
% White	*	92.7%	[89.75% - 95.65%]	88.4%	[87.85% - 88.93%]
% African American	*	1.8%	[0.69% - 2.99%]	6.8%	[6.63% - 6.88%]
% Asian		3.4%	[1.56% - 5.24%]	2.3%	[2.20% - 2.35%]
% Hispanic/Latino	*	2.9%	[0.56% - 5.20%]	5.8%	[5.66% - 5.84%]
Marital status of the population 65+					
% married	*	59.5%	[55.73% - 63.19%]	53.8%	[53.46% - 54.12%]
% divorced/separated		12.4%	[9.08% - 15.77%]	14.9%	[14.58% - 15.29%]
% widowed		24.5%	[20.05% - 29.01%]	24.2%	[23.77% - 24.57%]
% never married	*	3.6%	[1.80% - 5.36%]	7.1%	[6.85% - 7.36%]
Education of the population 65+					
% with less than high school education	*	9.9%	[6.50% - 13.31%]	14.7%	[14.30% - 15.04%]
% with high school or some college	*	46.2%	[41.72% - 50.60%]	53.3%	[52.80% - 53.74%]
% with college degree	*	43.9%	[39.93% - 47.94%]	32.1%	[31.72% - 32.40%]
% with graduate or professional degree	*	28.5%	[24.53% - 32.41%]	16.8%	[16.58% - 17.09%]
% of 65+ population who speak only English at home		84.4%	[83.03% - 85.68%]	84.3%	[83.76% - 84.83%]
% of 65+ population who are veterans of military service		17.2%	[13.65% - 20.68%]	17.5%	[17.21% - 17.69%]
% of 60+ who are LGBT (County)		2.4%	[1.80% - 2.95%]	2.5%	[2.17% - 2.74%]
Age-sex adjusted 1-year mortality rate		4.3%	[3.70% - 4.83%]	4.1%	[4.08% - 4.18%]
WELLNESS					
% 60+ getting the recommended hours of sleep		68.5%	[63.88% - 73.12%]	65.2%	[64.24% - 66.16%]
% 60+ doing any physical activity within last month	B	81.2%	[77.28% - 85.11%]	75.0%	[74.20% - 75.79%]
% 60+ met CDC guidelines for muscle-strengthening activity		29.9%	[25.04% - 34.77%]	27.6%	[26.62% - 28.52%]
% 60+ met CDC guidelines for aerobic physical activity		64.1%	[58.88% - 69.38%]	58.1%	[56.98% - 59.11%]
% 60+ with fair or poor health status	B	11.5%	[8.53% - 14.53%]	17.6%	[16.90% - 18.31%]
% 60+ with 15+ physically unhealthy days in last month		11.7%	[8.46% - 14.86%]	12.4%	[11.74% - 12.96%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		27.4%	[22.87% - 31.90%]	26.3%	[25.38% - 27.18%]
% 60+ who were injured in a fall within last year		10.4%	[7.36% - 13.46%]	9.8%	[9.22% - 10.46%]
% 65+ had hip fracture		4.1%	[3.44% - 4.79%]	3.7%	[3.63% - 3.75%]
PREVENTION					
% 60+ with physical exam/check-up in last year		90.2%	[87.40% - 92.92%]	88.5%	[87.93% - 89.09%]
% 60+ flu shot in last year		58.6%	[53.98% - 63.26%]	57.5%	[56.60% - 58.43%]
% 60+ with pneumonia vaccine		65.0%	[60.41% - 69.68%]	63.9%	[62.97% - 64.79%]
% 60+ with shingles vaccine	B	42.0%	[36.44% - 47.58%]	33.5%	[32.43% - 34.52%]
% 60+ women with a mammogram within last 2 years		81.0%	[75.27% - 86.65%]	79.7%	[78.56% - 80.79%]
% 60+ with colorectal cancer screening		77.1%	[72.75% - 81.36%]	78.2%	[77.29% - 79.05%]
% 60+ with HIV test		15.9%	[12.29% - 19.46%]	16.1%	[15.40% - 16.83%]
% 60+ met CDC preventive health screening goals		41.3%	[35.04% - 47.64%]	39.6%	[38.38% - 40.80%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		20.5%	[16.20% - 24.75%]	19.9%	[19.00% - 20.72%]
% 60+ stressed about buying food in last month		6.7%	[3.93% - 9.49%]	8.6%	[7.95% - 9.17%]
% 60+ self-reported obese	B	17.2%	[13.57% - 20.83%]	26.1%	[25.27% - 26.93%]
% 65+ clinically diagnosed obesity	B	17.7%	[16.16% - 19.23%]	22.5%	[22.35% - 22.66%]
% 65+ with high cholesterol		76.4%	[74.71% - 78.05%]	77.0%	[76.85% - 77.15%]
% 60+ with cholesterol screening		98.3%	[97.10% - 99.54%]	97.1%	[96.74% - 97.42%]
ORAL HEALTH					
% 60+ with dental insurance		57.3%	[48.73% - 65.85%]	59.2%	[57.60% - 60.76%]
% 60+ with annual dental exam	B	91.2%	[88.47% - 93.99%]	80.0%	[79.13% - 80.76%]
% 60+ with loss of 6 or more teeth	B	12.3%	[9.04% - 15.55%]	23.8%	[22.96% - 24.69%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias	W	16.5%	[15.13% - 17.84%]	14.4%	[14.26% - 14.49%]
% 65+ with anemia		50.3%	[48.44% - 52.23%]	50.6%	[50.41% - 50.76%]
% 65+ with asthma	B	11.4%	[10.19% - 12.53%]	14.1%	[13.96% - 14.19%]
% 65+ with atrial fibrillation	W	17.9%	[16.51% - 19.26%]	16.1%	[15.94% - 16.18%]
% 65+ with autism spectrum disorder	*	0.27%	[0.22% - 0.32%]	0.12%	[0.11% - 0.14%]
% 65+ with benign prostatic hyperplasia (men)	B	39.3%	[36.44% - 42.06%]	42.8%	[42.49% - 43.01%]
% 65+ with breast cancer (women)	W	13.5%	[11.78% - 15.15%]	11.4%	[11.25% - 11.53%]
% 65+ with cataract	W	68.6%	[66.81% - 70.47%]	64.8%	[64.67% - 65.00%]
% 65+ with chronic kidney disease	B	26.9%	[25.20% - 28.62%]	29.9%	[29.70% - 30.03%]
% 65+ with chronic obstructive pulmonary disease	B	16.8%	[15.42% - 18.12%]	21.0%	[20.90% - 21.17%]
% 65+ with colon cancer		3.0%	[2.53% - 3.52%]	2.7%	[2.65% - 2.75%]
% 65+ with congestive heart failure		23.2%	[21.67% - 24.83%]	22.6%	[22.43% - 22.72%]
% 65+ with diabetes	B	26.0%	[24.34% - 27.76%]	33.8%	[33.59% - 33.93%]
% 65+ with endometrial cancer (women)		1.7%	[1.19% - 2.20%]	2.0%	[1.97% - 2.10%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy	B	2.1%	[1.66% - 2.57%]	2.9%	[2.82% - 2.95%]
% 65+ with fibromyalgia, chronic pain, and fatigue	B	24.3%	[22.66% - 26.03%]	26.6%	[26.42% - 26.73%]
% 65+ with glaucoma	W	31.0%	[29.30% - 32.72%]	28.3%	[28.11% - 28.41%]
% 65+ ever had a heart attack		4.3%	[3.62% - 5.05%]	4.5%	[4.40% - 4.53%]
% 65+ with HIV/AIDS		0.25%	[0.20% - 0.30%]	0.21%	[0.19% - 0.23%]
% 65+ with hypertension		75.1%	[73.38% - 76.81%]	76.2%	[76.07% - 76.37%]
% 65+ with hypothyroidism		26.7%	[25.03% - 28.31%]	25.1%	[24.99% - 25.28%]
% 65+ with ischemic heart disease	B	38.4%	[36.51% - 40.31%]	40.7%	[40.55% - 40.90%]
% 65+ with leukemias and lymphomas		2.6%	[2.06% - 3.07%]	2.7%	[2.60% - 2.71%]
% 65+ with liver disease		8.9%	[7.78% - 10.02%]	9.5%	[9.37% - 9.59%]
% 65+ with lung cancer		1.8%	[1.38% - 2.18%]	1.9%	[1.81% - 1.90%]
% 65+ with migraine and other chronic headache		4.5%	[3.63% - 5.30%]	5.2%	[5.13% - 5.29%]
% 65+ with osteoarthritis or rheumatoid arthritis	B	52.0%	[49.94% - 53.97%]	54.2%	[53.97% - 54.34%]
% 65+ with osteoporosis	W	21.9%	[20.45% - 23.43%]	20.2%	[20.11% - 20.37%]
% 65+ with peripheral vascular disease	B	17.2%	[15.81% - 18.62%]	19.9%	[19.72% - 19.99%]
% 65+ with pressure ulcer or chronic ulcer		9.2%	[8.14% - 10.31%]	9.2%	[9.11% - 9.31%]
% 65+ with prostate cancer (men)		12.9%	[11.01% - 14.77%]	13.1%	[12.93% - 13.28%]
% 65+ with stroke	B	10.5%	[9.40% - 11.56%]	11.9%	[11.80% - 12.01%]
% 65+ with traumatic brain injury		1.3%	[1.00% - 1.70%]	1.3%	[1.25% - 1.33%]
% 65+ with 4+ (out of 15) chronic conditions	B	58.4%	[56.50% - 60.29%]	61.8%	[61.61% - 61.95%]
% 65+ with 0 chronic conditions		7.1%	[6.05% - 8.19%]	7.2%	[7.10% - 7.29%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder	B	1.5%	[1.10% - 1.86%]	2.2%	[2.10% - 2.21%]
% 65+ with substance use disorder	B	5.3%	[4.35% - 6.16%]	6.8%	[6.66% - 6.85%]
% 60+ who used marijuana in last month		N/A		2.9%	[2.30% - 3.53%]
% 60+ excessive drinking		10.0%	[7.20% - 12.75%]	9.2%	[8.64% - 9.71%]
% 65+ with tobacco use disorder	B	7.1%	[6.02% - 8.08%]	10.1%	[9.94% - 10.17%]
% 60+ current smokers		5.9%	[3.84% - 7.95%]	7.7%	[7.20% - 8.17%]
% 60+ ever used E-Cigarettes in last month		5.2%	[3.01% - 7.29%]	6.4%	[5.89% - 6.80%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support		76.6%	[73.29% - 79.88%]	78.3%	[76.70% - 79.88%]
% 60+ with 15+ days poor mental health in last month		5.6%	[3.39% - 7.73%]	6.9%	[6.41% - 7.37%]
% 65+ with depression		29.8%	[28.06% - 31.47%]	30.3%	[30.10% - 30.41%]
% 65+ with anxiety disorder		24.3%	[22.64% - 26.02%]	25.5%	[25.35% - 25.66%]
% 65+ with bipolar disorder	B	2.8%	[2.21% - 3.31%]	3.9%	[3.78% - 3.92%]
% 65+ with post-traumatic stress disorder		1.0%	[0.63% - 1.32%]	1.3%	[1.20% - 1.29%]
% 65+ with schizophrenia & other psychotic disorder	B	3.7%	[3.16% - 4.31%]	4.6%	[4.53% - 4.68%]
% 65+ with personality disorder	B	1.9%	[1.45% - 2.33%]	2.6%	[2.49% - 2.61%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		10.8%	[7.84% - 13.67%]	12.4%	[12.08% - 12.71%]
% 65+ with clinical diagnosis of deafness or hearing impairment	W	18.9%	[17.39% - 20.33%]	15.7%	[15.60% - 15.85%]
% 65+ with self-reported vision difficulty	*	2.9%	[1.47% - 4.24%]	4.8%	[4.55% - 5.04%]
% 65+ with clinical diagnosis of blindness or visual impairment		1.3%	[0.97% - 1.68%]	1.1%	[1.05% - 1.12%]
% 65+ with self-reported cognition difficulty		6.2%	[3.70% - 8.75%]	7.6%	[7.34% - 7.87%]
% 65+ with self-reported ambulatory difficulty	*	13.2%	[9.71% - 16.68%]	19.1%	[18.71% - 19.52%]
% 65+ with clinical diagnosis of mobility impairment		3.5%	[2.79% - 4.21%]	4.0%	[3.95% - 4.09%]
% 65+ with self-reported self-care difficulty		7.8%	[4.79% - 10.72%]	7.5%	[7.25% - 7.77%]
% 65+ with self-reported independent living difficulty		13.4%	[9.73% - 17.11%]	13.6%	[13.23% - 13.93%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		21.0%	[17.20% - 24.71%]	21.7%	[19.87% - 23.57%]
% of grandparents raising grandchildren		0.6%	[0.07% - 1.14%]	0.8%	[0.73% - 0.86%]
% of grandparents who live with grandchildren	*	1.5%	[0.68% - 2.37%]	2.7%	[2.62% - 2.83%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	17.1%	[16.07% - 18.15%]	22.1%	[21.96% - 22.17%]
% 65+ Medicare managed care enrollees		30.0%	[28.71% - 31.23%]	29.9%	[29.76% - 29.99%]
% 60+ with a regular doctor		95.8%	[93.88% - 97.76%]	96.0%	[95.68% - 96.39%]
% 60+ who did not see a doctor when needed due to cost		2.7%	[1.05% - 4.32%]	4.5%	[4.14% - 4.92%]
SERVICE UTILIZATION					
# physician visits per year	*	8.1	[7.81 - 8.37]	8.6	[8.60 - 8.66]
# emergency room visits/1000 persons 65+ years annually	*	566.0	[522.46 - 609.58]	636.7	[631.77 - 641.56]
# Part D monthly prescription fills per person annually	*	48.4	[47.13 - 49.59]	50.3	[50.15 - 50.39]
# home health visits annually		4.6	[3.99 - 5.23]	4.1	[4.02 - 4.14]
# durable medical equipment claims annually		1.7	[1.49 - 1.97]	1.9	[1.88 - 1.91]
# inpatient hospital stays/1000 persons 65+ years annually		250.4	[221.81 - 279.03]	273.3	[270.72 - 275.80]
% Medicare inpatient hospital readmissions (as % of admissions)		17.5%	[14.07% - 20.88%]	17.2%	[16.89% - 17.47%]
# skilled nursing facility stays/1000 persons 65+ years annually		101.5	[86.86 - 116.17]	104.7	[103.23 - 106.08]
% 65+ getting Medicaid long term services and supports		5.3%	[4.70% - 5.93%]	5.5%	[5.48% - 5.60%]
% 65+ hospice users	*	3.4%	[2.84% - 3.88%]	2.8%	[2.70% - 2.79%]
% 65+ hospice users as % of decedents		51.1%	[42.75% - 59.46%]	45.5%	[44.85% - 46.14%]
Median hospice days per hospice user (65+, deceased)		9.0	[7.0 - 11.1]	10.0	[10.00 - 10.00]
Median hospice payment (Medicare + other) per hospice user		\$3,427	[\$2,314 - \$4,327]	\$3,741	[\$3,650 - \$3,816]
COMMUNITY					
% 60+ who used Internet in last month	*	80.9%	[77.11% - 84.61%]	75.1%	[74.32% - 75.89%]
TRANSPORTATION					
% 65+ who own a motor vehicle	*	82.5%	[81.67% - 83.27%]	87.3%	[87.15% - 87.49%]
% 60+ who always drive or ride wearing a seatbelt	B	95.5%	[93.58% - 97.41%]	93.0%	[92.53% - 93.49%]
% 60+ who drove under the influence of drinking in last month		N/A		2.2%	[1.76% - 2.56%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
HOUSING					
% 65+ population who live alone		30.6%	[27.03% - 34.15%]	28.4%	[27.99% - 28.89%]
% 60+ own home	*	69.5%	[66.13% - 72.85%]	76.9%	[76.70% - 77.17%]
% 60+ homeowners who have mortgage		46.7%	[40.77% - 52.56%]	47.1%	[46.58% - 47.64%]
% 60+ stressed about paying rent/mortgage in last month		15.3%	[11.17% - 19.43%]	17.4%	[16.52% - 18.19%]
% 65+ households (renter) spend >35% of income on housing		51.0%	[42.27% - 59.80%]	44.0%	[42.55% - 45.42%]
% 65+ households (owner) spend >35% of income on housing		23.5%	[18.03% - 29.05%]	29.5%	[28.89% - 30.15%]
% 65+ moved within same county in last year		6.7%	[2.77% - 10.72%]	3.7%	[3.48% - 3.89%]
% 65+ moved from different county in last year		1.3%	[-0.10% - 2.74%]	0.8%	[0.71% - 0.90%]
% 65+ moved from different state in last year		1.3%	[0.06% - 2.54%]	0.9%	[0.82% - 1.05%]
% of vacant homes in community	*	4.4%	[2.69% - 6.08%]	9.6%	[9.29% - 9.87%]
ECONOMIC					
% 60+ receiving food benefits in last year	*	4.3%	[2.00% - 6.58%]	10.9%	[10.53% - 11.21%]
% 65+ employed in last year		22.1%	[18.43% - 25.71%]	24.8%	[24.48% - 25.15%]
% 65+ with income below the poverty line in last year		7.2%	[4.31% - 10.10%]	7.0%	[6.79% - 7.30%]
% 65+ households with annual income < \$20,000		16.4%	[11.66% - 21.06%]	17.1%	[16.57% - 17.55%]
% 65+ households with annual income \$20,000-\$49,999		30.0%	[23.87% - 36.15%]	31.0%	[30.35% - 31.62%]
% 65+ households with annual income \$50,000-\$99,999		26.2%	[20.54% - 31.92%]	27.6%	[27.04% - 28.17%]
% 65+ households with annual income \$100,000+		27.4%	[22.83% - 31.97%]	24.4%	[23.82% - 24.89%]

Notes. 1 We use B, W, or * to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, *=rate is different than comparison).

2 All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu