

Mansfield (Tolland)



HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		59.2%	[53.34% - 65.10%]	55.7%	[55.33% - 56.11%]
% 75-84 years		28.3%	[22.62% - 34.07%]	29.1%	[28.75% - 29.45%]
% 85 years or older		12.4%	[6.88% - 17.99%]	15.2%	[14.93% - 15.43%]
% 65+ population who are female		54.7%	[47.85% - 61.63%]	56.8%	[56.36% - 57.18%]
% 85+ population who are female		73.9%	[48.41% - 99.48%]	66.6%	[65.94% - 67.18%]
Race and ethnicity of the population 65+					
% White	*	95.6%	[91.38% - 99.85%]	88.4%	[87.85% - 88.93%]
% African American	*	1.4%	[-1.73% - 4.49%]	6.8%	[6.63% - 6.88%]
% Asian		1.9%	[-1.26% - 5.07%]	2.3%	[2.20% - 2.35%]
% Hispanic/Latino	*	0.8%	[-2.09% - 3.71%]	5.8%	[5.66% - 5.84%]
Marital status of the population 65+					
% married		55.9%	[51.19% - 60.67%]	53.8%	[53.46% - 54.12%]
% divorced/separated		18.0%	[10.94% - 25.07%]	14.9%	[14.58% - 15.29%]
% widowed		23.5%	[17.69% - 29.38%]	24.2%	[23.77% - 24.57%]
% never married	*	2.5%	[0.03% - 5.02%]	7.1%	[6.85% - 7.36%]
Education of the population 65+					
% with less than high school education	*	8.7%	[4.66% - 12.78%]	14.7%	[14.30% - 15.04%]
% with high school or some college	*	42.7%	[35.19% - 50.27%]	53.3%	[52.80% - 53.74%]
% with college degree	*	48.5%	[41.88% - 55.21%]	32.1%	[31.72% - 32.40%]
% with graduate or professional degree	*	33.3%	[27.28% - 39.33%]	16.8%	[16.58% - 17.09%]
% of 65+ population who speak only English at home	*	93.0%	[90.56% - 95.43%]	84.3%	[83.76% - 84.83%]
% of 65+ population who are veterans of military service		16.0%	[11.78% - 20.14%]	17.5%	[17.21% - 17.69%]
% of 60+ who are LGBT (County)		2.1%	[1.05% - 3.15%]	2.5%	[2.17% - 2.74%]
Age-sex adjusted 1-year mortality rate		4.1%	[3.33% - 4.96%]	4.1%	[4.08% - 4.18%]
WELLNESS					
% 60+ getting the recommended hours of sleep		64.3%	[58.72% - 69.90%]	65.2%	[64.24% - 66.16%]
% 60+ doing any physical activity within last month		75.7%	[71.51% - 79.84%]	75.0%	[74.20% - 75.79%]
% 60+ met CDC guidelines for muscle-strengthening activity		27.4%	[22.84% - 31.91%]	27.6%	[26.62% - 28.52%]
% 60+ met CDC guidelines for aerobic physical activity		62.3%	[57.62% - 67.06%]	58.1%	[56.98% - 59.11%]
% 60+ with fair or poor health status		15.9%	[12.52% - 19.35%]	17.6%	[16.90% - 18.31%]
% 60+ with 15+ physically unhealthy days in last month		10.3%	[7.65% - 12.93%]	12.4%	[11.74% - 12.96%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		27.0%	[21.99% - 32.05%]	26.3%	[25.38% - 27.18%]
% 60+ who were injured in a fall within last year		6.8%	[4.19% - 9.38%]	9.8%	[9.22% - 10.46%]
% 65+ had hip fracture		3.2%	[2.38% - 3.95%]	3.7%	[3.63% - 3.75%]
PREVENTION					
% 60+ with physical exam/check-up in last year		86.6%	[83.16% - 90.01%]	88.5%	[87.93% - 89.09%]
% 60+ flu shot in last year		61.0%	[56.26% - 65.81%]	57.5%	[56.60% - 58.43%]
% 60+ with pneumonia vaccine		65.3%	[60.45% - 70.14%]	63.9%	[62.97% - 64.79%]
% 60+ with shingles vaccine		37.3%	[31.38% - 43.23%]	33.5%	[32.43% - 34.52%]
% 60+ women with a mammogram within last 2 years		79.8%	[73.02% - 86.62%]	79.7%	[78.56% - 80.79%]
% 60+ with colorectal cancer screening		78.9%	[73.82% - 84.05%]	78.2%	[77.29% - 79.05%]
% 60+ with HIV test		20.3%	[16.24% - 24.27%]	16.1%	[15.40% - 16.83%]
% 60+ met CDC preventive health screening goals		43.1%	[36.45% - 49.65%]	39.6%	[38.38% - 40.80%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		22.2%	[18.07% - 26.38%]	19.9%	[19.00% - 20.72%]
% 60+ stressed about buying food in last month		7.7%	[4.53% - 10.84%]	8.6%	[7.95% - 9.17%]
% 60+ self-reported obese		25.0%	[20.73% - 29.34%]	26.1%	[25.27% - 26.93%]
% 65+ clinically diagnosed obesity	B	19.6%	[17.44% - 21.67%]	22.5%	[22.35% - 22.66%]
% 65+ with high cholesterol	B	70.2%	[67.85% - 72.52%]	77.0%	[76.85% - 77.15%]
% 60+ with cholesterol screening		98.3%	[97.35% - 99.29%]	97.1%	[96.74% - 97.42%]
ORAL HEALTH					
% 60+ with dental insurance	B	69.9%	[62.19% - 77.62%]	59.2%	[57.60% - 60.76%]
% 60+ with annual dental exam		79.4%	[74.92% - 83.80%]	80.0%	[79.13% - 80.76%]
% 60+ with loss of 6 or more teeth		21.2%	[16.77% - 25.72%]	23.8%	[22.96% - 24.69%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias	B	12.3%	[10.80% - 13.88%]	14.4%	[14.26% - 14.49%]
% 65+ with anemia	B	43.8%	[41.41% - 46.29%]	50.6%	[50.41% - 50.76%]
% 65+ with asthma		14.6%	[12.86% - 16.29%]	14.1%	[13.96% - 14.19%]
% 65+ with atrial fibrillation		17.1%	[15.36% - 18.94%]	16.1%	[15.94% - 16.18%]
% 65+ with autism spectrum disorder	*	0.07%	[0.04% - 0.10%]	0.12%	[0.11% - 0.14%]
% 65+ with benign prostatic hyperplasia (men)	B	38.1%	[34.50% - 41.69%]	42.8%	[42.49% - 43.01%]
% 65+ with breast cancer (women)		11.6%	[9.50% - 13.60%]	11.4%	[11.25% - 11.53%]
% 65+ with cataract	W	77.4%	[75.19% - 79.57%]	64.8%	[64.67% - 65.00%]
% 65+ with chronic kidney disease	B	24.8%	[22.56% - 26.99%]	29.9%	[29.70% - 30.03%]
% 65+ with chronic obstructive pulmonary disease	B	18.6%	[16.79% - 20.49%]	21.0%	[20.90% - 21.17%]
% 65+ with colon cancer		2.4%	[1.96% - 2.92%]	2.7%	[2.65% - 2.75%]
% 65+ with congestive heart failure	B	19.7%	[17.77% - 21.70%]	22.6%	[22.43% - 22.72%]
% 65+ with diabetes	B	26.6%	[24.33% - 28.92%]	33.8%	[33.59% - 33.93%]
% 65+ with endometrial cancer (women)		2.2%	[1.59% - 2.85%]	2.0%	[1.97% - 2.10%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy		2.7%	[2.17% - 3.30%]	2.9%	[2.82% - 2.95%]
% 65+ with fibromyalgia, chronic pain, and fatigue		25.6%	[23.30% - 27.83%]	26.6%	[26.42% - 26.73%]
% 65+ with glaucoma		29.6%	[27.42% - 31.84%]	28.3%	[28.11% - 28.41%]
% 65+ ever had a heart attack		3.6%	[2.78% - 4.51%]	4.5%	[4.40% - 4.53%]
% 65+ with HIV/AIDS	*	0.11%	[0.08% - 0.15%]	0.21%	[0.19% - 0.23%]
% 65+ with hypertension	B	70.8%	[68.50% - 73.15%]	76.2%	[76.07% - 76.37%]
% 65+ with hypothyroidism		25.4%	[23.32% - 27.56%]	25.1%	[24.99% - 25.28%]
% 65+ with ischemic heart disease	B	34.8%	[32.37% - 37.29%]	40.7%	[40.55% - 40.90%]
% 65+ with leukemias and lymphomas		2.4%	[1.88% - 2.91%]	2.7%	[2.60% - 2.71%]
% 65+ with liver disease		10.3%	[8.70% - 11.83%]	9.5%	[9.37% - 9.59%]
% 65+ with lung cancer	B	1.4%	[1.04% - 1.80%]	1.9%	[1.81% - 1.90%]
% 65+ with migraine and other chronic headache		4.9%	[3.81% - 6.02%]	5.2%	[5.13% - 5.29%]
% 65+ with osteoarthritis or rheumatoid arthritis		53.8%	[51.12% - 56.48%]	54.2%	[53.97% - 54.34%]
% 65+ with osteoporosis		19.6%	[17.73% - 21.47%]	20.2%	[20.11% - 20.37%]
% 65+ with peripheral vascular disease	B	15.2%	[13.44% - 16.92%]	19.9%	[19.72% - 19.99%]
% 65+ with pressure ulcer or chronic ulcer	B	5.6%	[4.47% - 6.63%]	9.2%	[9.11% - 9.31%]
% 65+ with prostate cancer (men)		12.9%	[10.43% - 15.30%]	13.1%	[12.93% - 13.28%]
% 65+ with stroke		10.9%	[9.43% - 12.32%]	11.9%	[11.80% - 12.01%]
% 65+ with traumatic brain injury		1.0%	[0.64% - 1.31%]	1.3%	[1.25% - 1.33%]
% 65+ with 4+ (out of 15) chronic conditions	B	56.5%	[54.04% - 59.02%]	61.8%	[61.61% - 61.95%]
% 65+ with 0 chronic conditions		8.3%	[6.81% - 9.79%]	7.2%	[7.10% - 7.29%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder		1.9%	[1.45% - 2.44%]	2.2%	[2.10% - 2.21%]
% 65+ with substance use disorder	B	5.3%	[4.12% - 6.48%]	6.8%	[6.66% - 6.85%]
% 60+ who used marijuana in last month		N/A		2.9%	[2.30% - 3.53%]
% 60+ excessive drinking		7.5%	[4.90% - 10.11%]	9.2%	[8.64% - 9.71%]
% 65+ with tobacco use disorder	B	6.7%	[5.27% - 8.06%]	10.1%	[9.94% - 10.17%]
% 60+ current smokers	W	11.9%	[8.50% - 15.34%]	7.7%	[7.20% - 8.17%]
% 60+ ever used E-Cigarettes in last month		7.3%	[4.55% - 10.14%]	6.4%	[5.89% - 6.80%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support		82.4%	[76.63% - 88.22%]	78.3%	[76.70% - 79.88%]
% 60+ with 15+ days poor mental health in last month		5.6%	[3.60% - 7.64%]	6.9%	[6.41% - 7.37%]
% 65+ with depression		31.7%	[29.47% - 34.02%]	30.3%	[30.10% - 30.41%]
% 65+ with anxiety disorder		24.8%	[22.51% - 27.00%]	25.5%	[25.35% - 25.66%]
% 65+ with bipolar disorder		3.8%	[3.12% - 4.50%]	3.9%	[3.78% - 3.92%]
% 65+ with post-traumatic stress disorder		1.6%	[1.12% - 2.06%]	1.3%	[1.20% - 1.29%]
% 65+ with schizophrenia & other psychotic disorder	B	3.5%	[2.87% - 4.05%]	4.6%	[4.53% - 4.68%]
% 65+ with personality disorder		2.5%	[2.00% - 3.06%]	2.6%	[2.49% - 2.61%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		16.0%	[9.89% - 22.18%]	12.4%	[12.08% - 12.71%]
% 65+ with clinical diagnosis of deafness or hearing impairment	W	21.0%	[19.00% - 23.06%]	15.7%	[15.60% - 15.85%]
% 65+ with self-reported vision difficulty		3.5%	[0.53% - 6.44%]	4.8%	[4.55% - 5.04%]
% 65+ with clinical diagnosis of blindness or visual impairment		0.9%	[0.57% - 1.16%]	1.1%	[1.05% - 1.12%]
% 65+ with self-reported cognition difficulty		7.1%	[2.01% - 12.13%]	7.6%	[7.34% - 7.87%]
% 65+ with self-reported ambulatory difficulty		13.5%	[8.08% - 18.91%]	19.1%	[18.71% - 19.52%]
% 65+ with clinical diagnosis of mobility impairment	B	3.0%	[2.21% - 3.89%]	4.0%	[3.95% - 4.09%]
% 65+ with self-reported self-care difficulty		7.0%	[2.24% - 11.80%]	7.5%	[7.25% - 7.77%]
% 65+ with self-reported independent living difficulty		11.6%	[6.26% - 16.85%]	13.6%	[13.23% - 13.93%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		14.8%	[7.82% - 21.87%]	21.7%	[19.87% - 23.57%]
% of grandparents raising grandchildren		1.1%	[0.23% - 2.03%]	0.8%	[0.73% - 0.86%]
% of grandparents who live with grandchildren		3.0%	[1.49% - 4.61%]	2.7%	[2.62% - 2.83%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	15.2%	[13.74% - 16.62%]	22.1%	[21.96% - 22.17%]
% 65+ Medicare managed care enrollees	*	17.4%	[15.84% - 18.88%]	29.9%	[29.76% - 29.99%]
% 60+ with a regular doctor		96.7%	[95.21% - 98.28%]	96.0%	[95.68% - 96.39%]
% 60+ who did not see a doctor when needed due to cost		3.4%	[1.55% - 5.26%]	4.5%	[4.14% - 4.92%]
SERVICE UTILIZATION					
# physician visits per year	*	7.9	[7.58 - 8.28]	8.6	[8.60 - 8.66]
# emergency room visits/1000 persons 65+ years annually		593.3	[529.37 - 657.31]	636.7	[631.77 - 641.56]
# Part D monthly prescription fills per person annually		48.6	[46.71 - 50.44]	50.3	[50.15 - 50.39]
# home health visits annually	*	3.0	[2.42 - 3.53]	4.1	[4.02 - 4.14]
# durable medical equipment claims annually		1.6	[1.40 - 1.88]	1.9	[1.88 - 1.91]
# inpatient hospital stays/1000 persons 65+ years annually		239.4	[206.33 - 272.54]	273.3	[270.72 - 275.80]
% Medicare inpatient hospital readmissions (as % of admissions)		18.0%	[14.01% - 21.99%]	17.2%	[16.89% - 17.47%]
# skilled nursing facility stays/1000 persons 65+ years annually		108.0	[88.40 - 127.54]	104.7	[103.23 - 106.08]
% 65+ getting Medicaid long term services and supports	*	3.8%	[3.08% - 4.62%]	5.5%	[5.48% - 5.60%]
% 65+ hospice users		2.2%	[1.56% - 2.77%]	2.8%	[2.70% - 2.79%]
% 65+ hospice users as % of decedents	*	26.7%	[18.25% - 35.22%]	45.5%	[44.85% - 46.14%]
Median hospice days per hospice user (65+, deceased)		7.0	[4.8 - 13.2]	10.0	[10.00 - 10.00]
Median hospice payment (Medicare + other) per hospice user	*	\$2,283	[\$1,589 - \$3,171]	\$3,741	[\$3,650 - \$3,816]
COMMUNITY					
% 60+ who used Internet in last month		78.3%	[74.37% - 82.29%]	75.1%	[74.32% - 75.89%]
TRANSPORTATION					
% 65+ who own a motor vehicle		92.2%	[86.22% - 98.15%]	87.3%	[87.15% - 87.49%]
% 60+ who always drive or ride wearing a seatbelt		94.3%	[91.85% - 96.71%]	93.0%	[92.53% - 93.49%]
% 60+ who drove under the influence of drinking in last month		N/A		2.2%	[1.76% - 2.56%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
HOUSING					
% 65+ population who live alone		28.8%	[22.54% - 35.02%]	28.4%	[27.99% - 28.89%]
% 60+ own home	*	88.6%	[85.80% - 91.32%]	76.9%	[76.70% - 77.17%]
% 60+ homeowners who have mortgage	*	31.4%	[24.57% - 38.19%]	47.1%	[46.58% - 47.64%]
% 60+ stressed about paying rent/mortgage in last month	B	10.8%	[7.27% - 14.40%]	17.4%	[16.52% - 18.19%]
% 65+ households (renter) spend >35% of income on housing	*	4.8%	[-4.64% - 14.23%]	44.0%	[42.55% - 45.42%]
% 65+ households (owner) spend >35% of income on housing	*	17.3%	[9.32% - 25.38%]	29.5%	[28.89% - 30.15%]
% 65+ moved within same county in last year	*	1.2%	[-0.50% - 2.98%]	3.7%	[3.48% - 3.89%]
% 65+ moved from different county in last year		1.0%	[-1.80% - 3.70%]	0.8%	[0.71% - 0.90%]
% 65+ moved from different state in last year		0.4%	[-1.58% - 2.44%]	0.9%	[0.82% - 1.05%]
% of vacant homes in community		10.6%	[7.24% - 14.00%]	9.6%	[9.29% - 9.87%]
ECONOMIC					
% 60+ receiving food benefits in last year		7.6%	[2.66% - 12.50%]	10.9%	[10.53% - 11.21%]
% 65+ employed in last year		21.0%	[16.56% - 25.36%]	24.8%	[24.48% - 25.15%]
% 65+ with income below the poverty line in last year		3.9%	[0.76% - 7.05%]	7.0%	[6.79% - 7.30%]
% 65+ households with annual income < \$20,000	*	9.4%	[3.79% - 14.93%]	17.1%	[16.57% - 17.55%]
% 65+ households with annual income \$20,000-\$49,999		25.8%	[17.39% - 34.28%]	31.0%	[30.35% - 31.62%]
% 65+ households with annual income \$50,000-\$99,999		26.1%	[17.61% - 34.67%]	27.6%	[27.04% - 28.17%]
% 65+ households with annual income \$100,000+	*	38.7%	[29.38% - 47.96%]	24.4%	[23.82% - 24.89%]

Notes. 1 We use B, W, or * to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, *=rate is different than comparison).

2 All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu