

North Branford (New Haven)



HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
POPULATION CHARACTERISTICS					
Population 65 years or older					
% 65-74 years		53.3%	[45.29% - 61.30%]	55.7%	[55.33% - 56.11%]
% 75-84 years		28.0%	[20.55% - 35.43%]	29.1%	[28.75% - 29.45%]
% 85 years or older		18.7%	[13.61% - 23.82%]	15.2%	[14.93% - 15.43%]
% 65+ population who are female		57.1%	[48.76% - 65.52%]	56.8%	[56.36% - 57.18%]
% 85+ population who are female		63.7%	[47.22% - 80.22%]	66.6%	[65.94% - 67.18%]
Race and ethnicity of the population 65+					
% White	*	97.2%	[91.62% - 102.82%]	88.4%	[87.85% - 88.93%]
% African American	*	1.6%	[-0.60% - 3.78%]	6.8%	[6.63% - 6.88%]
% Asian		1.2%	[-1.64% - 4.02%]	2.3%	[2.20% - 2.35%]
% Hispanic/Latino	*	0.4%	[-1.49% - 2.28%]	5.8%	[5.66% - 5.84%]
Marital status of the population 65+					
% married	*	61.5%	[56.28% - 66.81%]	53.8%	[53.46% - 54.12%]
% divorced/separated	*	8.0%	[3.79% - 12.31%]	14.9%	[14.58% - 15.29%]
% widowed		24.8%	[18.41% - 31.20%]	24.2%	[23.77% - 24.57%]
% never married		5.6%	[-1.23% - 12.43%]	7.1%	[6.85% - 7.36%]
Education of the population 65+					
% with less than high school education	*	9.4%	[5.11% - 13.64%]	14.7%	[14.30% - 15.04%]
% with high school or some college		51.9%	[45.75% - 58.12%]	53.3%	[52.80% - 53.74%]
% with college degree		38.7%	[29.91% - 47.47%]	32.1%	[31.72% - 32.40%]
% with graduate or professional degree		20.3%	[15.40% - 25.27%]	16.8%	[16.58% - 17.09%]
% of 65+ population who speak only English at home		92.1%	[81.76% - 102.34%]	84.3%	[83.76% - 84.83%]
% of 65+ population who are veterans of military service		19.0%	[13.44% - 24.65%]	17.5%	[17.21% - 17.69%]
% of 60+ who are LGBT (County)		2.6%	[1.98% - 3.23%]	2.5%	[2.17% - 2.74%]
Age-sex adjusted 1-year mortality rate		4.4%	[3.71% - 5.18%]	4.1%	[4.08% - 4.18%]
WELLNESS					
% 60+ getting the recommended hours of sleep		64.1%	[58.87% - 69.26%]	65.2%	[64.24% - 66.16%]
% 60+ doing any physical activity within last month		71.6%	[66.96% - 76.25%]	75.0%	[74.20% - 75.79%]
% 60+ met CDC guidelines for muscle-strengthening activity		28.6%	[23.05% - 34.13%]	27.6%	[26.62% - 28.52%]
% 60+ met CDC guidelines for aerobic physical activity		52.6%	[46.64% - 58.58%]	58.1%	[56.98% - 59.11%]
% 60+ with fair or poor health status		20.7%	[16.40% - 24.92%]	17.6%	[16.90% - 18.31%]
% 60+ with 15+ physically unhealthy days in last month		12.4%	[9.09% - 15.81%]	12.4%	[11.74% - 12.96%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
FALLS					
% 60+ who fell within last year		25.2%	[20.33% - 30.02%]	26.3%	[25.38% - 27.18%]
% 60+ who were injured in a fall within last year		11.5%	[7.80% - 15.17%]	9.8%	[9.22% - 10.46%]
% 65+ had hip fracture	W	4.9%	[3.92% - 5.87%]	3.7%	[3.63% - 3.75%]
PREVENTION					
% 60+ with physical exam/check-up in last year		90.6%	[87.88% - 93.34%]	88.5%	[87.93% - 89.09%]
% 60+ flu shot in last year		56.6%	[51.52% - 61.61%]	57.5%	[56.60% - 58.43%]
% 60+ with pneumonia vaccine		67.8%	[63.12% - 72.54%]	63.9%	[62.97% - 64.79%]
% 60+ with shingles vaccine	B	40.6%	[34.66% - 46.49%]	33.5%	[32.43% - 34.52%]
% 60+ women with a mammogram within last 2 years		78.4%	[72.24% - 84.47%]	79.7%	[78.56% - 80.79%]
% 60+ with colorectal cancer screening		79.3%	[74.43% - 84.16%]	78.2%	[77.29% - 79.05%]
% 60+ with HIV test		18.1%	[14.02% - 22.20%]	16.1%	[15.40% - 16.83%]
% 60+ met CDC preventive health screening goals		45.3%	[38.65% - 51.87%]	39.6%	[38.38% - 40.80%]
NUTRITION & DIET					
% 60+ with 5 or more servings of fruit or vegetables per day		20.8%	[15.63% - 25.90%]	19.9%	[19.00% - 20.72%]
% 60+ stressed about buying food in last month		7.7%	[4.76% - 10.60%]	8.6%	[7.95% - 9.17%]
% 60+ self-reported obese		28.5%	[23.81% - 33.22%]	26.1%	[25.27% - 26.93%]
% 65+ clinically diagnosed obesity		22.1%	[19.82% - 24.29%]	22.5%	[22.35% - 22.66%]
% 65+ with high cholesterol	W	80.1%	[78.02% - 82.19%]	77.0%	[76.85% - 77.15%]
% 60+ with cholesterol screening		96.2%	[94.18% - 98.17%]	97.1%	[96.74% - 97.42%]
ORAL HEALTH					
% 60+ with dental insurance		59.7%	[50.84% - 68.55%]	59.2%	[57.60% - 60.76%]
% 60+ with annual dental exam		83.5%	[79.42% - 87.55%]	80.0%	[79.13% - 80.76%]
% 60+ with loss of 6 or more teeth		24.7%	[19.98% - 29.37%]	23.8%	[22.96% - 24.69%]
CHRONIC DISEASE					
% 65+ with Alzheimer's disease or related dementias		15.4%	[13.68% - 17.09%]	14.4%	[14.26% - 14.49%]
% 65+ with anemia		52.0%	[49.46% - 54.48%]	50.6%	[50.41% - 50.76%]
% 65+ with asthma		14.4%	[12.65% - 16.06%]	14.1%	[13.96% - 14.19%]
% 65+ with atrial fibrillation	W	18.4%	[16.54% - 20.20%]	16.1%	[15.94% - 16.18%]
% 65+ with autism spectrum disorder		0.17%	[0.11% - 0.22%]	0.12%	[0.11% - 0.14%]
% 65+ with benign prostatic hyperplasia (men)		44.4%	[40.57% - 48.23%]	42.8%	[42.49% - 43.01%]
% 65+ with breast cancer (women)		11.9%	[9.85% - 13.97%]	11.4%	[11.25% - 11.53%]
% 65+ with cataract	W	70.6%	[68.24% - 73.01%]	64.8%	[64.67% - 65.00%]
% 65+ with chronic kidney disease	W	33.7%	[31.29% - 36.20%]	29.9%	[29.70% - 30.03%]
% 65+ with chronic obstructive pulmonary disease		22.9%	[20.84% - 24.92%]	21.0%	[20.90% - 21.17%]
% 65+ with colon cancer		3.2%	[2.38% - 4.01%]	2.7%	[2.65% - 2.75%]
% 65+ with congestive heart failure	W	28.4%	[26.14% - 30.67%]	22.6%	[22.43% - 22.72%]
% 65+ with diabetes		35.8%	[33.27% - 38.28%]	33.8%	[33.59% - 33.93%]
% 65+ with endometrial cancer (women)		2.4%	[1.40% - 3.36%]	2.0%	[1.97% - 2.10%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
% 65+ with epilepsy	B	2.0%	[1.31% - 2.69%]	2.9%	[2.82% - 2.95%]
% 65+ with fibromyalgia, chronic pain, and fatigue		26.7%	[24.46% - 29.01%]	26.6%	[26.42% - 26.73%]
% 65+ with glaucoma		27.3%	[25.15% - 29.50%]	28.3%	[28.11% - 28.41%]
% 65+ ever had a heart attack		4.9%	[3.88% - 5.97%]	4.5%	[4.40% - 4.53%]
% 65+ with HIV/AIDS	*	0.51%	[0.42% - 0.61%]	0.21%	[0.19% - 0.23%]
% 65+ with hypertension		78.5%	[76.35% - 80.67%]	76.2%	[76.07% - 76.37%]
% 65+ with hypothyroidism	W	29.0%	[26.75% - 31.18%]	25.1%	[24.99% - 25.28%]
% 65+ with ischemic heart disease		41.5%	[38.94% - 44.08%]	40.7%	[40.55% - 40.90%]
% 65+ with leukemias and lymphomas	W	4.0%	[2.97% - 4.93%]	2.7%	[2.60% - 2.71%]
% 65+ with liver disease		9.6%	[8.08% - 11.12%]	9.5%	[9.37% - 9.59%]
% 65+ with lung cancer	W	2.7%	[1.94% - 3.54%]	1.9%	[1.81% - 1.90%]
% 65+ with migraine and other chronic headache		4.9%	[3.78% - 6.02%]	5.2%	[5.13% - 5.29%]
% 65+ with osteoarthritis or rheumatoid arthritis		56.0%	[53.34% - 58.69%]	54.2%	[53.97% - 54.34%]
% 65+ with osteoporosis		22.3%	[20.35% - 24.31%]	20.2%	[20.11% - 20.37%]
% 65+ with peripheral vascular disease		20.8%	[18.81% - 22.86%]	19.9%	[19.72% - 19.99%]
% 65+ with pressure ulcer or chronic ulcer		9.6%	[8.16% - 10.96%]	9.2%	[9.11% - 9.31%]
% 65+ with prostate cancer (men)	B	10.6%	[8.40% - 12.86%]	13.1%	[12.93% - 13.28%]
% 65+ with stroke		12.0%	[10.53% - 13.56%]	11.9%	[11.80% - 12.01%]
% 65+ with traumatic brain injury		1.4%	[0.85% - 2.01%]	1.3%	[1.25% - 1.33%]
% 65+ with 4+ (out of 15) chronic conditions		64.1%	[61.66% - 66.62%]	61.8%	[61.61% - 61.95%]
% 65+ with 0 chronic conditions	W	5.6%	[4.32% - 6.85%]	7.2%	[7.10% - 7.29%]
BEHAVIORAL HEALTH					
% 65+ with opioid use disorder		2.7%	[1.80% - 3.62%]	2.2%	[2.10% - 2.21%]
% 65+ with substance use disorder		6.4%	[5.12% - 7.75%]	6.8%	[6.66% - 6.85%]
% 60+ who used marijuana in last month		N/A		2.9%	[2.30% - 3.53%]
% 60+ excessive drinking		7.4%	[4.78% - 9.96%]	9.2%	[8.64% - 9.71%]
% 65+ with tobacco use disorder		8.8%	[7.26% - 10.34%]	10.1%	[9.94% - 10.17%]
% 60+ current smokers		6.4%	[3.57% - 9.18%]	7.7%	[7.20% - 8.17%]
% 60+ ever used E-Cigarettes in last month		5.9%	[3.52% - 8.37%]	6.4%	[5.89% - 6.80%]
MENTAL HEALTH					
% 60+ who reported receiving adequate emotional support		79.4%	[76.01% - 82.83%]	78.3%	[76.70% - 79.88%]
% 60+ with 15+ days poor mental health in last month		8.5%	[5.47% - 11.56%]	6.9%	[6.41% - 7.37%]
% 65+ with depression		30.3%	[28.05% - 32.55%]	30.3%	[30.10% - 30.41%]
% 65+ with anxiety disorder		25.2%	[22.93% - 27.42%]	25.5%	[25.35% - 25.66%]
% 65+ with bipolar disorder	B	2.7%	[1.89% - 3.51%]	3.9%	[3.78% - 3.92%]
% 65+ with post-traumatic stress disorder		1.0%	[0.42% - 1.56%]	1.3%	[1.20% - 1.29%]
% 65+ with schizophrenia & other psychotic disorder	B	3.2%	[2.35% - 4.06%]	4.6%	[4.53% - 4.68%]
% 65+ with personality disorder		1.8%	[1.18% - 2.52%]	2.6%	[2.49% - 2.61%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
LIVING WITH DISABILITY					
% 65+ with self-reported hearing difficulty		15.1%	[10.03% - 20.12%]	12.4%	[12.08% - 12.71%]
% 65+ with clinical diagnosis of deafness or hearing impairment		16.4%	[14.53% - 18.20%]	15.7%	[15.60% - 15.85%]
% 65+ with self-reported vision difficulty		3.8%	[0.83% - 6.70%]	4.8%	[4.55% - 5.04%]
% 65+ with clinical diagnosis of blindness or visual impairment		1.2%	[0.70% - 1.74%]	1.1%	[1.05% - 1.12%]
% 65+ with self-reported cognition difficulty	*	3.1%	[0.54% - 5.64%]	7.6%	[7.34% - 7.87%]
% 65+ with self-reported ambulatory difficulty	*	12.5%	[7.49% - 17.43%]	19.1%	[18.71% - 19.52%]
% 65+ with clinical diagnosis of mobility impairment		3.7%	[2.73% - 4.57%]	4.0%	[3.95% - 4.09%]
% 65+ with self-reported self-care difficulty	*	3.6%	[0.86% - 6.26%]	7.5%	[7.25% - 7.77%]
% 65+ with self-reported independent living difficulty	*	7.6%	[3.87% - 11.30%]	13.6%	[13.23% - 13.93%]
CAREGIVING					
% of 60+ who provide care to a family/friend in last month		25.3%	[21.16% - 29.39%]	21.7%	[19.87% - 23.57%]
% of grandparents raising grandchildren		0.4%	[-0.33% - 1.04%]	0.8%	[0.73% - 0.86%]
% of grandparents who live with grandchildren		3.6%	[1.74% - 5.41%]	2.7%	[2.62% - 2.83%]
ACCESS TO CARE					
% 65+ dually eligible for Medicare and Medicaid	*	15.3%	[14.00% - 16.56%]	22.1%	[21.96% - 22.17%]
% 65+ Medicare managed care enrollees	*	33.1%	[31.39% - 34.73%]	29.9%	[29.76% - 29.99%]
% 60+ with a regular doctor		97.6%	[96.10% - 99.08%]	96.0%	[95.68% - 96.39%]
% 60+ who did not see a doctor when needed due to cost		5.9%	[3.43% - 8.39%]	4.5%	[4.14% - 4.92%]
SERVICE UTILIZATION					
# physician visits per year	*	9.4	[8.96 - 9.75]	8.6	[8.60 - 8.66]
# emergency room visits/1000 persons 65+ years annually		661.0	[595.96 - 726.06]	636.7	[631.77 - 641.56]
# Part D monthly prescription fills per person annually		50.3	[48.69 - 51.97]	50.3	[50.15 - 50.39]
# home health visits annually		4.7	[3.85 - 5.59]	4.1	[4.02 - 4.14]
# durable medical equipment claims annually		1.9	[1.63 - 2.21]	1.9	[1.88 - 1.91]
# inpatient hospital stays/1000 persons 65+ years annually		294.7	[253.42 - 335.98]	273.3	[270.72 - 275.80]
% Medicare inpatient hospital readmissions (as % of admissions)		19.5%	[15.28% - 23.75%]	17.2%	[16.89% - 17.47%]
# skilled nursing facility stays/1000 persons 65+ years annually		99.6	[79.86 - 119.43]	104.7	[103.23 - 106.08]
% 65+ getting Medicaid long term services and supports	*	2.5%	[1.94% - 3.05%]	5.5%	[5.48% - 5.60%]
% 65+ hospice users	*	3.7%	[3.00% - 4.41%]	2.8%	[2.70% - 2.79%]
% 65+ hospice users as % of decedents		48.8%	[38.88% - 58.80%]	45.5%	[44.85% - 46.14%]
Median hospice days per hospice user (65+, deceased)		12.0	[8.0 - 18.5]	10.0	[10.00 - 10.00]
Median hospice payment (Medicare + other) per hospice user	*	\$6,027	[\$4,775 - \$7,707]	\$3,741	[\$3,650 - \$3,816]
COMMUNITY					
% 60+ who used Internet in last month		73.9%	[69.47% - 78.26%]	75.1%	[74.32% - 75.89%]
TRANSPORTATION					
% 65+ who own a motor vehicle		88.9%	[86.75% - 91.06%]	87.3%	[87.15% - 87.49%]
% 60+ who always drive or ride wearing a seatbelt		91.5%	[88.64% - 94.40%]	93.0%	[92.53% - 93.49%]
% 60+ who drove under the influence of drinking in last month		N/A		2.2%	[1.76% - 2.56%]

HEALTHY AGING INDICATORS	HIGHER / LOWER STATE RATE ¹	COMMUNITY ESTIMATE	MARGIN OF ERROR ²	STATE ESTIMATE	MARGIN OF ERROR ²
HOUSING					
% 65+ population who live alone	*	21.5%	[15.82% - 27.18%]	28.4%	[27.99% - 28.89%]
% 60+ own home	*	87.3%	[84.51% - 90.15%]	76.9%	[76.70% - 77.17%]
% 60+ homeowners who have mortgage		44.2%	[35.77% - 52.64%]	47.1%	[46.58% - 47.64%]
% 60+ stressed about paying rent/mortgage in last month		19.7%	[14.82% - 24.61%]	17.4%	[16.52% - 18.19%]
% 65+ households (renter) spend >35% of income on housing		56.8%	[22.82% - 90.82%]	44.0%	[42.55% - 45.42%]
% 65+ households (owner) spend >35% of income on housing		24.6%	[15.54% - 33.62%]	29.5%	[28.89% - 30.15%]
% 65+ moved within same county in last year		4.0%	[1.17% - 6.91%]	3.7%	[3.48% - 3.89%]
% 65+ moved from different county in last year		0.0%	[-1.30% - 1.30%]	0.8%	[0.71% - 0.90%]
% 65+ moved from different state in last year		0.5%	[-0.90% - 1.83%]	0.9%	[0.82% - 1.05%]
% of vacant homes in community		8.0%	[4.02% - 12.01%]	9.6%	[9.29% - 9.87%]
ECONOMIC					
% 60+ receiving food benefits in last year		7.4%	[3.29% - 11.42%]	10.9%	[10.53% - 11.21%]
% 65+ employed in last year		22.8%	[18.39% - 27.12%]	24.8%	[24.48% - 25.15%]
% 65+ with income below the poverty line in last year		7.2%	[0.64% - 13.81%]	7.0%	[6.79% - 7.30%]
% 65+ households with annual income < \$20,000		17.2%	[9.27% - 25.17%]	17.1%	[16.57% - 17.55%]
% 65+ households with annual income \$20,000-\$49,999		28.7%	[18.20% - 39.24%]	31.0%	[30.35% - 31.62%]
% 65+ households with annual income \$50,000-\$99,999		26.8%	[18.87% - 34.72%]	27.6%	[27.04% - 28.17%]
% 65+ households with annual income \$100,000+		27.3%	[19.14% - 35.38%]	24.4%	[23.82% - 24.89%]

Notes. 1 We use B, W, or * to denote significant differences in rates where the margins of error do not overlap (B=rate is better than the comparison, W=rate is worse than comparison, *=rate is different than comparison).

2 All community and state margins of error are 95% confidence intervals.

Questions or suggestions? Beth.Dugan@umb.edu