Richmond (Sagadahoc)

Richmond is a town in Sagadahoc County with 562 residents aged 65 and older. Compared to state average rates, older residents fare better on some healthy aging indicators with lower rates of anemia, asthma, benign prostatic hyperplasia, breast cancer, cataract, osteoarthritis/rheumatoid arthritis, prostate cancer, substance use disorder, and anxiety disorder. Older residents in Sagadahoc County varied in obtaining preventive health screenings: residents 18 and older got annual physical exams (78.2%) and annual dental exams (68.6%), while 52% of men and 48.3% of women 65 and older completed all CDC recommended vaccinations and cancer screenings. Community resources to support healthy aging include four primary care providers, one community health center, one senior center, and a public library.



POPULATION CHARACTERISTICS	Significantly different than state rate	Community estimate	State estimate
Total population (all ages)		3,536	1,366,949
Population 60 years or older as % of total population		23.7%	29.4%
Total population 60 years and older		837	402,170
Population 65 years or older as % of total population		15.9%	21.5%
Total population 65 years and older		562	293,488
% 65-74 years		56.8%	59.9%
% 75-84 years		32.7%	28.5%
% 85 years or older		10.5%	11.6%
% 65+ population who are female		47.9%	54.3%
% 85+ population who are female		57.6%	64.8%
Race and ethnicity of the population 65+			
% White		98.8%	96.6%
% African American		0.0%	0.3%
% Asian		0.0%	0.5%
% Other race(s)		1.2%	2.5%
% Hispanic		1.2%	0.7%
# 55+ who are Native American / Alaskan		0	1,794
Marital status of the population 65+			
% married		59.4%	57.0%
% divorced/separated		10.0%	16.9%
% widowed		20.1%	20.6%
% never married		10.5%	5.6%
Education of the population 65+			
% with less than high school education		10.5%	7.6%
% with high school or some college		62.6%	59.0%
% with college degree		20.5%	18.3%
% with graduate or professional degree	*	6.4%	15.1%
% 65+ population who speak only English at home		98.6%	92.7%
% 65+ population who are veterans of military service		16.0%	18.4%

POPULATION CHARACTERISTICS	Significantly different than state rate	Community estimate	State estimate
HOUSING			
% 65+ population who live alone		31.1%	28.3%
Average household size (all ages)		2.4	2.3
Median house value (all ages)	*	\$221,700	\$244,800
% 60+ own home		86.4%	80.4%
% 60+ homeowners who have mortgage		55.5%	40.6%
% 65+ households (renter) spend >35% of income on housing	*	100.0%	35.2%
% 65+ households (owner) spend >35% of income on housing		36.1%	20.4%
% grandparents who live with grandchildren		1.5%	1.8%
# of assisted living sites		0	21
SOCIAL DETERMINANTS OF HEALTH			
COST OF LIVING			
Elder Index			
Single, homeowner without mortgage, good health (County)	1.03	\$25,272	\$24,528
Single, renter, good health (County)	0.99	\$28,452	\$28,704
Couple, homeowner without mortgage, good health (County)	1.01	\$37,608	\$37,380
Couple, renter, good health (County)	0.98	\$40,788	\$41,556
ECONOMIC		, -,	, , , , , , , , , ,
% 60+ receiving food stamps in past year		9.5%	10.8%
% 65+ employed in past year		30.2%	18.8%
% 65+ with income below the poverty line in past year		11.3%	9.0%
Median annual income for households with a householder age 65+		\$50,833	\$49,828
% 65+ households with annual income < \$20,000		23.9%	17.1%
% 65+ households with annual income \$20,000-\$49,999		22.2%	33.1%
% 65+ households with annual income \$50,000-\$99,999		42.8%	29.4%
% 65+ households with annual income \$100,000+		11.1%	20.4%
WELLNESS			
% 18+ with less than 7 hours sleep (County)		31.2%	NA
% 18+ without leisure-time physical activity (County)		22.6%	NA
% 18+ with fair or poor self-reported health status (County)		12.8%	NA
% 18+ with 14+ physically unhealthy days (County)		10.8%	NA
COMMUNITY			
Annual # unhealthy days due to air pollution for 65+ (County)		NA	NA
AARP Age-Friendly Communities		Not yet	Yes
# of public universities and community colleges		0	42
# of public libraries		1	261
# of senior centers		1	27
# of Osher Lifelong Learning Institutes (OLLI)		0	1
% households with a smartphone (all ages)		83.3%	82.5%
% households with only a smartphone to access the Internet (all ages)		10.0%	6.4%
% households without a computer (all ages)	*	3.2%	7.1%
% households with access to Broadband (all ages)	*	93.2%	87.3%
% households without access to the Internet (all ages)		6.6%	12.3%

SOCIAL DETERMINANTS OF HEALTH	Significantly different than state rate	Community estimate	State estimate
COMMUNITY			
Voter participation rate in 2020 election (age 18+)		81.7%	74.1%
Homicide rate/100,000 persons (County)		NA	1.5
# firearm fatalities (all ages) (County)		28	770
# 65+ deaths by suicide (County)		NA	290
Age-sex adjusted 1-year mortality rate		4.0%	4.2%
TRANSPORTATION			
% householders 65+ who own a motor vehicle		88.9%	91.0%
# fatal crashes involving adult age 60+ (County)		5	251
AllTransit Score		0.00	0.51
HEALTH OUTCOMES			
FALLS			
% 65+ with hip fracture		3.4%	3.1%
PREVENTION			
% 18+ with physical exam/check-up in past year (County)		78.2%	NA
% mammography use among women age 50-74 Years (County)		75.1%	NA
% 50-75 with fecal occult blood test, sigmoidoscopy, or colonoscopy (County)		79.4%	NA
% 65+ men up to date on preventive services (County)		52.0%	NA
% 65+ women up to date on preventive services (County)		48.3%	NA
NUTRITION & DIET			
% 18+ with obesity (County)		28.8%	NA
% 65+ with high cholesterol		63.3%	69.5%
% 18+ with cholesterol screening (County)		62.2%	NA
ORAL HEALTH		02.270	
% 18+ with annual dental exam (County)		68.6%	NA
# dentists per 100,000 persons (all ages) (County)		43.2	47.2
% 65+ with complete tooth loss (County)		10.8%	NA
CHRONIC DISEASE			
% 65+ with Alzheimer's disease or related dementias		10.8%	11.0%
% 65+ with anemia	В	30.7%	38.1%
% 65+ with asthma	В	7.3%	11.8%
% 65+ with atrial fibrillation		13.8%	14.3%
% 65+ with benign prostatic hyperplasia (men)	В	24.0%	35.2%
% 65+ with breast cancer (women)	В	6.6%	9.6%
% 65+ with cataract	В	50.6%	60.4%
% 65+ with chronic kidney disease		27.5%	29.4%
% 65+ with chronic obstructive pulmonary disease		18.0%	20.9%
% 65+ with colon cancer		2.1%	2.1%
% 65+ with congestive heart failure		18.0%	18.1%
% 65+ with diabetes		28.0%	26.2%
% 65+ with endometrial cancer (women)		2.2%	2.2%
% 65+ with fibromyalgia, chronic pain, and fatigue		30.0%	34.8%
% 65+ with glaucoma		20.0%	23.3%

CHRONIC DISEASE % 65+ ever had a heart attack % 65+ with HIV/AIDS % 65+ with hypertension % 65+ with ischemic heart disease % 65+ with liver disease % 65+ with lung cancer % 65+ with migraine and other chronic headache % 65+ with osteoarthritis or rheumatoid arthritis % 65+ with osteoprosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County)	B B	6.9% 0.17% 66.8% 35.1% 10.2% 1.4% 6.3% 43.7% 14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2% 31 5.8% 15.2%	67.1% 35.3% 10.2% 1.8% 7.1% 51.5% 15.7% 15.3% 6.8% 10.3% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with HIV/AIDS % 65+ with hypertension % 65+ with ischemic heart disease % 65+ with liver disease % 65+ with lung cancer % 65+ with migraine and other chronic headache % 65+ with osteoarthritis or rheumatoid arthritis % 65+ with osteoprosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	0.17% 66.8% 35.1% 10.2% 1.4% 6.3% 43.7% 14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2%	0.17% 67.1% 35.3% 10.2% 1.8% 7.1% 51.5% 15.7% 15.3% 6.8% 10.0% 55.5% 12.4%
% 65+ with hypertension % 65+ with liver disease % 65+ with liver disease % 65+ with lung cancer % 65+ with migraine and other chronic headache % 65+ with osteoarthritis or rheumatoid arthritis % 65+ with osteoporosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	66.8% 35.1% 10.2% 1.4% 6.3% 43.7% 14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2%	0.17% 67.1% 35.3% 10.2% 1.8% 7.1% 51.5% 15.7% 15.3% 6.8% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with liver disease % 65+ with liver disease % 65+ with lung cancer % 65+ with migraine and other chronic headache % 65+ with osteoarthritis or rheumatoid arthritis % 65+ with osteoporosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	35.1% 10.2% 1.4% 6.3% 43.7% 14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2%	35.3% 10.2% 1.8% 7.1% 51.5% 15.7% 15.3% 6.8% 10.3% 10.0% 55.5% 12.4%
% 65+ with liver disease % 65+ with lung cancer % 65+ with migraine and other chronic headache % 65+ with osteoarthritis or rheumatoid arthritis % 65+ with osteoporosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	10.2% 1.4% 6.3% 43.7% 14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2%	10.2% 1.8% 7.1% 51.5% 15.7% 15.3% 6.8% 10.3% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with lung cancer % 65+ with migraine and other chronic headache % 65+ with osteoarthritis or rheumatoid arthritis % 65+ with osteoporosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	1.4% 6.3% 43.7% 14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2%	1.8% 7.1% 51.5% 15.7% 15.3% 6.8% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with migraine and other chronic headache % 65+ with osteoarthritis or rheumatoid arthritis % 65+ with osteoporosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	6.3% 43.7% 14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2% 31 5.8%	7.1% 51.5% 15.7% 15.3% 6.8% 10.3% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with osteoarthritis or rheumatoid arthritis % 65+ with osteoporosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	43.7% 14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2%	51.5% 15.7% 15.3% 6.8% 10.3% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with osteoporosis % 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	14.5% 19.6% 6.0% 5.8% 11.0% 52.5% 17.2%	15.7% 15.3% 6.8% 10.3% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with peripheral vascular disease % 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH		19.6% 6.0% 5.8% 11.0% 52.5% 17.2% 31 5.8%	15.3% 6.8% 10.3% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with pressure ulcer or chronic ulcer % 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH		6.0% 5.8% 11.0% 52.5% 17.2% 31 5.8%	6.8% 10.3% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with prostate cancer (men) % 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH		5.8% 11.0% 52.5% 17.2% 31 5.8%	10.3% 10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with stroke % 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH		11.0% 52.5% 17.2% 31 5.8%	10.0% 55.5% 12.4% 2,080 8.7%
% 65+ with 4+ (out of 15) chronic conditions % 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	52.5% 17.2% 31 5.8%	55.5% 12.4% 2,080 8.7%
% 65+ with 0 chronic conditions BEHAVIORAL HEALTH # drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	17.2% 31 5.8%	2,080 8.7%
# drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	31 5.8%	2,080 8.7%
# drug overdose deaths (all ages) (County) % 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	5.8%	8.7%
% 65+ with substance use disorder % 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В	5.8%	8.7%
% 18+ excessive drinking (County) % 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH	В		
% 65+ with tobacco use disorder % 18+ current smokers (County) MENTAL HEALTH		15.2%	
% 18+ current smokers (County) MENTAL HEALTH		10.270	NA
MENTAL HEALTH		12.7%	13.6%
		14.5%	NA
% 18+ with 14+ days poor mental health (County)		13.5%	NA
% 65+ with depression		31.5%	34.8%
% 65+ with anxiety disorder	В	23.2%	30.7%
% 65+ with post-traumatic stress disorder		3.4%	3.9%
% 65+ with schizophrenia & other psychotic disorder		2.6%	3.2%
LIVING WITH DISABILITY			
% 65+ with self-reported hearing difficulty		11.6%	15.5%
% 65+ with self-reported vision difficulty		3.8%	4.6%
% 65+ with self-reported cognition difficulty		11.4%	7.5%
% 65+ with self-reported ambulatory difficulty		19.3%	17.8%
% 65+ with self-reported self-care difficulty		7.5%	5.2%
% 65+ with self-reported independent living difficulty		12.5%	10.5%
CAREGIVING			
# of Alzheimer's support groups		0	11
% grandparents raising grandchildren		0.65%	0.55%

HEALTH OUTCOMES	Significantly different than state rate	Community estimate	State estimate
ACCESS TO CARE			
% 65+ dually eligible for Medicare and Medicaid		18.7%	18.7%
% 65+ Medicare managed care enrollees	*	54.6%	50.3%
% 18-64 who lack health insurance (County)		6.8%	NA
# of primary care providers		4	2,199
# of hospitals		0	37
# of home health agencies		0	20
# of skilled nursing facilities		0	87
# of hospice agencies		0	14
# of community health centers		1	164
# of adult day health centers		0	33
SERVICE UTILIZATION			
# physician visits per year		4.0	4.7
# emergency room visits/1000 persons 65+ years annually	*	415.4	556.1
# Part D monthly prescription fills per person annually		47.8	49.8
# home health visits annually		1.8	1.7
# durable medical equipment claims annually		1.6	2.0
# inpatient hospital stays/1000 persons 65+ years annually		142.2	169.8
% Medicare inpatient hospital readmissions (as % of admissions)		9.1%	14.3%
# skilled nursing facility stays/1000 persons 65+ years annually	*	17.8	43.3
# skilled nursing home Medicare beds/1000 persons 65+ years		0.0	20.0
% 65+ getting Medicaid long term services and supports		1.9%	2.1%
% 65+ hospice users	*	2.2%	3.0%
% 65+ hospice users as % of decedents		40.4%	49.7%
NOTES			

TECHNICAL NOTES

*For more information on data sources, measures, and methodology used in the 2025 Maine Healthy Aging Data Report see our technical documentation at (healthyagingdatareports.org). For most indicators, the community and state values are estimates derived from sample data. Thus, it is possible that some of the differences between state and community estimates may be due to chance associated with population sampling. We use the terms "Better" and "Worse" to highlight differences between community and state estimates that we are confident are not due to chance. We balance two goals. First, we aim to report data at very local levels because we believe change is often locally driven. Second, we vowed to protect the privacy of the people providing the information reported. Thus, given the constraints of the data analyzed, we used a hierarchical approach to reporting.

Data Sources:

- Population Characteristics: The U.S. Census Bureau (American Community Survey (ACS)) 2018-2022.
- Housing: ACS, 2018-2022; Maine Home Care Association (MEHCA), 2023.
- Cost of Living: Center for Social and Demographic Research on Aging at the University of Massachusetts Boston, 2023.
- Economic: ACS, 2018-2022.
- Wellness: Centers for Disease Control and Prevention (CDC; Behavioral Risk Factor Surveillance Survey (BRFSS)), 2020-2021.
- Community: AARP, 2023; ACS, 2018-2022; CDC WONDER, 2016-2020; The CMS Master Beneficiary Summary File ABCD/Other (CMS), 2020-2021; NECHE, 2023; State of Maine, 2023; Maine State Library, 2023; Maine Secretary of State, 2023; OLLI, 2023; U.S. EPA Air Compare, 2023.
- Transportation: ACS, 2018-2022; AllTransit™, 2023; NHTSA, 2018-2022.
- Falls: CMS, 2020-2021.
- Prevention: BRFSS, 2020-2021.
- Nutrition/Diet: BRFSS, 2020-2021; CMS, 2020-2021.
- Oral Health: BRFSS, 2020-2021; HRSA, 2023.
- Chronic Disease: CMS, 2020-2021.
- Behavioral Health: BRFSS, 2020-2021; CDC WONDER 2016-2020; CMS, 2020-2021.
- Mental Health: BRFSS, 2020-2021; CMS, 2020-2021.
- Living with Disability: ACS, 2018-2022.
- Caregiving: ACS, 2018-2022; Alzheimer's Association, 2023.
- Access to Care: BRFSS, 2020-2021; CMS, 2020-2021; HRSA, 2023; Medicare.gov, 2023; Maine.gov, 2023.
- Service Utilization: CMS, 2020-2021.

Healthy Aging Data Report Research Team (2025): Beth Dugan PhD, Nina Silverstein PhD, Chae Man Lee PhD, Taylor Jansen PhD, Yan-Jhu Su, Yan Lin, Shan Qu, Tiffany Tang & Qian Song PhD, from the Gerontology Institute at the University of Massachusetts Boston. The Point32Health Foundation supported the research and provided important guidance.

<u>Suggested citation:</u> Dugan E, Lee CM, Jansen T, Su YJ, Silverstein NM, & Song Q. (2025). The Maine 2025 Healthy Aging Data Report. Retrieved from <u>www.healthyagingdatareports.org</u>

Questions or Ideas? Beth.dugan@umb.edu





In partnership with



a Point32Health company